

TABLE 2.

Description of Localities	Underlying Formation	Overlying Formation	Thickness in Feet
Bjorne Peninsula, Ellesmere Island; locality 53; <u>Baumann Fiord</u> .	Belcher Channel	Bjorne	1,300
Between Tiedt Fiord and Blind Fiord, Ellesmere Island; locality 62; <u>Eureka Sound South</u> .	Nansen	Troid Fiord	1,330
West side of Blind Fiord, Ellesmere Island; locality 61; <u>Eureka Sound South</u> .	Nansen	Troid Fiord	2,240
North of Whitsunday Bay, Axel Heiberg Island; locality 60; <u>Eureka Sound North</u> .	Hare Fiord	Blind Fiord	710
South of Mokka Fiord, Axel Heiberg Island; locality 59; <u>Eureka Sound North</u> .	Hare Fiord	Blind Fiord	1,075
White Mountains, Axel Heiberg Island; locality 168; <u>Bukken Fiord</u> .	Hare Fiord	Blind Fiord	1,170
South of Bunde Fiord, Axel Heiberg Island; locality 57; <u>Bukken Fiord</u> .	Nansen	Degerbøls	300
South of head of Bunde Fiord, Axel Heiberg Island; locality 58; <u>Bukken Fiord</u> .	Nansen	Degerbøls	225
North coast of Axel Heiberg Island; locality 65(?) <u>Cape Stallworthy</u> .	Esayoo	Blind Fiord	700
About 13 miles north of Blaa Mountain, Ellesmere Island; locality 70; <u>Greely Fiord West</u> .	Hare Fiord	Blind Fiord	595
Type section of formation, northeast of van Hauen Pass, Ellesmere Island; locality 69; <u>Otto Fiord</u> .	Hare Fiord	Degerbøls	1,335
North side of Otto Fiord, Ellesmere Island; locality 67 <u>Otto Fiord</u> .	Nansen	Degerbøls	168

Locations of measured sections of van Hauen Formation showing underlying and overlying rock units and thicknesses of the formations. The Bjorne and Blind Fiord Formations are facies equivalents of one another, and both are of Early Triassic age.

OPEN FILE

67

Aug. 5 1971

GEOLOGICAL SURVEY  
CANADA