

LEGEND

- Diabase and gabbro
- Massive, feldspar and feldspar-quartz porphyries, mostly intrusive
- CAMERON BAY GROUP
Pebble-conglomerate, graywacke, argillite, crystalline limestone, tuff, pebbly sandstone, boulder-conglomerate
- ECHO BAY GROUP (3, 4, 5)
Feldspar and feldspar-quartz porphyries (in part fragmental and amygdaloidal), rhyolite, dacite, andesite, tuff, and agglomerate
- SHARE GROUP (1, 2)
Andesite, basalt, dacite, tuff
- Phyllite, graywacke, slate, argillite, quartzite, arkose, limestone, conglomerate, hornfels, knotted quartz-mica schist
- Andesite, dacite, trachyte, tuff
- Charly argillite, pebble-conglomerate
- Massive granite, granodiorite, and allied rocks. Younger than Share group (1, 2) and Echo Bay group (3, 4, 5); probably in part younger than Cameron Bay group (6), older than diabase and gabbro (8)
- Mainly granitic gneiss, but includes undifferentiated granitoid and otherwise metamorphosed rocks of probable sedimentary and volcanic origin. Younger than Share group (1, 2), older than diabase and gabbro (8)
- Giant quartz vein or quartz stockwork
- Fault

Geology by C. S. Lord, 1946; and W. H. Parsons, 1947

PRELIMINARY GEOLOGICAL MAP 48-19A.
CAMSELL RIVER
NORTHWEST TERRITORIES

Scale: 1 inch to 2 miles

BASE MAP SURVEYED BY THE TOPOGRAPHIC SURVEY,
CARTOGRAPHY BY THE GEOLOGICAL MAPPING DIVISION, 1948