

SPECIES	LOCALITIES									
	13	16	37	46	47	59	61	65	71	
Anthozoa										
<i>Enterolasma</i> sp.	X	X	X		X	X		X	X	
<i>Favosites</i> sp.			X			X			X	
<i>F.</i> cf. <i>forbesi</i> (Edwards & Haime)			X						X	
<i>Neozaphrentis</i> sp.	X				X	X		X	X	
Bryozoa										
<i>Berenicea</i> sp.		X								
<i>Hallopora</i> sp.		X	X				X	X	X	
<i>H. magnopora</i> (Foerste)	X	X			X			X		
<i>Fenestrellina tenuis</i> (Hall)					X					
<i>Semicoscinium tenuiceps</i> (Hall)						X				
<i>Helopora fragilis</i> Hall	X	X	X	X	X	X	X	X	X	
<i>Subretopora angulata</i> (Hall)		X				X	X	X	X	
<i>Phaenopora constellata</i> Hall			X					X	X	
<i>P. ensiformis</i> Hall	X	X	X	X		X	X	X	X	
<i>P. expansa</i> Hall and Whitfield	X	X	X	X	X			X	X	
<i>P.</i> cf. <i>fimbriata</i> (James)								X	X	
<i>P. punctata</i> (Nicholson and Hinde)						X				
<i>Pachydictya crassa</i> (Hall)		X	X			X			X	
<i>P. turgida</i> Foerste						X		X		
<i>Rhinopora verrucosa</i> Hall	X	X			X	X		X		
Brachiopoda										
<i>Lingula</i> sp. indet.								X		
<i>Schizotreta</i> cf. <i>tenuilamellata</i> (Hall)						X				
<i>Dolerorthis flabellites</i> (Foerste)			X		X	X		X	X	
<i>D. flabellites dinorthis</i> (Foerste)						X				
<i>Glyptorthis</i> cf. <i>fausta</i> (Foerste)					X	X				
<i>Platystrophia biforata</i> (Schlotheim)	X		X		X	X			X	
<i>P.</i> cf. <i>daytonensis</i> Savage					X	X				
<i>Rhynchotrete cabotensis</i> Williams								X		
<i>R. intermedia</i> Savage						X				
<i>R. lepida</i> Savage				X		X		X	X	
<i>Rhynchonella</i> (?) <i>janea</i> Billings	X			X		X		X	X	
<i>Stegerhynchus neglectum</i> (Hall)	X	X	X	X		X	X	X	X	
<i>Plectatrypa marginalis</i> (Dalman)						X				
<i>Atrypa parksi</i> Williams		X								
<i>Coelospira planoconvexa</i> (Hall)	X	X								
<i>C.</i> cf. <i>plicata</i> (Hall)				X		X				
<i>Whitfieldella</i> cf. <i>cataractensis</i> Williams		X								
<i>W. circularis</i> Foerste		X								
<i>W.</i> cf. <i>intermedia</i> (Hall)		X			X					
<i>W.</i> cf. <i>nitida</i> (Hall)					X			X		
<i>Strophonella</i> (?) <i>corrugata</i> (Hall)			X			X	X		X	
<i>S. striata</i> (Hall)	X	X	X			X	X	X	X	
<i>Leptaena rhomboidalis</i> (Wilckens)	X	X	X			X	X	X	X	
<i>Fardenia</i> cf. <i>subplana</i> (Hall)						X		X	X	
<i>F. plicata</i> n. sp.									X	
<i>Parmorthis eugeniensis</i> (Williams)	X	X	X		X	X	X	X	X	
<i>P. eugeniensis palaeoelegantula</i> (Williams)		X				X		X		
<i>Rhipidomella hybrida</i> (Sowerby)	X	X				X		X		
Pelecypoda										
<i>Pyrenomoerus cuneatus</i> Hall		X						X		
<i>Ctenodonta cataractensis</i> Foerste		X								
<i>C. elliptica</i> (Hall)		X	X	X				X	X	
<i>C. equilatera</i> (Hall)									X	
<i>C. glenna</i> n. sp.		X	X					X	X	
<i>C. lata</i> (Hall)				X				X		
<i>C.</i> cf. <i>subelliptica</i> Savage		X								
<i>Cleidophorus albionensis</i> n. sp.		X						X		
<i>C. ferrugineum</i> (Foerste)		X	X					X		
<i>C. major</i> n. sp.				X				X		
<i>Cyrtodonta alata</i> (Hall)			X	X				X		
<i>Pterinea</i> cf. <i>brisa</i> Hall		X	X	X				X		
<i>P. undata</i> (Hall)		X	X					X	X	
<i>Cornellites emaceratus</i> (Conrad)									X	
<i>Leiopteria subplana</i> (Hall)				X					X	
<i>Leptodesma rhomboidea</i> (Hall)								X		
<i>Amphicoelia orbiculoides</i> (Hall)									X	
<i>Modiolopsis creditensis</i> n. sp.				X						
<i>M. kelsonensis</i> Williams								X		
<i>M.</i> cf. <i>orthonota</i> (Conrad)		X	X							
Gastropoda										
<i>Lophospira</i> cf. <i>pulchra</i> Williams									X	
<i>Hormotoma subulata</i> (Conrad)		X							X	
<i>Pleurotomaria</i> (?) <i>litorea</i> Hall									X	
<i>Tentaculites minutus</i> Hall						X				
<i>T. neglectus</i> Nicholson and Hinde						X				
Cephalopoda										
<i>Michelinoceras</i> sp.		X						X	X	
Annelida										
<i>Cornulites</i> cf. <i>clintoni</i> Hall								X		
<i>C. distans</i> Hall	X	X				X	X	X	X	
<i>Spirorbis</i> sp.		X	X	X		X	X	X	X	
<i>Arabellites</i> sp.								X		
<i>Lumbriconereites</i> sp.								X		
<i>Oenonites</i> sp.								X		
<i>Nereidavus</i> sp.								X		
Conulariida										
<i>Conularia</i> cf. <i>cataractensis</i> Foerste								X		
Trilobita										
<i>Bumastus</i> sp. cf. <i>B. ioxus</i> (Hall)								X		
<i>Calymene clintoni</i> (Vanuxem)		X	X			X		X	X	
<i>Dalmanites</i> cf. <i>limulus</i> (Green)								X		
<i>Encrinurus</i> sp.						X				
<i>E.</i> cf. <i>ornatus</i> (Hall)								X		
Ostracoda										
<i>Bythocypris</i> sp.						X				
<i>Leperditia</i> sp.		X	X			X	X	X	X	
LOCALITIES										
13. Stoney Creek										
16. Hamilton Mountain road section										
37. Railway cut, Limehouse (Grimsby red facies)										
46. Creek section, lot 27, con. IX, Esquesing tp. (includes Grimsby facies)										
47. Creek section, lot 28, con. IX, Esquesing tp.										
59. Credit Forks, south bank										
61. Cataract, below dam										
65. North tributary of Nottawasaga River, lot 12, con. IE, Mono tp.										
71. Hornings Mills (includes Grimsby red facies)										

GEOLOGICAL SURVEY OF CANADA

PUBLISHED, 1957

TABLE V. CABOT HEAD FORMATION, DISTRIBUTION OF SPECIES

To accompany Memoir 289 by T. E. Bolton

This document was produced
by scanning the original publication.

Ce document est le produit d'une
numérisation par balayage
de la publication originale.