CANADA
DEPARTMENT OF MINES AND RESOURCES
MINES, FORESTS AND SCIENTIFIC SERVICES BRANCH
GEOLOGICAL SURVEY OF CANADA

LEGEND

CENOZOIC

TERTIARY
PALEOCENE
PASKAPOO AND PORCUPINE HILLS FORMATIONS

CRETACEOUS AND (?) TERTIARY
UPPER CRETACEOUS AND (?) PALEOCENE
BEARPAW, ST. MARY RIVER, EDMONTON, AND WILLOW CREEK FORMATIONS

MESOZOIC

CRETACEOUS
UPPER CRETACEOUS
BELLY RIVER FORMATION

CROWSNEST FORMATION AND ALBERTA GROUP

JURASSIC AND CRETACEOUS
JURASSIC AND LOWER CRETACEOUS
FERNIE GROUP, KOOTENAY FORMATION, AND BLAIRMORE GROUP

PALÆOZOIC

EXSHAW, BANFF, RUNDLE FORMATIONS, and Devonian undivided

Thrust fault . . . . . .
Geological contact . . . . . .
Well . . . . . .o

INDEX TO WELLS

1. Savanna Creek No. 1
2. Royal Sun No. 1
3. Stimson No. 1
4. Willow Creek
5. Rice Creek
6. Oilfield Dev. No.1
7. Marjon Lundbreck No. 1
8. Maxmont No. 1
9. Quaich Globe Nos. 1 and 2

Map-areas indicated thus . . . . . COWLEY

To accompany Memoir No. 255, by R. J. W. Douglas.

Cartography by the Geological Mapping Division, 1949.

SCALE OF MILES

8 0 8 16

Lithographed and printed by the Army Survey Establishment, R.C.E., Department of National Defence.

FIGURE 1

INDEX MAP OF A PART OF THE DISTURBED BELT OF SOUTHWESTERN ALBERTA

This document was produced by scanning the original publication.

Ce document est le produit d'une numérisation par balayage de la publication originale.