



LEGEND

- | | | |
|----------|--|---|
| CENOZOIC | TERTIARY | 8 PASKAPOO FORMATION: sandstone, shale |
| | CRETACEOUS | |
| | UPPER CRETACEOUS | 7 EDMONTON FORMATION (including BEARPAW equivalents): sandstone, shale, coal |
| | | 6 BELLY RIVER FORMATION: sandstone, shale, conglomerate, coal |
| | | 5 UPPER ALBERTA FORMATION: shale, sandy shale |
| MESOZOIC | | 4 CARDIUM FORMATION: sandstone, sandy shale |
| | | 3 LOWER ALBERTA FORMATION: shale, sandy shale |
| | | LOWER CRETACEOUS |
| | | 2 BLAIRMORE FORMATION: sandstone, shale, conglomerate |
| | 1 KOOTENAY FORMATION: sandstone, carbonaceous shale, coal | |

- | | |
|--|--|
| Bedding (inclined, overturned)..... | |
| Fault..... | |
| Anticlinal axis..... | |
| Synclinal axis..... | |
| Rock outcrop..... | |
| Coal (outcrop or mine)..... | |
| Well (abandoned)..... | |
| | |
| Provincial highway (numbered)..... | |
| Road well travelled..... | |
| Road not well travelled..... | |
| Trail..... | |
| School..... | |
| Post Office..... | |
| Township boundary..... | |
| Section line..... | |
| Intermittent lake and stream..... | |
| Marsh..... | |
| Contours (interval 50 feet)..... | |
| Depression contour..... | |
| Height in feet above Mean sea-level..... | |

Geology by G.S. Hume, 1929, and 1938.

Base map prepared by the Topographical Survey, 1940, from Federal Government map published in 1930. Cartography by the Drafting and Reproducing Division, 1941.



MAP 667A
FISH CREEK
ALBERTA

Scale, 63,360 or 1 Inch to 1 Mile
Miles

Approximate magnetic declination, 23°15' East.

NOT TO BE TAKEN FROM LIBRARY
NE PAS SORTIR DE LA BIBLIOTHÈQUE

★
667A