


LEGEND

- | | | |
|-----------------------------------|---|--|
| PROTEROZOIC
(LATE PRECAMBRIAN) | 7 | ATHABASKA SERIES
Sandstone, arkose, conglomerate, basalt flows and dykes |
| | 6 | POST-BEAVERLODGE
Granite |
| | 5 | BEAVERLODGE SERIES
Gabbro, norite, amphibolite, peridotite |
| | 4 | BEAVERLODGE SERIES
Quartzite, conglomerate, iron formation |
| ARCHEAN
(EARLY PRECAMBRIAN) | 3 | POST-TAZIN
Granite, granodiorite, pegmatite, granite-gneisses, and undifferentiated gneissic sediments; may include granites of more than one age |
| | 2 | Mixture of orthogneiss (related to 3) and paragneiss (probably mainly or solely altered forms of 1) |
| | 1 | TAZIN GROUP
Limestone, dolomite, secondary silicate rock; quartzite, argillite, conglomerate; mica schist, mica gneiss; lavas and volcanic fragmental rock |

Geological boundary (defined, approximate).....
 Geology by F. J. Alcock, 1935.

RELATED PUBLICATION
 MAP 339A. Goldfields Area, Northern Saskatchewan, scale, 1 inch to 1 mile; by F. J. Alcock, 1935.



MAP 363A
TAZIN LAKE SHEET
 NORTHERN SASKATCHEWAN

Scale, 253440 or 1 inch to 4 Miles
 0 4 8 12 16 Miles
 0 5 10 15 20 Kilometres
 Approximate magnetic declination, 28°33' East.

- LEGEND
- Trail or portage
 - Post Office
 - Provincial boundary
 - Fall or rapid
 - Sandbar
 - Marsh
 - Height in feet
- Base-map prepared from information supplied by the Topographical and Air Survey Bureau, Department of the Interior.

NOT TO BE TAKEN FROM LIBRARY
 NE PAS SORTIR DE LA BIBLIOTHÈQUE

