

LEGEND


KEEWATIN	Diabase dykes
	14
	Porphyrized gneiss
	13
	Banded and streaked gneiss
ALGOMAN	12
	Gneiss and granite gneiss
	11
	Syenite gneiss
	10
	Basic facies of syenite
	9
	Lampetrolic rocks
HURONIAN	8
SENE SERIES	7
QUARTZITE AND SLATE	6
	5
	4
	3
	2
LAURENTIAN	1
	Gneiss and granite gneiss
	Amphibole
	4
	Horsholm's schists
KEEWATIN	3
	Limestone
	2
	1
COUTCHICONG	1
	Mica schist
	paragneiss, phyllite
	Symbols
	Geological boundary
	Dip and strike
	Vertical stress
	Horizontal stress

Geological Notes

Note A: The country to the southwest of Red Bay is in part overlain with Pleistocene deposits...
 Note B: The Paleozoic folded series of rocks...
 Note C: The rocks of the Seneca series...
 Note D: The metamorphism of the Laurentian rocks...
 Note E: The occurrence of the amphibole in horn...
 Note F: The position of the boundary between the...
 Note G: The band of porphyritic gneiss which is...
 Note H: The amphibole in the horn has been...
 Note I: The amphibole which has been found...

LIBRARY / ARCHIVOLOGIE
 A.C. 12 1985
 GEOLOGICAL SURVEY
 COMMISSION GEOLOGIQUE

U.S. Geological, Geographical and Chart Department
 A.C. Lawson, Geographer



MAP 98A
 (Revised 1911)
RAINY LAKE
 RAINY RIVER DISTRICT
 ONTARIO
 Scale: 63,360
 Miles
 Kilometres
 1 MILE TO 1 INCH

GEOLOGY
 A.C. LAWSON, 1911.
GEOGRAPHY
 A.C. LAWSON, 1886.
 W. H. SMITH, 1885-7.
 J. D. TRUEMAN, 1891.
 DEPARTMENT OF LANDS, FORESTS & MINES, ONTARIO.
 DEPARTMENT OF RAILWAYS & CANALS.

NOT TO BE TAKEN FROM LIBRARY
 NE PAS SORTIR DE LA BIBLIOTHEQUE

GEOGRAPHICAL BASE
 RATED GRADE 3



98A