



Legend

- Peat bog
- Margin of bog
- Contours of bottom of bog (lines show depth below surface)
- 12.4 Drill-hole (with thickness of peat shown in feet and inches)

Classification of Peat

- | | | | |
|---|-----|---|--|
| Peat more or less suitable for the manufacture of peat fuel | A | } | highly humified; good |
| | A- | | |
| | AB+ | } | well humified |
| | AB- | | |
| Peat more or less suitable for the manufacture of peat litter | B+ | } | fairly well humified |
| | B | | less well humified; poor |
| Peat more or less suitable for the manufacture of peat litter | B- | } | not suitable for the manufacture of peat fuel or peat litter |
| | BC+ | | slightly humified; poor |
| | BC | } | fairly free from humus |
| | C+ | | |
| | C | | practically free from humus; good |
| C- | | | |

Pokemouche Peat Litter Bog, Gloucester County, New Brunswick.

To accompany report by A. Anrep, in Summary Report, Part C, 1923

Scale: 2400 feet to 1 inch

Peat surveys by A. Anrep, 1923.

Pokemouche
5.1.4
A, Ceol.

NOT TO BE TAKEN FROM LIBRARY
NE PAS SORTIR DE LA BIBLIOTHÈQUE

★
2027

This map has been produced from a scanned version of the original map
Reproduction par numérisation d'une carte sur papier