


- LEGEND**
- STRATIFIED ROCKS**
- QUATERNARY**
12 Alluvium and glacial deposits
- UPPER MIOCENE (?)**
11 Basalt flows (pillows common)
- JURASSIC**
4 Greenstone, siliceous tuff, calcareous and micaceous quartzite, breccia, greywacke, argillite, slate
- LOWER JURASSIC (?) OR UPPER TRIASSIC (?)**
3 Greenstone, chlorite schist
- PERMIAN (?) AND/OR OLDER**
2 Mainly meta-sediments: 2a, hornblende-biotite-plagioclase amphibolite and schist; biotite schist (locally garnetiferous); kyanite-staurolite-almandine mica schist, sericite-epidote schist, sillimanite-quartz-plagioclase gneiss, granitic schist, quartzite, crystalline limestone; conglomerate; lit-par-lit gneiss, agmatite and minor granitic rock; 2b, mainly thinly laminated micaceous quartzite; crystalline limestone, skarn, schist; 2c, mainly massive to thick bedded crystalline limestone; 2d, mainly thin bedded crystalline limestone, skarn, intercalated quartzite and schist
- 1** Granitoid gneiss, gneissic quartz diorite, rusty fine grained gneiss and schist, migmatite; minor garnet-sillimanite-biotite schist, crystalline limestone, diopside skarn, garnet-staurolite-kyanite schist; 1a, agmatite
- PLUTONIC ROCKS**
(Age of formation and intrusion unknown)
- 10a, mainly biotite quartz monzonite; 10b, biotite hornblende quartz monzonite; 10c, leucocratic monzonite or granite; 10d, aplitic, garnetiferous quartz monzonite
- 9 Granodiorite: 9a, biotite only; 9b, biotite hornblende; 9c, hornblende; biotite; 9d, sheared granodiorite and gneiss; 9e, fine-grained, even textured granodiorite
- 8 Quartz diorite: 8a, biotite hornblende; 8b, hornblende biotite; 8c, hornblende-chlorite; 8d, hornblende only; 8e, quartz diorite and abundant gneiss
- 7 Diorite: 7a, biotite hornblende; 7b, hornblende and hornblende-biotite
- 6 Gabbro
- 5 Basic complexes: 5a, gabbro-diorite-migmatite complex; 5b, gneissic diorite-migmatite complex



- INDEX TO MINERAL PROPERTIES**
- Gibson Island (copper, zinc, lead)
 - Rowe Claims (gold)
 - Marble Bay (copper, molybdenum)
 - Kingdown Lake (copper)
 - Donaldson Creek (copper)
 - Hepler Lake Property (gold, silver)
 - Eastall (gold, silver, copper, zinc)
 - Drum Lummon Mine (copper, silver)
 - Golden Crown Group (copper, gold, silver)
 - Kildala Claims (copper)
 - Empress and Copper Cliff Groups (copper, gold, silver)
 - Payroll Claims (gold, copper)
 - Cordila Group (gold, silver)
 - Surf Inlet Mine (gold, silver, copper)
 - Hunter Group (gold)
 - Western Copper Group (gold, silver)

Geology by J. G. Souther, A. J. Baer and W. W. Hutchison (1965), J. A. Roddick, A. J. Baer and W. W. Hutchison (1965), compiled by J. A. Roddick

To accompany GSC Paper 70-41 by J. A. Roddick

Base-map assembled by the Geological Survey of Canada from maps produced at the same scale by the Survey and Mapping Branch in 1954-60 and by the Army Survey Establishment, R. C. E. in 1964


Copies of the topographical edition of this map may be obtained from the Map Distribution Office, Department of Energy, Mines and Resources, Ottawa

Magnetic declination 1970 varies from 26°06' easterly at centre of east edge to 26°07' easterly at centre of west edge. Mean annual change decreasing 2.9'


Elevations in feet above mean sea-level

Geographical names subject to revision

Published 1970



MAP 23-1970
PAPER 70-41
GEOLOGY
DOUGLAS CHANNEL AND HECATE STRAIT
BRITISH COLUMBIA



MAP LIBRARY / CARTOTHÈQUE
3401
-05
1956
C24
omsc
23-1970
C.L.

DEC 16 1981
GEOLOGICAL SURVEY
COMMERCIAL DIVISION
LIBRARY / BIBLIOTHÈQUE

