



LEGEND


- QUATERNARY**
- POSTGLACIAL DEPOSITS AND LANDFORMS**
- 14 Organic deposits (on poorly drained flats): peat and muck over silt and clay
  - 13 Undifferentiated deposits (includes deposits on steep slopes and along valley walls and bottoms): drift, shale; commonly mantled with colluvium, alluvium, and slump debris; 13a, valley walls devoid of major slump scars
  - 12 Alluvium (modern stream deposits): sand, silt, gravel; in places local patches over till or bedrock
  - 11 Wind deposits (dunes separated by blowouts): sand
- LATE GLACIAL AND EARLY POSTGLACIAL DEPOSITS AND LANDFORMS**
- 10 Glaciolacustrine deposits: clay, silt, sand, gravel; 10a, silt and clay; 10b, sand and gravel mainly in beach complexes
  - 9 Valley terrace deposits: gravel and sand; 9a, 3 to 15 m (10 to 50 ft) thick; 9b, local patches over till or bedrock
  - 8 Alluvium and outwash (stream deposits in and along abandoned channels): gravel, sand
- GLACIAL DEPOSITS AND LANDFORMS**
- 7 Kames and eskers: silt, sand, gravel, minor till; 7a, kames; 7b, kame moraines consisting of kames, eskers, and minor ridges
  - 6 Outwash-glaciolacustrine complexes: gravel, sand, silt; 6a, pitted or hummocky, mainly gravel and sand; 6b, flat to gently irregular, mainly sand and silt; 6c, flat to gently irregular, mainly gravel and sand; 6d, deltaic, mainly gravel and sand; 6e, gently irregular to hummocky, glaciolacustrine, mainly silt and sand
  - 5 Moraine plateau (glaciolacustrine): clay, silt; minor sand and gravel
  - 4 Hummocky moraine (knob and kettle topography): till, local silt, sand, and gravel; 4a, belts with linear elements forming distinctive end moraines; 4b, transitional zone of discontinuous hummocky moraine along upland margins; 4c, broad areas with general relief between 3 and 8 m (10 to 25 ft); 4d, broad areas with general relief greater than 8 m (25 ft)
  - 3 Corrugated moraine (gently irregular to irregular with marked reticulate pattern dominated by subarcuate trend of ridges and knobs): till; 3a, modified by water erosion, local silt, sand and gravel patches; 3b, average relief less than 3 m (10 ft); 3c, average relief 3 to 8 m (10 to 25 ft)
  - 2 Till plain (flat to gently irregular): till; 2a, modified by water erosion with local silt, sand and gravel; 2b, average relief less than 3 m (10 ft); 2c, average relief 3 to 8 m (10 to 25 ft)
- QUATERNARY AND CRETACEOUS**
- 1 Bedrock plains (flat to broadly rolling bedrock, locally veneered with till and commonly marked by drumlins and drumloids): 1a, modified by water erosion; local organic, silt, sand and gravel patches; 1b, flat or nearly flat plains; 1c, broadly rolling plains; 1d, drumlin or drumloid
- Geological symbols:**
- Bedrock outcrop
  - Geological boundary (defined, approximate)
  - Striae and grooves on boulder pavement (dominant direction of ice flow)
  - Ice flow feature: drumlins, drumlin-like ridges
  - Esker ridge: gravel, sand, silt and till (direction of flow defined, not defined)
  - Buried or partly filled channel
  - Meltwater channel
  - Slump topography
  - Beach ridge, bar, or spit
  - Escarpment
- Geology by R.W. Klassen, 1968, 1969
- To accompany Memoir 396 by R.W. Klassen
- Geological cartography by S.J. Froberg, A. King and B. Mainville, Geological Survey of Canada
- The geological information on this map is portrayed using computer-assisted and traditional cartographic methods. Automated techniques involved symbol and pattern design, data entry by digitizing, the production of edit plots for checking, the cutting of pellicots and the scribing of all boundaries, patterns, and symbols. Input equipment, data processing, and plotting facilities were provided by the automated cartography unit of the Surveys and Mapping Branch, Energy, Mines and Resources
- Any revisions or additional geological information known to the user would be welcomed by the Geological Survey of Canada
- Base-map at the same scale published by the Surveys and Mapping Branch in 1976
- Copies of the topographical edition of this map may be obtained from the Canada Map Office, Department of Energy, Mines and Resources, Ottawa
- Mean magnetic declination 1976, 12°39' East, decreasing 5.6' annually. Readings vary from 11°36' in the SE corner to 13°44' in the NW corner of the map-area
- Elevations in feet above mean sea-level



Copies of this map may be obtained from the Geological Survey of Canada, 601 Booth Street, Ottawa, Ontario K1A 0E8, 3303 - 33rd Street, N.W., Calgary, Alberta T2L 2A7



MAP 1480A  
 SURFICIAL GEOLOGY  
**DUCK MOUNTAIN**  
 WEST OF PRINCIPAL MERIDIAN  
 MANITOBA - SASKATCHEWAN



63 D	63 C	63 B
62 M	1480A 62 N	62 O
62 L	1479A 62 K	62 J

NATIONAL TOPOGRAPHIC SYSTEM REFERENCE AND INDEX TO GEOLOGICAL SURVEY OF CANADA MAPS

NOT TO BE TAKEN FROM LIBRARY  
NE PAS SORTIR DE LA BIBLIOTHÈQUE

DUCK MOUNTAIN  
MANITOBA - SASKATCHEWAN