


Isomagnetic lines (total field)  
 500 gammas .....  
 100 gammas .....  
 20 gammas .....  
 10 gammas .....  
 Magnetic depression contour .....  
 Flight line .....  
 Flight altitude: 500 feet above ground level

MAP 122G  
**SERPENTINE LAKE**  
 NORTHUMBERLAND AND VICTORIA COUNTIES  
 NEW BRUNSWICK

Scale: One Inch to One Mile =  $\frac{1}{63,360}$   
 Miles



Magnetic Survey, January and March 1950, by  
 Geophysics Section, Geological Survey of Canada,  
 Department of Mines and Technical Surveys.

No correction has been made for regional variation;  
 this increases at the rate of 3.0 gammas per mile from  
 east to west and 2.5 gammas per mile from south  
 to north.

The magnetic data on this map were compiled from information recorded  
 along the flight lines shown. The anomalies expressed by the magnetic contours  
 are dependent on the variable magnetic intensities of the underlying rocks, and  
 may be due to conditions near, or at unknown depths below, the surface. High  
 magnetic anomalies normally indicate the presence of basic rocks, such as diabase,  
 gabbro, or serpentine, which have a relatively high iron content; but in special  
 instances may be due, or partly due, to concentrations of magnetic ore minerals.  
 By means of the magnetic anomalies, various rock bodies or structural features,  
 such as faults or folds, may be traced by the geologist into, or across, areas  
 of few or no outcrops. In many instances, however, no present interpretation  
 of particular anomalies may be possible.