
SHEET 21 15 AEROMAGNETIC SERIES GEOLOGICAL SURVEY OF CANADA 67°00′



Isomagnetic lines (total field) 500 gammas ... 100 gammas... 20 gammas. 10 gammas.. Magnetic depression contour.... Flight line... Flight altitude: 500 feet above ground level

TUADOOK LAKE

VICTORIA, NORTHUMBERLAND, YORK AND CARLETON COUNTIES



Magnetic Survey, January and March 1950, by Geophysics Section, Geological Survey of Canada, Department of Mines and Technical Surveys.

No correction has been made for regional variation; this increases at the rate of 3.0 gammas per mile from east to west and 2.5 gammas per mile from south

along the flight lines shown. The anomalies expressed by the magnetic contours are dependent on the variable magnetic intensities of the underlying rocks, and may be due to conditions near, or at unknown depths below, the surface. High magnetic anomalies normally indicate the presence of basic rocks, such as diabase, gabbro, or serpentine, which have a relatively high iron content; but in special instances may be due, or partly due, to concentrations of magnetic ore minerals. By means of the magnetic anomalies, various rock bodies or structural features, such as faults or folds, may be traced by the geologist into, or across, areas of few or no outcrops. In many instances, however, no present interpretation of particular anomalies may be possible.