CANADA DEPARTMENT MINES AND TECHNICAL SURVEYS SHEET 83 10 GEOLOGICAL SURVEY OF CANADA AEROMAGNETIC SERIES 112°30′ 113°00′ 54°45′ Lake TP.66, R.17 Amber Valley Auger Lake TP.66, R.18 TP.66, R.20 North Buck Lake Lake Flat TP.65, R.19/ TP.65, R.20 Skeleton, Lake Lake Stronoch Lake TP.64, R.18 JP.64, R.17 TP.64,R.20 TP. 64, R.19 PUBLISHED, 1957 112°30′ MAP 476G The magnetic data on this map were compiled from information ISOMAGNETIC LINES (total field) ADVANCE EDITION recorded along the flight lines shown. The anomalies expressed by 500 gammas..... the magnetic contours are dependent on variations in the magnetic DIAGRAM OF TOWNSHIP SHOWING NUMBERING OF SECTIONS 100 gammas..... BONDISS intensities of the basement rocks as recorded at the flight altitude. These variations are, for the most part, due to changes in the 31 32 33 34 35 36 composition of the rocks making up the basement, but in some WEST OF FOURTH MERIDIAN Magnetic depression..... instances may be due to changes in altitude of the basement. Strong 30 29 28 27 26 25 anomalies are probably due to an increased magnetite content in the ALBERTA Flight line..... rocks, but small anomalies may be due to either of the above causes. Flight altitude: 1000 feet above ground level Magnetic Survey, June to September, 1952, by Scale: One Inch to One Mile =  $\frac{1}{63,360}$ No correction has been made for regional variation; Geophysics Division, Geological Survey of Canada, Department of Mines and Technical Surveys. this increases at the rate of 0.5 gammas per mile from north to south and 2.8 gammas per mile from GEOPHYSICS PAPER 476 Township boundary, surveyed ..... Air photographs covering this map-area may be obtained through the National Air Photographic Library, Topographical Survey, Ottawa, Ontario. BONDISS ALBERTA SHEET 83 10 INDEX MAP