



91°00′

ISOMAGNETIC LINES (absolute total field)

500 gammas
100 gammas
20 gammas
10 gammas
Magnetic depression

Flight lines
Flight altitude 1000 feet above ground level

CHESTERFIELD INLET

MAP 3549G

Joins Map 3538G, "55 $\frac{0}{2}$ "

DISTRICT OF KEEWATIN
NORTHWEST TERRITORIES

NORTHWEST TERRITORIES

Scale 1:50 000 - Échelle 1/50 000

Kilometres 1 0 1 2 3 4 Kilomètre

Universal Transverse Mercator Projection
© Crown copyrights reserved © Droits de la Couronne réservés

Air photographs covering this map-area may be obtained through the National Air Photographic Library, Topographical Survey, Ottawa, Ontario.

Airborne Magnetic Survey, Aug. 1964 to Aug. 1965 by Spartan Air Services Ltd.

35'

No correction has been made for regional variation.

The planimetry for this map was obtained from topographical map sheets published by the Department of Mines and Technical Surveys

The magnetic data on this map were compiled from information recorded along the flight lines shown. The anomalies expressed by the magnetic contours are dependent on the variable magnetic intensities of the underlying rocks, and may be due to conditions near, or at unknown depths below the surface. High magnetic anomalies normally indicate the presence of basic rocks, such as diabase, gabbro, or serpentinite, which have a relatively high iron content, but in special instances may be due, or partly due, to concentrations of magnetic minerals. By means of the magnetic anomalies, various rock bodies or structural features, such as faults or folds, may be traced into, or across, areas of few or no outcrops. In many instances, however, no interpretation of particular anomalies may be possible without further geological information.

90°30′

PUBLISHED 1966

GEOPHYSICS PAPER 3549

CHESTERFIELD INLET

NORTHWEST TERRITORIES

SHEET 55 $\frac{0}{7}$