


MAP 4332 G

# SELWYN RIVER YUKON TERRITORY

Scale: One Inch to One Mile =  $\frac{1}{63,360}$  Miles



COPIES OF THIS MAP MAY BE OBTAINED FROM THE  
DIRECTOR, GEOLOGICAL SURVEY OF CANADA, OTTAWA

PUBLISHED, 1968

Magnetic survey, March 1967 to May 1968 by Aero Photo Inc.

No correction has been made for regional variation

The planimetry for this map was obtained from  
advance information supplied by the Department of  
Energy, Mines and Resources

The magnetic data on this map were compiled from information recorded along the flight lines shown. The anomalies expressed by the magnetic contours are dependent on the variable magnetic intensities of the underlying rocks, and may be due to conditions near, or at unknown depths below the surface. High magnetic anomalies normally indicate the presence of basic rocks, such as diabase, gabbro, or serpentine, which have a relatively high iron content, but in special instances may be due, or partly due, to concentrations of magnetic ore minerals. By means of the magnetic anomalies, various rock bodies or structural features, such as faults or folds, may be traced into, or across, areas of low or no outcrops. In many instances, however, no interpretation of particular anomalies may be possible without further geological information.

GEOPHYSICS PAPER 4332


SELWYN RIVER  
YUKON TERRITORY

SHEET 115  $\frac{J}{9}$

ISOMAGNETIC LINES (absolute total field)

- 500 gammas .....
- 100 gammas .....
- 20 gammas .....
- 10 gammas .....
- Magnetic depression .....

Flight lines .....  
Flight altitude: nominally 1000 feet above ground level where terrain permitted



INDEX MAP