


Joins Map 2383 G, "Suwannee Lake"

Joins Map 2388 G, "Pemichigouau Lake"

Joins Map 2395 G, "Myrornah Lakes"

PUBLISHED 1963



ISOMAGNETIC LINES (total field)

500 gammas

100 gammas

20 gammas

10 gammas

Magnetic depression


Flight lines

Flight altitude: 1000 feet above ground level.

MAP 2387G

RAT LAKE

MANITOBA



Airborne Magnetic Survey, May to September, 1962, by Canadian Aero Service Ltd.

No correction has been made for regional variation.

The planimetry for this map was obtained from the topographical map sheet published at a scale of one inch to four miles.

The magnetic data on this map were compiled from information recorded along the flight lines shown. The anomalies expressed by the magnetic contours are dependent on the variable magnetic intensities of the underlying rocks, and may be due to conditions near, or at unknown depths below, the surface. High magnetic anomalies normally indicate the presence of basic rocks, such as diabase, gabbro, or serpentine, which have a relatively high iron content; but in special instances may be due, or partly due, to concentrations of magnetic ore minerals. By means of the magnetic anomalies, various rock bodies or structural features, such as faults or folds, may be traced by the geologist into, or across, areas of few or no outcrops. In many instances, however, no interpretation of particular anomalies may be possible without further geological information.

GEOPHYSICS PAPER 2387

RAT LAKE
MANITOBA
SHEET 64 ^B/₄