








ISOMAGNETIC LINES (absolute total field)

500 gammas 
 100 gammas 
 20 gammas 
 10 gammas 
 Magnetic depression 
 Flight lines 
 Flight altitude: 1000 feet above ground level

MAP 4675G
LASHBURN
 SASKATCHEWAN

Scale: One Inch to One Mile = $\frac{1}{63,360}$ Miles



Airborne Magnetic Survey, May 1967 to Dec. 1969, by Aero Photo Inc.

No correction has been made for regional variation.

The planimetry for this map was obtained from advance information supplied by the Department of Energy, Mines and Resources.

The magnetic data on this map were compiled from information recorded along the flight lines shown. The anomalies expressed by the magnetic contours are dependent on the variable magnetic intensities of the underlying rocks, and may be due to conditions near, or at unknown depths below the surface. High magnetic anomalies normally indicate the presence of basic rocks, such as diabase, gabbro, or serpentinite, which have a relatively high iron content; but in special instances may be due, or partly due, to concentrations of magnetic minerals. By means of the magnetic anomalies, various rock bodies or structural features, such as faults or folds, may be traced into, or across, areas of low or no outcrops. In many instances, however, no interpretation of particular anomalies may be possible without further geological information.

GEOPHYSICS PAPER 4675
 LASHBURN
 SASKATCHEWAN
 SHEET 73 F/4