


MAP 4661G

**TURTLEFORD**  
**SASKATCHEWAN**

Scale: One inch to One Mile =  $\frac{1}{63,360}$  Miles



ISOMAGNETIC LINES (absolute total field)

- 500 gammas . . . . .
- 100 gammas . . . . .
- 20 gammas . . . . .
- 10 gammas . . . . .
- Magnetic depression . . . . .

- Flight lines . . . . .
- Flight altitude: 1000 feet above ground level


Airborne Magnetic Survey, May 1967 to Dec. 1969, by Aéro Photo Inc.

No correction has been made for regional variation.

The planimetry for this map was obtained from advance information supplied by the Department of Energy, Mines and Resources.

The magnetic data on this map were compiled from information recorded along the flight lines shown. The anomalies expressed by the magnetic contours are dependent on the variable magnetic intensities of the underlying rocks, and may be due to conditions near, or at unknown depths below the surface. High magnetic anomalies normally indicate the presence of basic rocks, such as diabase, gabbro, or serpentinite, which have a relatively high iron content; but in special instances may be due, or partly due, to concentrations of magnetic minerals. By means of the magnetic anomalies, various rock bodies or structural features, such as faults or folds, may be traced into, or across, areas of few or no outcrops. In many instances, however, no interpretation of particular anomalies may be possible without further geological information.

GEOPHYSICS PAPER 4661  
TURTLEFORD  
SASKATCHEWAN  
SHEET 73  $\frac{F}{7}$



INDEX MAP