



Scale: One Inch to One Mile = $\frac{1}{63,360}$

Air photographs covering this map-area may be obtained through the National Air

COPIES OF THIS MAP MAY BE OBTAINED FROM THE DIRECTOR, GEOLOGICAL SURVEY OF CANADA, OTTAWA.

Photographic Library, Topographical Survey, Ottawa, Ontario.

Flight altitude 1000 feet above ground level

recorded along the flight lines shown. The anomalies expressed by the magnetic contours are dependent on the variable magnetic intensities of the underlying rocks, and may be due to conditions near, or at unknown depths below the surface. High magnetic anomalies normally indicate the presence of basic rocks, such as diabase, gabbro, or serpentinite, which Airborne Magnetic Survey, June 1973 to Sept 1973 have a relatively high iron content, but in special instances may be due, or partly due, to concentrations of magnetic minerals. By means of the magnetic anomalies, various rock bodies or structural features, such No correction has been made for regional variation. as faults or folds, may be traced into, or across, areas of few or no outcrops. In many instances, however, no interpretation of particular ano-The topography for this map was reproduced from 1:250,000 topographical map sheets, published by the Department of Energy, Mines and Resources, Ottawa. malies may be possible without further geological information.

by Kenting Earth Sciences Limited.

MAP 6504 G

NORTHWEST TERRITORIES SHEET 66E