


O/F 399
p. 1/3

This document was produced by scanning the original publication.
Ce document a été produit par numérisation de la publication originale.



SOURCES OF INFORMATION FOR GEOLOGICAL MAP OF SOUTHERN RIM OF CANADA BASIN

OPEN FILE
DOSSIER PUBLIC

399

GEOLOGICAL SURVEY
GÉOLOGIQUE

References

Lathram, E.H.

1965: Preliminary geologic map of northern Alaska; U.S. Geol. Surv., Open File Report.

Miall, A.D.

Mesozoic and Tertiary geology of Banks Island, Arctic Canada; Geol. Surv. Can., Mem. 387 and Map 1454A.

Norris, D.K.

Preliminary geologic maps of Yukon Territory and Northwest Territories north of Latitude 68°; Geol. Surv. Can., Open File 302 and unpublished maps at a scale of 1/250,000.

Sobczak, L.W., Stephens, L.E., Winter, P.J. and Hearty, D.B.

1973: Gravity measurements over the Beaufort Sea, Banks Island and Mackenzie Delta; Dept. Energy, Mines and Resources, Earth Physics Branch.

Wold, J., Woodzick, T.L. and Ostenso, N.A.

1970: Structure of the Beaufort Sea Continental Margin; Geophysics, vol. 35, no. 5, p. 849-861.

Yorath, C.J., Balkwill, H.R. and Klassen, R.W.

1969: Geology of the eastern part of the Northern Interior and Arctic Coastal Plains, Northwest Territories; Geol. Surv. Can., Paper 68-27.




Table of Formations

Sequence	Symbol	Formational Groupings
Brookian	Bf	Fluviatile deposits of the modern Mackenzie Delta.
	Bq	Undifferentiated Quaternary deposits of Old Crow Plain, Eskimo Lakes area and Beaufort Shelf.
	Bb	Beaufort Formation and seaward equivalents on Beaufort Shelf.
	Br	Reindeer Formation; Eureka Sound Formation.
	Bmc	Moose Channel Formation.
	Bk	Boundary Creek and Tent Island Formations; Amundsen Gulf Group; Kanguk Formation.
	Bdb	"upper shale-siltstone division"; "upper sandstone division" and flyschoid equivalents; Darnley Bay Group; Isachsen, Christopher and Hassel Formations.

Regional Unconformity

Ellesmerian	Ek	Kingak Formation and eastward equivalents; "white and coaly quartzite division"; Wilkie Point and Mould Bay Formations.
	El	Endicott Group; Lisburne Group; Sadlerochit Formation and eastward equivalents; Shublik Formation.

Regional Unconformity

Franklinian	Fi	Canol and Imperial Formations; Melville Island Group.
	Fr	Road River Formation; Hare Indian Formation.
	Fb	clastics and carbonates including Old Fort Island, Mount Cap and Saline River Formations; Franklin Mountain and Mt. Kindle Formations; Gossage, Bear Rock, Vunta and Hume Formations; Katakturuk and Nanook Formations.
	Fg	Sedgwick, Fitton, Hoidahl and Ammerman granites.
	Fv	unnamed volcanics and carbonates.

Regional Unconformity

Inuvikian	I	unnamed Precambrian formations in Melville Hills (Imh); Glenelg Formation (Ig); unnamed formations in Campbell Uplift (Ic); undifferentiated Neruokpuk Formation (In); Tindir Group (It).
-----------	---	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Regional Unconformity

Hudsonian	Hu	crystalline rocks deformed by the Hudsonian Orogeny (structure sections only).
-----------	----	--------------------------------------------------------------------------------

Note 1. terms in quotation marks are informal.

2. listing of formational groupings does not necessarily imply stratigraphic order.

