


OPEN FILE, JULY 1973

This document was produced by scanning the original publication.
Ce document est le produit d'une numérisation par balayage de la publication originale.

Contour Interval 500 Feet

Scale 1:125,000



UNEDITED
MANUSCRIPT

PHOTO-INTERPRETATION BY: P.T. Hanley
O. L. Hughes

FIELD CHECKING BY: P.T. Hanley, O.L. Hughes
D.E. Lawrence, P. Kurfurst

COMPILATION BY: P.T. Hanley

Note 1: Undifferentiated area of deep, dissected Tertiary sediments, mainly gravel and sand, with thin discontinuous drift cover. Major fluvial, glacio-fluvial and moraine deposits only are mapped. Meltwater channels and major slumps in bedrock are mapped.

Note 2: Undifferentiated area of dissected dolomite and limestone plateaus, characterised by sink holes, with thin discontinuous drift cover.

Note 3: Well-drained, slightly elevated areas are probably comprised of Tertiary gravel and sand with a thin drift cover of till and drumlinoid till.

Note 4: Major slump in glacio-fluvial gravels probably reflects the presence of underlying glacio-lacustrine silts and/or clays.

SURFICIAL GEOLOGY AND GEOMORPHOLOGY OF
FORT NORMAN 96C

OPEN FILE
155
JULY 1973
GEOLOGICAL SURVEY
OTTAWA