


# SURFICIAL GEOLOGY AND GEOMORPHOLOGY PRINCE OF WALES ISLAND MAP 2

by J.A. Netterville, A. S. Dyke, R.D. Thomas  
1976



UNCONTROLLED PHOTOMOSAIC BASE

## EXPLANATION OF MAP SYMBOLS

### DOMINANT TEXTURE

r - rock rubble  
g - gravel  
s - sand  
f - silt and fine sand  
t - clay to fine sand  
t - till

### BEDROCK TYPE

(superscript)  
g - granitic  
C - carbonate  
s - sandstone  
f - shale  
cgl - conglomerate  
ES - Eureka Sound Formation

### ORIGIN

M - moraine  
I - ice-contact outwash  
F - proglacial outwash  
M - marine  
D - deltaic  
A - alluvial (inactive)  
A - alluvial (active)  
R - bedrock  
W - weathered product

### MORPHOLOGY

p - plain  
m - rolling  
h - hummocky  
r - ridged  
t - terraced  
k - kettled  
l - lan

### MORPHOLOGIC MODIFIER

D - dissected  
W - washed

### RELIEF CLASS

1 - less than 5 metres  
2 - 5 to 20 metres  
3 - 20 to 50 metres  
4 - greater than 50 metres

### SLOPE CLASS

(numeric superscript)  
1 - less than 5 degrees  
2 - 5 to 15 degrees  
3 - 15 to 35 degrees  
4 - greater than 35 degrees

Glacial striae (ice direction known, not known)  
Drumlin, drumlinoid, fluting (ice direction indicated, not indicated)  
Crag - and - tail (ice movement in direction of arrow)  
Moraine ridge  
Esker (direction of flow assumed, uncertain)  
Meltwater channel (large, small)  
Abandoned beach ridge  
Escarpment  
Retrogressive thaw-flow slide  
Ice wedge polygons (areas known to contain ice wedges)  
Rock glacier

### COMPOSITE UNITS

/ first of units covers more than 80% of total unit area  
- first of units covers 60 - 80% of total unit area  
= units are of roughly equal proportions

Notes: units which comprise less than 5% of the total area of another unit are not mapped


### STRATIGRAPHY

Veneer units (less than 1.5 metres thick) are indicated by the lower case letter 'v' after the generic symbol. A horizontal line separates the veneer unit symbols from the symbols representing the underlying unit.

### EXAMPLE

origin stratigraphy  
texture TMW-srwW  
bedrock type Rm3m2  
morphology relief class

Describes an area which consists of gently rolling carbonate and shale bedrock with macroscopic relief of 20 - 50 m and slopes commonly less than 5°. Superimposed on this gently rolling landscape occur lower bedrock hills (relief 5-20 m) with steeper slopes of 5 - 15°. About 60 - 80% of the area is covered by a veneer (less than 1.5 m) of till the remainder (20 - 40% of the area) is covered by a veneer of silty rubble produced by weathering of the bedrock. The entire area was once below water. This has to some extent modified the original materials through sorting and/or redeposition.



Refer to extended legend for additional information

OPEN FILE  
DOSSIER PUBLIC  
307  
AUG 1976  
GEOLOGICAL SURVEY  
COMMISSION GÉOLOGIQUE  
OTTAWA

This document was produced  
by scanning the original publication.  
Ce document est le produit d'une  
numérisation par balayage  
de la publication originale.