


Copies of map material and listings of field observations and analytical data, from which the material was prepared, may be available at users expense by application to:

K.G. Campbell Corporation
880 Wellington St.
Bay 238
Ottawa, Ontario
K1R 6K7

The data are also available in digital form. For further information please contact:

The Director
Computer Science Center
Department of Energy, Mines and Resources
Ottawa, Ontario
K1A 0E4



VANADIUM (ppm)

GSC OPEN FILE 999

REGIONAL GEOCHEMICAL RECONNAISSANCE MAP 64-1983


CANADA/MANITOBA INTERIM MINERAL AGREEMENT

LAKE SEDIMENT AND WATER GEOCHEMICAL SURVEY

LYNN LAKE AREA, MANITOBA

Scale 1:250 000


Kilometres 6 0 6 12 18 Kilometres
Universal Transverse Mercator Projection
© Crown Copyrights reserved



Elevation in feet above mean sea level

Mean magnetic declination 1984, 11044.7° East
decreasing 16.7° annually. Readings vary from
100°57.4° in the NE corner to 13905.0° in the
SW corner of the map area

Base-map from map published at the same scale
by the Surveys and Mapping Branch in 1963



This map has been reprinted from a
scanned version of the original map
Reproduction par numérisation d'une
carte sur papier

VANADIUM (ppm)

GSC OPEN FILE 999

LYNN LAKE AREA, MANITOBA

LEGEND

Note: This legend is common for Regional Geochemical Reconnaissance Map
64-1983, Open File 999

PROTEROZOIC (APHEBIAN)

31(AHIV) GRANITIC INTRUSIVE ROCKS, POST-SICKLE (HUDSONIAN) (AHIA to AHIF)
31a-leucomonzonite + magnetite; 31b-megacrystic granite; 31c-granite, grano-diorite + hornblende; 31d leucogranite, granodiorite; 31e monzonite, syenite; 31f pegmatite

30 GRANITIC INTRUSIVE ROCKS, POST-SICKLE and remobilized PRE-SICKLE
30-granite, granodiorite (AHIG)

29 INTERMEDIATE INTRUSIVE ROCKS, POST-SICKLE and remobilized PRE-SICKLE
29-tonalite, granodiorite, quartz diorite (AHIT), 29a-pyroxene tonalite (AHIP)

28 MAFIC INTRUSIVE ROCKS, POST-SICKLE
28-gabbro, minor ultramafic rock (AHIR)

27 BLACK TROUT INTRUSIVE SUITE
27-quartz diorite, diorite (ATIQ)

SICKLE GROUP

SICKLE METAMORPHIC SUITE

26 ARKOSIC METASEDIMENTARY ROCKS, DERIVED GNEISS
26a-conglomerate (ASAC)
26b-arkosic sandstone (ASAS)
26c-sandstone-derived gneiss, migmatite (ASAN)

SOUTHERN INDIAN GNEISS

25 PRE-SICKLE INTRUSIVE ROCKS
25a-gabbro, norite, ultramafic rock (APIR)
25b-tonalite, granodiorite, diorite (APIT)
25c-granite (APIG)

WASEKWAN or SICKLE GROUP

GNEISSIC ROCKS OF PROBABLE WASEKWAN AGE

24 AMPHIBOLITE, CALC-SILICATE ROCK, METASEDIMENTARY ROCKS
24a-conglomerate, greywacke (AGMC), 24b-felsic gneiss (AGMF)

unconformable?

23 WASEKWAN GROUP

BURNTWOOD RIVER METAMORPHIC SUITE

24c-mafic gneiss, volcanic rock
23a-greywacke, conglomerate, mafic mudstone (ABMN)

conformable

22(AWV) FELSIC, INTERMEDIATE VOLCANICS
22a-dacite, rhyolite (AWVD)
21(AWVM) MAFIC, INTERMEDIATE VOLCANICS
21a-basalt, andesite (AWVA)
21b-basalt (AWVB)

conformable

24d-amphibolite, tuff (AIMA)

conformable

23b-greywacke-derived gneiss

and migmatite (AISW)

* A four letter mnemonic name recorded as rock type as part of field observations

Geological boundary.....

Fault.....

No analytical result.....*

Provisional Compilation Map: Geology of the Granville Lake Area NTS 64C, by H.V. Zwanzig, Manitoba Dept. of Energy and Mines

Geological Survey of Canada
Resource Geophysics and Geochemistry Division

Manitoba Department of Energy and Mines
Mineral Resources Division

CONTRACTORS

Sample collection by Wollex Exploration
Sample preparation by Golder Associates

Sediment chemical analysis by Chemex Labs Ltd.
Water chemical analyses by Acme Analytical Laboratories Ltd.
Other water chemical analyses by Manitoba Technical Laboratory Services

This map forms one of a series of maps released by the Geological Survey of Canada, Open File 999. The Open File consists of maps of various geochemical variables: 16 for lake sediment, 8 for lake water and 1 sample site location

VANADIUM (ppm)

GSC OPEN FILE 999

LYNN LAKE AREA, MANITOBA