

Note: This legend is common for Regional Geochemical Reconnaissance Map 64-1983, Open File 999

PROTEROZOIC (APHEBIAN)

- 31(AH1U) **GRANITIC INTRUSIVE ROCKS, POST-SICKLE (HUDSONIAN) (AH1A to AH1F)**
 31a-leucotonalite + magnetite; 31b-megacrystic granite; 31c-granite, granodiorite ± hornblende; 31d leucogranite, granodiorite; 31e monzonite, syenite; 31f pegmatite
- 30 **GRANITIC INTRUSIVE ROCKS, POST-SICKLE and remobilized PRE-SICKLE**
 30-granite, granodiorite (AH1G)
- 29 **INTERMEDIATE INTRUSIVE ROCKS, POST-SICKLE and remobilized PRE-SICKLE**
 29-tonalite, granodiorite, quartz diorite (AH1T), 29a-pyroxene tonalite (AH1P)
- 28 **MAFIC INTRUSIVE ROCKS, POST-SICKLE**
 28-gabbro, minor ultramafic rock (AH1R)
- 27 **BLACK TROUT INTRUSIVE SUITE**
 27-quartz diorite, diorite (AT1Q)

	SICKLE GROUP	SICKLE METAMORPHIC SUITE	
26	ARKOSIC METASEDIMENTARY ROCKS, DERIVED GNEISS 26a-conglomerate (ASAC) 26b-arkosic sandstone (ASAS)	26c-sandstone-derived gneiss, migmatite (ASAN)	SOUTHERN INDIAN GNEISS
	unconformable		
25	PRE-SICKLE INTRUSIVE ROCKS 25a-gabbro, norite, ultramafic rock (AP1R) 25b-tonalite, granodiorite, diorite (AP1T) 25c-granite (AP1G)		

	WASEKWAN or SICKLE GROUP	GNEISSIC ROCKS OF PROBABLE WASEKWAN AGE	
24	AMPHIBOLITE, CALC-SILICATE ROCK, METASEDIMENTARY ROCKS 24a-conglomerate, greywacke (AGMC), 24b-felsic gneiss (AGMF)		
	unconformable		
	WASEKWAN GROUP	BURNTWOOD RIVER METAMORPHIC SUITE	
23	METASEDIMENTARY ROCKS 23a-greywacke, conglomerate, mafic mudstone (AWSW)	23c mafic gneiss, volcanic greywacke, quartzite, marble (ABMN) 23b-greywacke-derived gneiss, migmatite (ABSW)	24d-amphibolite, tuff (ATMA)
		conformable	conformable
22(AWV1)	FELSIC, INTERMEDIATE VOLCANICS 22a-dacite, rhyolite (AWV0)		23c-greywacke-derived gneiss and migmatite (AISW)
21(AWV)	MAFIC, INTERMEDIATE VOLCANICS 21a-basalt, andesite (AWVA) 21b-basalt (AWVB)		

* A four letter mnemonic name recorded as rock type as part of field observations
 Geological boundary.....
 Fault.....
 No analytical result.....*

Provisional Compilation Map: Geology of the Granville Lake Area NTS 64C, by H.V. Zwanig, Manitoba Dept. of Energy and Mines



Geological Survey of Canada
 Resource Geophysics and Geochemistry Division

Manitoba Department of Energy and Mines
 Mineral Resources Division

CONTRACTORS
 Sample collection by Mollax Exploration
 Sample preparation by Golder Associates

Sediment chemical analysis by Chemex Labs Ltd.
 Water chemical analyses by Acme Analytical Laboratories Ltd.
 Other water chemical analyses by Manitoba Technical Laboratory Services

This map forms one of a series of maps released by the Geological Survey of Canada, Open File 999. The Open File consists of maps of various geochemical variables: 16 for lake sediment, 8 for lake water and 1 sample site location




Copies of map material and listings of field observations and analytical data, from which the material was prepared, may be available at users expense by application to:

K.G. Campbell Corporation
 880 Wellington St.
 Bay 238
 Ottawa, Ontario
 K1R 6K7

The data are also available in digital form. For further information please contact:

The Director
 Computer Science Center
 Department of Energy, Mines and Resources
 Ottawa, Ontario
 K1A 0E4



SILVER (ppm)
 GSC OPEN FILE 999
 REGIONAL GEOCHEMICAL RECONNAISSANCE MAP 64-1983
 CANADA/MANITOBA INTERIM MINERAL AGREEMENT
 LAKE SEDIMENT AND WATER GEOCHEMICAL SURVEY
 LYNN LAKE AREA, MANITOBA
 Scale 1:250 000

Elevation in feet above mean sea level
 Mean magnetic declination 1984, 11°44.7' East decreasing 16.7' annually. Readings vary from 10°57.4' in the NE corner to 13°05.0' in the SW corner of the map area

Base-map from map published at the same scale by the Surveys and Mapping Branch in 1963

Scale 1:250 000
 Kilometres 0 6 12 18 Kilometres
 Universal Transverse Mercator Projection
 © Crown Copyrights reserved

