

As

LEGEND

Sample number e.g. year sequential number
 location group

Analytical value in p.p.m. (unless otherwise specified)... e.g. • 106


Geochemical Sample Medium

Stream sediment, sieved	●
Stream sediment, unsieved	○
Lake sediment	◎
Heavy mineral / panned concentrate	⊗
Soil	□
Rock	⊛
Peat	△
Till	■
Other	⊠

Note: Two (2) sample numbers per sample location indicates duplicate sample site...e.g... 82-1-025,026

HISTOGRAM AND BASIC STATISTICS

Insufficient data for statistics



Note: Only data within this 1:50,000 sheet is included.



Average :
Number of samples :
Standard deviation :
Range :
Detection limit :

Sample collection and Geochemistry : P.J. Rogers and M. A. MacDonald

Analyses: Chemex Laboratories Ltd., North Vancouver, B.C.

Sample digestion :

Analytical technique:



Produced by the SURVEYS AND MAPPING BRANCH
DEPARTMENT OF ENERGY, MINES AND RESOURCES
Updated from aerial photographs taken in 1978. Culture check

© 1988, Her Majesty the Queen in Right of Canada
Department of Energy, Mines and Resources

© 1985 Her Majesty the Queen in Right of Canada
Department of Energy, Mines and Resources

Roads	Routiers		
hard surface all weather	pavement double surface	<u>total highway</u>	<u>more than 2 lanes</u>
hard surface all weather	pavement double surface	<u>2 or more lanes</u>	<u>more than 2 lanes</u>
hard surface all weather	pavement double surface	<u>2 or more lanes</u>	<u>more than 2 lanes</u>
soil or stabilized surface all weather	gravel	<u>2 or more lanes</u>	<u>more than 2 lanes</u>
soil surface dry weather	gravel	<u>2 or more lanes</u>	<u>more than 2 lanes</u>
unclassified streets	hard, hardy, clay	<u>2 or more lanes</u>	<u>more than 2 lanes</u>
Cart Road	de terre		
Trail, foot path	sentier, chemin, sentier de portage		

LOW COMPLET REFERENCE SEE REVERSE SIDE POUR UNE LISTE COMPLETE DES SIGES VOIR ALPHABET

CAPE NORTH
VICTORIA MUNICIPALITY - VICTORIA COUNTY
NOVA SCOTIA
Scale 1:50 000 Échelle

Scale 1:50 000 Echelle

Miles 0 1 2 3

Metres 0 1000 2000 3000 4000

Yards 0 1000 2000 3000 4000

Information concerning location and precise elevation of bench marks can be obtained by writing to the Geodetic Survey, Surveys and Mapping Branch, Ottawa.

CONVERSION SCALE FOR ELEVATIONS

Metres	30	25	10	0	50	100
--------	----	----	----	---	----	-----

Feet 100 50 0 100 200 300

CONTOUR INTERVAL 50 FEET
Elevations in Feet above Mean Sea Level
North American Datum 1927

On peut obtenir des renseignements sur le lieu et l'altitude exacte des repères de nivellement en écrivant aux Levés géodésiques, Direction des levés et de la cartographie, Ottawa.

ÉCHELLE DE CONVERSION DES ALTITUDES

400 600 700 800 900 1000 Pa

EQUIDISTANCE DES COURBES 50 PIEDS
 \ Altitudes en pieds
 Systeme de reference geodesique nord americain 1927

Établie par la DIRECTION DES LEVÉS ET DE LA CARTOGRAPHIE
MINISTÈRE DE L'ÉNERGIE, DES MINES ET DES RESSOURCES
Mise à jour à l'aide de photographies aériennes prises en 1978. Vérification

Ces cartes sont en vente au Bureau des Cartes du Canada, Ministère de l'Énergie, des Mines et des Ressources, Ottawa, ou chez le vendeur le plus près.

© 1980 Sa Majesté La Reine du Chef du Canada
Ministère de l'Énergie, des Mines et des Ressources

OPEN FILE
DOSSIER PUBLIC
984
Geological
Survey
Commission
Geologique
Ottawa

OPEN FILE
OFM84-10
Nova Scotia
Department of
Mines and Energy

CONTRIBUTION TO CANADA-NOVA SCOTIA
CO-OPERATIVE MINERAL PROGRAM 1981-84

This document was produced
by scanning the original publication.

Ce document est le produit d'une
numérisation par balayage
de la publication originale.