

POTENTIAL AGGREGATE RESOURCES

SAND AND GRAVEL DEPOSITS

- 1 High potential for economic feasibility: large volume of ice contact and esker deposits. Ideally, gravel content is greater than 35%, oversize gravel (>10 cm diameter) content is less than 20%, and lithological deficiencies (i.e., chert, shale, mica, etc.) are kept to a minimum.
- 2 Medium potential for economic feasibility: small volume of ice contact and esker deposits and large volume of nearshore lacustrine and nearshore marine deposits. Deposit lacks either in volume or in quality of aggregate to be considered to be of high potential.
- 3 Low potential for economic feasibility: small volume of nearshore lacustrine or nearshore marine deposits and very small volume of ice contact and esker deposits.

Geology by M.D. Clarke, 1984-1985.

Contribution to the CANADA-MANITOBA MINERAL DEVELOPMENT AGREEMENT 1984-1989

This document was produced by scanning the original publication.  
 Ce document est le produit d'une numérisation par balayage de la publication originale.





DIAGRAM - CROQUIS D'EXACTITUDE



Compiled from 1954-56 aerial photographs  
 n d'après des photographies aériennes prises en 1954-56

Compiled, 1963, by the SURVEYS AND MAPPING BRANCH, DEPARTMENT OF MINES AND TECHNICAL SURVEYS. Field surveys 1958 and 1962. Printed 1965.

Magnetic declination 1964 varies from 08°16' easterly at centre of west edge to 05°00' easterly at centre of east edge. Mean annual change is 0.9' minutes easterly.

Some names on this map are not yet official. Corrections or additions are invited by the Surveys and Mapping Branch.

Interim corrections 1977

OXFORD HOUSE MANITOBA

Scale 1:250,000 Échelle



Transverse Mercator Projection  
 North American Datum 1927  
 Contour Interval 100 feet  
 Elevations in feet above Mean Sea Level

Certains noms inscrits sur cette carte ne sont pas encore officiels. La Direction des levés et de la cartographie saurait être au public de lui signaler corrections et additions.


Corrections Provisoire, 1977

Rédigée en 1963, par la DIRECTION DES LEVÉS ET DE LA CARTOGRAPHIE, MINISTÈRE DES MINES ET DES RELEVÉS TECHNIQUES. Levés sur le terrain en 1958 et 1962. Imprimée en 1965.

La déclinaison magnétique pour 1964 varie de 08°16' Est au centre de la limite Ouest à 05°00' Est au centre de la limite Est. Variation moyenne annuelle 0.9' Est.

- |                            |                                   |
|----------------------------|-----------------------------------|
| Stream intermittent or dry | Cours d'eau intermittent ou à sec |
| Indefinite                 | Indéfini                          |
| Rapids, falls              | Rapides, chutes                   |
| Marsh or swam              | Marais ou marécage                |
| Intermittent lake          | Lac intermittent                  |
| Depression contour         | Courbes de cuvette                |
| Sand elevation, in feet    | Repère de nivellement en pieds    |

OPEN FILE  
 DOSSIER PUBLIC  
 1227-1  
 1986  
 GEOLOGICAL SURVEY  
 COMMISSION GÉOLOGIQUE  
 OTTAWA



Index to adjoining sheets of National Topographic System  
 Tableau d'ajustement du Système National de Référence Cartographique