

Cu


LEGEND

Sample number ..... e.g. 82-1-025  
Analytical value in p.p.m. (unless otherwise specified) ..... e.g. 106

Geochemical Sample Medium  
Stream sediment, sieved  
Stream sediment, unsieved  
Lake sediment  
Heavy mineral / panned concentrate  
Soil  
Rock  
Peat  
Till  
Other

Note: Two (2) sample numbers per sample location indicates duplicate sample site... e.g. 82-1-025,026  
N.R. = No Results

HISTOGRAM AND BASIC STATISTICS



Note: Only data within this 1:50,000 sheet is included.

Average: 12.83  
Number of samples: 41  
Standard deviation: 0.80  
Range: 5.00 - 25.00  
Detection limit: 2 ppm

Sample collection and Geochemistry: P.J. Rogers and M.A. MacDonald  
Analyses: Chemex Laboratories Ltd., North Vancouver, B.C.  
Sample digestion: Hot  $\text{HNO}_3$ -HCl Extraction  
Analytical technique: Air-Acetylene AAS  
Cartography: P.A. Lombard

21 H/1	11 E/4	11 E/3
21 A/16	11 D/13	11 D/4
21 A/9	11 D/12	11 D/11

INDEX TO ADJOINING MAPS OF THE NATIONAL TOPOGRAPHIC SYSTEM

Produced by the SURVEY'S AND MAPPING BRANCH  
DEPARTMENT OF ENERGY MINES AND RESOURCES  
Updated from an original map dated 1979. Further data  
received from the Department of Energy, Mines and Resources  
in 1984.

© 1984 by the Ministry of Energy, Mines and Resources  
Department of Energy, Mines and Resources

OPEN FILE  
DOSSIER PUBLIC  
1268  
Geological  
Survey  
Commission  
Géologique  
Ottawa


This document was produced  
by scanning the original publication.

Ce document est le produit d'une  
numérisation par balayage  
de la publication originale.

CONTRIBUTION TO CANADA - NOVA SCOTIA  
CO-OPERATIVE MINERAL PROGRAM 1981-84

MOUNT UNIAKKE  
NOVA SCOTIA

Scale 1:50 000 Échelle



Information concerning location and precise elevation of bench marks can be obtained  
by writing to the Geodetic Survey, Survey and Mapping Branch, Ottawa.  
Mètres 0 200 400 600 800 1000  
Feet 0 200 400 600 800 1000  
Yards 0 200 400 600 800 1000

On peut obtenir des renseignements sur la localité et l'altitude exacte des repères de nivellement  
en écrivant aux Levés géodésiques, Direction des levés et de la cartographie, Ottawa.  
Mètres 0 200 400 600 800 1000  
Feet 0 200 400 600 800 1000  
Yards 0 200 400 600 800 1000

CONTOUR INTERVAL: 50 FEET  
Intervalles de contour: 15 MÈTRES  
Système de référence géodésique: NAD 83 (Datum: 1983)  
Projeté: Transverse de Mercator

OPEN FILE  
OFM 86-27  
Nova Scotia  
Department of  
Mines and Energy