

MANGANESE

CANADA

EDITION 4

11 F/16

Mn

LEGEND


Sample number e.g. 82-1-025
Analytical value in p.p.m. (unless otherwise specified) .. e.g. 106

Geochemical Sample Medium

- Stream sediment, sieved
- Stream sediment, unsieved
- Lake sediment
- Heavy mineral / panned concentrate
- Soil
- Rock
- Peat
- Till
- Other

Note: Two (2) sample numbers per sample location indicates duplicate sample site. e.g. 82-1-025,026
N.R. = No Results

HISTOGRAM AND BASIC STATISTICS



Note: Only data within this 1:50,000 sheet is included.

Average: 2842.48
Number of samples: 182
Standard deviation: 761.0
Range: 35.00-9999.00
Detection limit: 5 ppm

Sample collection and Geochemistry: P.J. Rogers and M.A. MacDonald

Analyses: Chemex Laboratories Ltd., North Vancouver, B.C.

Sample digestion: Hot HNO₃-HCl Extraction

Analytical technique: Air Acetylene AAS

Cortography: P.A. Lombard

11 K/2	11 K/1	11 J/4
11 F/15	11 F/16	11 G/13
11 F/10	11 F/9	6

INDEX TO ADJOINING MAPS OF THE NATIONAL TOPOGRAPHIC SYSTEM

OPEN FILE
DOSSIER PUBLIC
1269
Geological
Survey
Commission
Géologique
Ottawa

Produced by the SURVEYS AND MAPPING BRANCH
DEPARTMENT OF ENERGY, MINES AND RESOURCES
Map based on aerial photographs taken in 1970. Contour lines
1977 (1:50,000).

Cartes may be obtained from the Canada Map Office
Department of Energy, Mines and Resources, Ottawa
or your nearest map dealer.

© Canada (except where noted) 1975


Produced by the SURVEYS AND MAPPING BRANCH
DEPARTMENT OF ENERGY, MINES AND RESOURCES
Map based on aerial photographs taken in 1970. Contour lines
1977 (1:50,000).

Cartes may be obtained from the Canada Map Office
Department of Energy, Mines and Resources, Ottawa
or your nearest map dealer.

© Canada (except where noted) 1975

MIRA
NOVA SCOTIA

Scale 1:50,000 Échelle



This Provisional Map is equivalent to a standard
map of accuracy of 1:50,000.

Some names on this map are not yet official.
Corrections or additions are invited by the
Survey and Mapping Branch.

CONTOUR INTERVAL IN FEET
1 foot = 0.3048 m (approx.)
North Arrow and Datum: 1927
Transverse Mercator Projection

Cette carte provisoire équivaut à une carte régulière
de précision de 1:50,000.

Certains noms inscrits sur cette carte ne sont
pas encore officiels. La Direction des cartes et
de la cartographie salue les suggestions et les
propositions de corrections et d'additions.

LOI D'INTERVAL DES COURBES EN PIEDS
1 pied = 0,3048 m (approx.)
Nord-Arrière et Datum: 1927
Projection transversale de Mercator

Établi par la DIRECTION DES LEVÉS ET DE LA CARTOGRAPHIE
MINISTÈRE DE L'ÉNERGIE, DES MINES ET DES RESSOURCES
Map is part of a series of photographs, surveyed in 1970. Contour lines
1977 (1:50,000).

Cartes sont en vente au Bureau des Cartes du Canada
Ministère de l'Énergie, des Mines et des Ressources, Ottawa
ou chez le revendeur le plus près.

© Canada 1975. Tous droits réservés.

OPEN FILE
OFM 86-28
Nova Scotia
Department of
Mines and Energy

CONTRIBUTION TO CANADA-NOVA SCOTIA
CO-OPERATIVE MINERAL PROGRAM 1981-84