

HAGS, VHAG Metaquartzite, schistose grit and conglomerate, sheared felsic

26 HAGP Mainly garnetiferous biotite-quartz-feldspar paragneiss ... HELIKIAN AND EARLIER(?)

Paragneisses, granitoid gneisses of probable sedimentary origin, minor quartzite and marble ...

24 HUGN Sillimanite gneiss, commonly migmatitic. Minor amphibolite

HUGG Granitic gneiss, mainly pink quartzo-feldspathic gneisses, commonly banded and migmatitic ...

22 HUGB Intermediate to basic gneiss, amphibolite

ARCHEAN

21 ARCG Granitic gneiss, amphibolite, unseparated massive acidic intrusives CHURCHILL PROVINCE

HELIKIAN

NHWS, VNHW, NHWK, (SMRK)** Quartzite, conglomerate, arkose, shale ...:
NHWS - unseparated BESSIE LAKE ... FORMATION; NHWK - SHIPISKAN FORMATION (possibly younger)

PALEOHELIKIAN

19 UPHW Quartzite, grit conglomerate, acidic volcanics ... LETITIA GROUP PHAW, PAWP Greywacke, quartzite, arkose, slate, ...: PAWP - PETSCAPISKAN

APHEBIAN AND EARLIER(?)

AUWR, (GRNL) Granulite, pyroxene gneiss, charnockite; minor granitic gneiss ...

AUWP, (PRGS) Paragneisses; includes biotite-quartz-feldspar gneiss, garnet-biotite-quartz-feldspar gneiss ...

NAIN PROVINCE

PALEOHELIKIAN 15 PHLE, UPHE Intermediate to acidic volcanics (mainly prophyritic flows), feldspathic quartzite ...

APHEBIAN

APE3 Conglomerate, quartzite, slate, silliceous dolomite, chert and arkose of MIDDLE CROTEAU GROUP

13 APE2, VAE2 Felspathic quartzite, conglomerate, argillite, basic volcanic rocks, and metamorphic equivalents of AILIK GROUP

12 APEl, VAEl, (SLTE) Slate, argillite, siltstone, quartzite, greywacke, dolomite and basalt of LOWER CROTEAU GROUP

ARCHEAN

AREV, (SCST) Mafic schistose rocks, greenstone, metasedimentary rocks, amphibolite, minor ultra-basic intrusions

10 AREC Granitic and granodioritic gneiss, migmatite, granulite,

INTRUSIVE ROCKS

HELIKIAN NEOHELIKIAN

9 NH17 Diabasic olivine gabbro, intermediate and ultramafic intrusive

NEOHELIKIAN AND EARLIER(?)

8 NH16 Gabbro, norite, and diabase sills

NH15 Granite to granodiorite, massive to poorly foliated, porphyritic PALEOHELIKIAN

6 PH14, (GRNT) Granite, quartz monzonite, granodiorite, quartz diorite,

5 PH13, (QZMZ) Adamillite suite: adamellite, monzonite, syenite, granodiorite, granite ...

4 PH11, (ANRS) Anorthosite suite: anorthosite, anorthositic gabbro,

3 PH10, (UMFC) Gabbro, norite, anorthositic gabbro, troctalite, diorite ... APHEBIAN

2 APH7, (GRNT) Granite, quartz monzonite, granodiorite, quartz diorite

1 APH5 Well foliated foldspar-quartz-hornblende-biotite granitic gneiss ...

* A four letter mnemonic name recorded as rock type as part of 1982 and

1983 field observations

** A four letter mnemonic name recorded as rock types as part of 1978 field observations. Geological boundary.....

Fault..... Mainly acidic volcanic rocks....... Mainly basic volcanic rocks.....

This legend was modified and the geology derived for these geochemical maps from Geology Map of Labrador, Mineral Resources Division, Department of Mines,

Agriculture and Resources, Province of Newfoundland and Labrador


This map has been reprinted from a scanned version of the original map Reproduction par numérisation d'une

O.F. 995 ::

R.G.R. 60-1983

NATIONAL TOPOGRAPHIC SYSTEM REFERENCE

LEAD (ppm) OPEN FILE 996 CENTRAL AND SOUTHERN LABRADOR



Newfoundland Department of Mines and Energy Provincial Open File 13D (24)

Geological Survey of Canada Resource Geophysics and Geochemistry Division Newfoundland Department of Mines and Energy

CONTRACTORS

Sample collection by Marshall Macklin Monaghan Ltd. Sample preparation by Golder Associates

1978 samples

Uranium in sediment analyses Atomic Energy of Canada Ltd. Other sediment chemical analyses by Chemex Labs Ltd. Water chemical analyses by Barringer Research Ltd.

1982, 1983 samples Sediment chemical analysis by Chemex Lab Ltd. Water chemical analyses by Acme Analytical Laboratories Ltd.


This map forms one of a series of maps released by the Geological Survey of Canada, Open Files 995 to 998. These Open File consists of maps of various geochemical variables: 16 for lake sediment, 3 for lake water and I sample site location


Copies of map material and listings of field observations and analytical data, from which the material was prepared, may be available at users expense by application to:

K.G. Campbell Corporation 880 Wellington St. Bay 238 Ottawa, Ontario K1R 6K7

That data are also available in digital form. For further information please contact:

> The Director Computer Science Center Department of Energy, Mines and Resources Ottawa, Ontario K1A OE4





Elevation in feet above mean sea level

Mean magnetic declination 1984, 27°08.3' West, decreasing 11.5' annually. Readings vary from 27°00.6' in the SE corner to 27°17.0' in the NW corner of the map-area

LEAD (ppm)

OPEN FILE 996 REGIONAL GEOCHEMICAL RECONNAISSANCE MAP 61-1983 Base-map assembled by the Geological Cartography

Unit from maps published at the same scale by

the Surveys and Mapping Branch in 1967, 1968, 1972

CANADA - NEWFOUNDLAND CO-OPERATIVE MINERAL PROGRAM 1982-84 LAKE SEDIMENT AND WATER GEOCHEMICAL SURVEY

CENTRAL AND SOUTHERN LABRADOR, 1983 Scale 1:250 000

Uniiversal Transverse Mercator Projection © Crown Copyrights reserved