Note: This legend is common for Regional Geochemical Reconnaissance Map 60-1983, Open File 995; 61-1983, Open File 996; 62-1983, Open File 997; 63-1983, Open File 998.

SEDIMENTARY, VOLCANIC AND METAMORPHIC ROCKS



9 60°00′

28 HDDF\* Red conglomerate, arkose, sandstone and shale: DOUBLE MER FORMATION GRENVILLE PROVINCE

## HELIKIAN AND/OR APHEBIAN

HAGS, VHAG Metaquartzite, schistose grit and conglomerate, sheared felsic

# 26 HAGP Mainly garnetiferous biotite-quartz-feldspar paragneiss ...

HELIKIAN AND EARLIER(?)

HUGP - Paragneisses, granitoid gneisses of probable sedimentary origin, minor quartzite and marble ...

24 HUGN Sillimanite gneiss, commonly migmatitic. Minor amphibolite

123 HUGG Granitic gneiss, mainly pink quartzo-feldspathic gneisses, commonly banded and migmatitic ...

22 HUGB Intermediate to basic gneiss, amphibolite

## ARCHEAN

21 ARCG Granitic gneiss, amphibolite, unseparated massive acidic intrusives CHURCHILL PROVINCE

HELIKIAN

NHWS, VNHW, NHWK, (SMRK)\*\* Quartzite, conglomerate, arkose, shale ...: NHWS - unseparated BESSIE LAKE ... FORMATION; NHWK - SHIPISKAN FORMATION (possibly younger)

# PALEOHELIKIAN

19 UPHW Quartzite, grit conglomerate, acidic volcanics ... LETITIA GROUP

PHAW, PAWP Greywacke, quartzite, arkose, slate, ...: PAWP - PETSCAPISKAN

## APHEBIAN AND EARLIER(?)

AUWR, (GRNL) Granulite, pyroxene gneiss, charnockite; minor granitic

AUWP, (PRGS) Paragneisses; includes biotite-quartz-feldspar gneiss, garnet-biotite-quartz-feldspar gneiss ...

### NAIN PROVINCE

PALEOHELIKIAN PHLE, UPHE Intermediate to acidic volcanics (mainly prophyritic flows), feldspathic quartzite ...

## APHEBIAN

APE3 Conglomerate, quartzite, slate, silliceous dolomite, chert and arkose of MIDDLE CROTEAU GROUP

APE2, VAE2 Felspathic quartzite, conglomerate, argillite, basic volcanic

rocks, and metamorphic equivalents of AILIK GROUP APE1, VAE1, (SLTE) Slate, argillite, siltstone, quartzite, greywacke,

AREV, (SCST) Mafic schistose rocks, greenstone, metasedimentary rocks, amphibolite, minor ultra-basic intrusions

AREG Granitic and granodioritic gneiss, migmatite, granulite, amphibolite ...

dolomite and basalt of LOWER CROTEAU GROUP

# INTRUSIVE ROCKS

#### HELIKIAN NEOHELIKIAN

690000m.E.

O.F. 998 O.F. 997 C.R.G.R. 63-1983 R.G.R. 62-1983

NATIONAL TOPOGRAPHIC SYSTEM REFERENCE

SYSTÈME NATIONAL DE RÉFÉRENCE CARTOGRAPHIQUE

9 NH17 Diabasic olivine gabbro, intermediate and ultramafic intrusive rocks ...

NEOHELIKIAN AND EARLIER(?)

8 NH16 Gabbro, norite, and diabase sills

7 NH15 Granite to granodiorite, massive to poorly foliated, porphyritic PALEOHELIKIAN

### 6 PH14, (GRNT) Granite, quartz monzonite, granodiorite, quartz diorite, syenite ...

5 PH13, (QZMZ) Adamillite suite: adamellite, monzonite, syenite,

granodiorite, granite ... 4 PH11, (ANRS) Anorthosite suite: anorthosite, anorthositic gabbro,

leucotroctolite ...

3 PH10, (UMFC) Gabbro, norite, anorthositic gabbro, troctalite, diorite ...

# 2 APH7, (GRNT) Granite, quartz monzonite, granodiorite, quartz diorite ...

1 APH5 Well foliated foldspar-quartz-hornblende-biotite granitic gneiss ...

A four letter mnemonic name recorded as rock type as part of 1982 and

1983 field observations

\*\* A four letter mnemonic name recorded as rock types as part of 1978 field


Geological boundary..... Fault....


Mainly acidic volcanic rocks..... Mainly basic volcanic rocks.....

This legend was modified and the geology derived for these geochemical maps from Geology Map of Labrador, Mineral Resources Division, Department of Mines, Agriculture and Resources, Province of Newfoundland and Labrador

This map has been reprinted from a scanned version of the original map Reproduction par numérisation d'une carte sur papier

NICKEL (ppm) **OPEN FILE 997** CENTRAL AND SOUTHERN LABRADOR





99.90

99.00\_

95.00

50.00

< 20.00.

1.00.

1 PPM

and 1 sample site location

expense by application to:

please contact:

N = 903

100 PPM

10 PPM

10 PPM

Government of Newfoundland and Labrador

Newfoundland Department of Mines and Energy

Geological Survey of Canada Resource Geophysics and Geochemistry Division

Newfoundland Department of Mines and Energy

CONTRACTORS

Sample collection by Marshall Macklin Monaghan Ltd.

Sample preparation by Golder Associates

1978 samples Uranium in sediment analyses Atomic Energy of Canada Ltd.

Other sediment chemical analyses by Chemex Labs Ltd.

Water chemical analyses by Barringer Research Ltd.

1982, 1983 samples

Sediment chemical analysis by Chemex Lab Ltd. Water chemical analyses by Acme Analytical Laboratories Ltd.

This map forms one of a series of maps released by the Geological Survey of Canada, Open Files 995 to 998. These Open File consists of maps of

Copies of map material and listings of field observations and analytical

K.G. Campbell Corporation 880 Wellington St. Bay 238 Ottawa, Ontario

K1R 6K7

That data are also available in digital form. For further information

The Director Computer Science Center

Department of Energy, Mines and Resources

Ottawa, Ontario

K1A OE4

various geochemical variables: 16 for lake sediment, 3 for lake water

data, from which the material was prepared, may be available at users

Provincial Open File 13K (161)

0.10.

Elevation in feet above mean sea level

Mean magnetic declination 1984, 29<sup>o</sup>22.2' West, decreasing 13.7' annually. Readings vary from 29011.0' in the SE corner to 29049.6' in the NW corner of the map-area

NICKEL (ppm) **OPEN FILE 997** 

REGIONAL GEOCHEMICAL RECONNAISSANCE MAP 62-1983

CANADA - NEWFOUNDLAND CO-OPERATIVE MINERAL PROGRAM 1982-84 LAKE SEDIMENT AND WATER GEOCHEMICAL SURVEY


Scale 1:250 000 Universal Transverse Mercator Projection

© Crown Copyrights reserved

Base-map assembled by the Geological Cartography Unit from maps published at the same scale by the Surveys and Mapping Branch in 1967,

1968, 1972

CENTRAL AND SOUTHERN LABRADOR, 1983.



570000m.E.