Note: This legend is common for Regional Geochemical Reconnaissance Map 60-1983, Open File 995; 61-1983, Open File 996; 62-1983, Open File 997; 63-1983; Open File 998.

SEDIMENTARY, VOLCANIC AND METAMORPHIC ROCKS

HADRYNIAN

28 HDDF* Red conglomerate, arkose, sandstone and shale: DOUBLE MER FORMATION GRENVILLE PROVINCE

HELIKIAN AND/OR APHEBIAN

- 27 HAGS, VHAG Metaquartzite, schistose grit and conglomerate, sheared felsic
- 26 HAGP Mainly garnetiferous biotite-quartz-feldspar paragneiss ...

HELIKIAN AND EARLIER(?)

- HUGP Paragneisses, granitoid gneisses of probable sedimentary origin, minor quartzite and marble ...
- 24 HUGN Sillimanite gneiss, commonly migmatitic. Minor amphibolite
- 23 HUGG Granitic gneiss, mainly pink quartzo-feldspathic gneisses, commonly banded and migmatitic
- 22 HUGB Intermediate to basic gneiss, amphibolite

ARCHEAN

21 ARCG Granitic gneiss, amphibolite, unseparated massive acidic intrusives CHURCHILL PROVINCE

NEOHELIKIAN

NHWS, VNHW, NHWK, (SMRK)** Quartzite, conglomerate, arkose, shale ...: NHWS - unseparated BESSIE LAKE ... FORMATION; NHWK - SHIPISKAN FORMATION (possibly younger)

PALEOHELIKIAN

- 19 UPHW Quartzite, grit conglomerate, acidic volcanics ... LETITIA GROUP
- 18 PHAW, PAWP Greywacke, quartzite, arkose, slate, ...: PAWP PETSCAPISKAN

APHEBIAN AND EARLIER(?)

- 17 AUWR, (GRNL) Granulite, pyroxene gneiss, charnockite; minor granitic gneiss ...
- 16 AUWP, (PRGS) Paragneisses; includes biotite-quartz-feldspar gneiss, garnet-biotite-quartz-feldspar gneiss ...

NAIN PROVINCE

PALEOHELIKIAN

15 PHLE, UPHE Intermediate to acidic volcanics (mainly prophyritic flows), feldspathic quartzite ...

APHEBIAN

- 14 APE3 Conglomerate, quartzite, slate, silliceous dolomite, chert and arkose of MIDDLE CROTEAU GROUP
- 13 APE2, VAE2 Felspathic quartzite, conglomerate, argillite, basic volcanic
- rocks, and metamorphic equivalents of AILIK GROUP 12 APE1, VAE1, (SLTE) Slate, argillite, siltstone, quartzite, greywacke,
- dolomite and basalt of LOWER CROTEAU GROUP

ARCHEAN

- 11 AREV, (SCST) Mafic schistose rocks, greenstone, metasedimentary rocks,
- AREG Granitic and granodioritic gneiss, migmatite, granulite,

amphibolite, minor ultra-basic intrusions

INTRUSIVE ROCKS

HELIKIAN NEOHELIKIAN

9 NH17 Diabasic olivine gabbro, intermediate and ultramafic intrusive

NEOHELIKIAN AND EARLIER(?)

- 8 NH16 Gabbro, norite, and diabase sills
- NH15 Granite to granodiorite, massive to poorly foliated, porphyritic

PALEOHELIKIAN

- 6 PH14, (GRNT) Granite, quartz monzonite, granodiorite, quartz diorite,
- 5 PH13, (QZMZ) Adamillite suite: adamellite, monzonite, syenite,
- granodiorite, granite ... PHII, (ANRS) Anorthosite suite: anorthosite, anorthositic gabbro,
- leucotroctolite ...
- з РН10, (UMFC) Gabbro, norite, anorthositic gabbro, troctalite, diorite ... APHEBIAN
- 2 APH7, (GRNT) Granite, quartz monzonite, granodiorite, quartz diorite ...
- 1 APH5 Well foliated foldspar-quartz-hornblende-biotite granitic gneiss ...
- A four letter mnemonic name recorded as rock type as part of 1982 and

** A four letter mnemonic name recorded as rock types as part of 1978 field

Geological boundary.... Fault....

Agriculture and Resources, Province of Newfoundland and Labrador

Mainly basic volcanic rocks......

No analytical result+

This legend was modified and the geology derived for these geochemical maps

from Geology Map of Labrador, Mineral Resources Division, Department of Mines,


This map has been reprinted from a scanned version of the original map Reproduction par numérisation d'une


carte sur papier

O.F. 998 R.G.R. 63-1983 R.G.R. 62-1983

NATIONAL TOPOGRAPHIC SYSTEM REFERENCE

FLUORINE (ppm) **OPEN FILE 998** CENTRAL AND SOUTHERN LABRADOR





99.90

99.00.

1.00

0.10_

10 PPM

and 1 sample site location

expense by application to:

please contact:

100 PPM

100 PPM

Government of Newfoundland and Labrador

Newfoundland Department of Mines and Energy

Provincial Open File 13L (59)

Geological Survey of Canada

Resource Geophysics and Geochemistry Division

Newfoundland Department of Mines and Energy

CONTRACTORS

Sample collection by Marshall Macklin Monaghan Ltd.

Sample preparation by Golder Associates

1978 samples Uranium in sediment analyses Atomic Energy of Canada Ltd.

Other sediment chemical analyses by Chemex Labs Ltd. Water chemical analyses by Barringer Research Ltd.

1982, 1983 samples Sediment chemical analysis by Chemex Lab Ltd.

Water chemical analyses by Acme Analytical Laboratories Ltd.

This map forms one of a series of maps released by the Geological Survey

Copies of map material and listings of field observations and analytical data, from which the material was prepared, may be available at users

K.G. Campbell Corporation

880 Wellington St.

Ottawa, Ontario

K1R 6K7

That data are also available in digital form. For further information

The Director Computer Science Center Department of Energy, Mines and Resources

Ottawa, Ontario

KIA OE4

of Canada, Open Files 995 to 998. These Open File consists of maps of various geochemical variables: 16 for lake sediment, 3 for lake water

N = 954

1000 PPM

1000 PPM


Elevation in feet above mean sea level

Mean magnetic declination 1984, 29°09.5' West, decreasing 13.0' annually. Readings vary from 28°54.8' in the SE corner to 29°21.4' in the NW corner of the map-area

OPEN FILE 998 REGIONAL GEOCHEMICAL RECONNAISSANCE MAP 63-1983

CANADA - NEWFOUNDLAND CO-OPERATIVE MINERAL PROGRAM 1982-84 LAKE SEDIMENT AND WATER GEOCHEMICAL SURVEY CENTRAL AND SOUTHERN LABRADOR, 1983

Base-map assembled by the Geological Cartography Unit from maps published at the same scale by the Surveys and Mapping Branch in 1967, 1968, 1972



© Crown Copyrights reserved