

This document was produced
by scanning the original publication.

Ce document a été produit par
numérisation de la publication originale.

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

*
* OPEN FILE 998 *
*

| | PAGE |
|--------------------|------|
| SURVEY NOTES | 1 |
| DATA LIST | 8 |
| SUMMARY STATISTICS | 30 |

OPEN FILE 998 IS ONE OF FOUR OPEN FILES 995, 996, 997, AND 998 COVERING THE CENTRAL AND SOUTHERN LABRADOR SURVEY, COMPRISING OF NTS 13C, 13D, 13K, AND 13L RESPECTIVELY.

THE RECONNAISSANCE SURVEY WAS UNDERTAKEN BY THE GEOLOGICAL SURVEY OF CANADA IN CONJUNCTION WITH THE NEWFOUNDLAND DEPARTMENT OF MINES AND ENERGY UNDER THE CANADA-NEWFOUNDLAND COOPERATIVE MINERAL PROGRAM (1982-84).

E.H.W. HORN BROOK DIRECTED GEOLOGICAL SURVEY OF CANADA ACTIVITIES.

N.G. LUND AND A.C. GALLETTA WERE RESPONSIBLE FOR DATA MANAGEMENT.
N.G. LUND CO-ORDINATED OPEN FILE PRODUCTION.
E. MAAHS SUPERVISED MAP PREPARATION.

COMPUTER AND PLOTTING FACILITIES WERE PROVIDED BY THE COMPUTER SCIENCE CENTER OF E.M.R.

CONTRACTS LET FOR SAMPLE COLLECTION, PREPARATION AND ANALYSIS WERE SUPERVISED AND/OR MONITORED BY THE STAFF OF THE GEOCHEMISTRY SUBDIVISION AS FOLLOWS:

| | |
|-------------|---|
| COLLECTION | - MARSHALL MACKLIN MONAGHAN LIMITED, TORONTO. |
| | - E.H.W. HORN BROOK, N.G. LUND |
| PREPARATION | - GOLDER ASSOCIATES, OTTAWA. |
| | - J.J. LYNCH |
| ANALYTICAL | - CHEMEX LABS. LIMITED, VANCOUVER. |
| | - ACME ANALYTICAL LABORATORIES LTD, TORONTO. |
| | - J.J. LYNCH |

OPEN FILE TEXT WAS MANUFACTURED BY CAMPBELL LAZER PRINTING, OTTAWA.

HELICOPTER SUPPORTED SAMPLE COLLECTION WAS CARRIED OUT DURING THE SUMMER OF 1983.
LAKE SEDIMENT AND WATER SAMPLES WERE COLLECTED AT AN AVERAGE DENSITY OF ONE SAMPLE PER 13 SQUARE KILOMETRES THROUGHOUT THE 59,300 SQUARE KILOMETRE CENTRAL AND SOUTHERN LABRADOR SURVEY AREA .

SAMPLE SITE DUPLICATE SAMPLES WERE ROUTINELY COLLECTED IN EACH ANALYTICAL BLOCK OF TWENTY SAMPLES.

IN OTTAWA, FIELD DRIED SAMPLES WERE AIR-DRIED, CRUSHED, BALL MILLED AND SEIVED. THE MINUS 80 MESH (177 MICRONS) FRACTION WAS USED FOR SUBSEQUENT ANALYSES. AS REQUIRED, AT THIS TIME, CONTROL REFERENCE AND BLIND DUPLICATE SAMPLES WERE INSERTED INTO EACH BLOCK OF TWENTY SEDIMENT SAMPLES. NO OTHER SAMPLE PROCESSING IN OTTAWA WAS CARRIED OUT ON THE WATER SAMPLES. BLIND DUPLICATE SAMPLES WERE NOT USED IN WATER ANALYSIS.

ON RECEIPT, FIELD AND ANALYTICAL DATA WERE PUNCHED ONTO 80 COLUMN CARDS AND ALL SUBSEQUENT PROCESSING WAS CARRIED OUT WITH THE AID OF COMPUTERS. THE FIELD DATA WERE RECORDED BY THE FIELD CONTRACT STAFF ONTO STANDARD LAKE SEDIMENT FIELD CARDS (REV. 74) USED BY THE GEOLOGICAL SURVEY OF CANADA (GARRETT, 1974). THE SAMPLE SITE POSITIONS WERE MARKED ON APPROPRIATE 1/250,000 SCALE NTS MAPS IN THE FIELD. THESE MAPS WERE DIGITIZED AT THE GEOLOGICAL SURVEY IN OTTAWA TO OBTAIN THE SAMPLE SITE UTM COORDINATES.

THE SAMPLE SITE COORDINATES WERE CHECKED BY PLOTTING SAMPLING LOCATION MAPS ON A CALCOMP 1051 DRUM PLOTTER FROM THE DIGITIZED COORDINATES AND THEN OVERLAYING THESE OVER THE FIELD CONTRACTOR'S SAMPLE LOCATION BASE MAPS. THE DOMINANT ROCK TYPES IN THE LAKE CATCHMENT BASINS WERE IDENTIFIED ON APPROPRIATE GEOLOGICAL MAPS USED AS THE BEDROCK GEOLOGICAL BASE ON NGR MAPS.

THOROUGH INSPECTIONS OF THE FIELD AND ANALYTICAL DATA WERE MADE TO CHECK FOR ANY MISSING INFORMATION AND/OR GROSS ERRORS.

QUALITY CONTROL AND MONITORING OF THE GEOLOGICAL DATA WAS UNDERTAKEN BY A STANDARD METHOD USED BY THE RESOURCE GEOCHEMISTRY SUBDIVISION AT THE GEOLOGICAL SURVEY OF CANADA.

N O T E :

IN THE FOLLOWING DESCRIPTIONS OF ANALYTICAL METHODOLOGY, THE YEAR IN BRACKETS AFTER THE ELEMENT SERVES, WHERE REQUIRED, TO DISTINGUISH BETWEEN DIFFERENT ANALYTICAL TECHNIQUES EMPLOYED FOR 1978 AND 1982-1983 SAMPLES.

FOR THE DETERMINATION OF ZN, CU, PB, NI, CO, AG, MN, FE AND CD, A 1 GRAM SAMPLE WAS REACTED WITH 6 ML OF A MIXTURE OF 4M HCL AND M HNO₃ IN A TEST-TUBE OVERNIGHT AT ROOM TEMPERATURE. AFTER DIGESTION, THE TEST-TUBE WAS IMMERSSED IN A HOT WATER BATH AT ROOM TEMPERATURE AND BROUGHT UP TO 90C AND HELD AT THIS TEMPERATURE FOR 2 HOURS WITH PERIODIC SHAKING. THE SAMPLE SOLUTION WAS THEN DILUTED TO 20 ML WITH METAL FREE WATER AND MIXED. ZN, CU, PB, NI, CO, AG, MN, FE AND CD WERE DETERMINED BY ATOMIC ABSORPTION SPECTROSCOPY USING AN AIR-ACETYLENE FLAME. BACKGROUND CORRECTIONS WERE MADE FOR PB, NI, CO, AG AND CD.

ARSENIC WAS DETERMINED BY ATOMIC ABSORPTION USING A HYDRIDE EVOLUTION METHOD WHEREIN THE ARSENIC IS EVOLVED AS AsH_3 , PASSED THROUGH A HEATED QUARTZ TUBE IN THE LIGHT PATH OF AN ATOMIC ABSORPTION SPECTROPHOTOMETER. THE METHOD IS DESCRIBED BY ASLIN (1976).

MOLYBDENUM AND VANADIUM WERE DETERMINED BY ATOMIC ABSORPTION SPECTROSCOPY USING A NITROUS OXIDE ACETYLENE FLAME. A 0.5 GRAM SAMPLE WAS REACTED WITH 1.5 ML CONCENTRATED HNO_3 AT 90C FOR 30 MINUTES. AT THIS POINT 0.5 ML CONCENTRATED HCl WAS ADDED AND THE DIGESTION WAS CONTINUED AT 90C FOR AN ADDITIONAL 90 MINUTES. AFTER COOLING, 8 ML OF 1250 PPM AL SOLUTION WERE ADDED AND THE SAMPLE SOLUTION WAS DILUTED TO 10 ML BEFORE ASPIRATION.

MERCURY WAS DETERMINED BY THE HATCH AND OTT PROCEDURE WITH SOME MODIFICATIONS. THE METHOD IS DESCRIBED BY JONASSON ET AL. (1973). A 0.5 GRAM SAMPLE WAS REACTED WITH 20 ML CONCENTRATED HNO_3 AND 1 ML CONCENTRATED HCl IN A TEST-TUBE FOR 10 MINUTES AT ROOM TEMPERATURE PRIOR TO 2 HOURS OF DIGESTION WITH MIXING AT 90C IN A HOT WATER BATH. AFTER DIGESTION, THE SAMPLE SOLUTIONS WERE COOLED AND DILUTED TO 100 ML WITH METAL FREE WATER. THE HG PRESENT WAS REDUCED TO THE ELEMENTAL STATE BY THE ADDITION OF 10 ML W/V SnSO_4 IN M H_2SO_4 . THE HG VAPOUR WAS THEN FLUSHED BY A STREAM OF AIR INTO AN ABSORPTION CELL MOUNTED IN THE LIGHT PATH OF AN ATOMIC ABSORPTION SPECTROPHOTOMETER. ABSORPTION MEASUREMENTS WERE MADE AT 253.7 NM.

LOSS ON IGNITION WAS DETERMINED USING A 500 MG SAMPLE. THE SAMPLE, WEIGHED INTO 30 ML BEAKER, WAS PLACED IN A COLD MUFFLE FURNACE AND BROUGHT UP TO 500C OVER A PERIOD OF 2-3 HOURS. THE SAMPLE WAS LEFT AT THIS TEMPERATURE FOR 4 HOURS, THEN ALLOWED TO COOL TO ROOM TEMPERATURE FOR WEIGHING.

URANIUM (1978) WAS DETERMINED USING A NEUTRON ACTIVATION METHOD WITH DELAYED NEUTRON COUNTING. A DETAILED DESCRIPTION OF THE METHOD IS PROVIDED BY BOULANGER ET AL. (1975). IN BRIEF, A 1 GRAM SAMPLE IS WEIGHED INTO A 7 DRAM POLYETHYLENE VIAL, CAPPED AND SEALED. THE IRRADIATION IS PROVIDED BY THE SLOWPOKE REACTOR WITH AN OPERATING FLUX OF 10^{12} NEUTRONS/SQ. CM./SEC.

THE SAMPLES ARE PNEUMATICALLY TRANSFERRED FROM AN AUTOMATIC LOADER TO THE REACTOR, WHERE EACH SAMPLE IS IRRADIATED FOR 60 SECONDS. AFTER IRRADIATION, THE SAMPLE IS AGAIN TRANSFERRED PNEUMATICALLY TO THE COUNTING FACILITY WHERE AFTER A 10 SECOND DELAY THE SAMPLE IS COUNTED FOR A 60 SECONDS WITH SIX BF₃ DETECTOR TUBES EMBEDDED IN PARRAFIN. FOLLOWING COUNTING, THE SAMPLES ARE AUTOMATICALLY EJECTED INTO A SHIELDED STORAGE CONTAINER. CALIBRATION IS CARRIED OUT TWICE A DAY AS A MINIMUM USING NATURAL MATERIALS OF KNOWN URANIUM CONCENTRATION.

URANIUM (1982-83) WAS DETERMINED USING A NEUTRON ACTIVATION METHOD WITH DELAYED NEUTRON COUNTING. WITH THE EXCEPTION OF THE IRRADIATION FACILITY, THE METHOD IS VERY SIMILAR TO THAT USED BY AECL IN PREVIOUS YEARS, A DETAILED DESCRIPTION OF WHICH IS PROVIDED BY BOULANGER ET AL (1975). A TWO GRAM SAMPLE WAS IRRADIATED FOR 10 SECONDS IN THE TRIGA REACTOR LOCATED AT WASHINGTON STATE UNIVERSITY. THE OPERATING FLUX WAS 8×10^{13} NEUTRONS/SQUARE CM/SECOND. AFTER A 10 SECOND DELAY, THE SAMPLE WAS COUNTED FOR 10 SECONDS. THE COUNTING EQUIPMENT WAS OF AECL DESIGN. CALIBRATION WAS DONE TWICE A DAY OR AS REQUIRED. ONE STANDARD WAS ANALYSED AFTER EVERY 20 SAMPLES.

FLUORINE WAS DETERMINED IN LAKE SEDIMENTS AS DESCRIBED BY FICKLIN (1970). A 250 MG SAMPLE IS SINTERED WITH 1 GRAM OF A FLUX CONSISTING OF TWO PARTS BY WEIGHT SODIUM CARBONATE AND 1 PART BY WEIGHT POTASSIUM NITRATE. THE RESIDUE IS THEN LEACHED WITH WATER, THE SODIUM CARBONATE IS NEUTRALIZED WITH 10 ML 10% (W/V) CITRIC ACID AND THE RESULTING SOLUTION IS DILUTED TO 100 ML WITH WATER. THE PH OF THE RESULTING SOLUTION SHOULD BE FROM 5.5 TO 6.5. THE FLUORIDE CONTENT OF THE TEST SOLUTION IS THEN MEASURED USING A FLUORIDE ION ELECTRODE. STANDARD SOLUTIONS CONTAIN SODIUM CARBONATE AND CITRIC ACID IN THE SAME QUANTITIES AS THE SAMPLE SOLUTION. A DETECTION LIMIT OF 40 PPM IS ACHIEVED.

URANIUM (1978)

TWO WEEKS AFTER ACIDIFICATION, A 5 MICROLITER ALIQUOT OF THE SAMPLE WAS THEN REMOVED FOR THE DETERMINATION OF URANIUM BY FUSSION TRACK ANALYSES.

THE TWO WEEK WAITING PERIOD WAS TO INSURE THAT ALL PRECIPITATED URANIUM WAS REDISSOLVED.

TO DETERMINE URANIUM, SAMPLE ALIQUOTS WERE PLACED ON A POLYCARBONATE TAPE AND TAPE AND DRIED.

THE TAPE WAS THEN IRRADIATED IN A NUCLEAR REACTOR AT MCMASTER UNIVERSITY FOR ONE HOUR IN A FLUX OF 10^{13} NEUTRONS/SQ. CM./SEC.

THE TAPE WAS SUBSEQUENTLY ETCHED WITH 25% NAOH SOLUTION AND THE FUSSION TRACKS WERE COUNTED WITH AN OPTICAL COUNTER FITTED TO A MICROSCOPE.

THE NUMBER OF TRACKS WAS PROPORTIONAL TO THE URANIUM CONCENTRATION.

EACH TAPE CONTAINED ITS OWN CALIBRATION STANDARDS. BLANKS AND SAMPLE DUPLICATES.

FLUORIDE IN LAKE WATER SAMPLES WAS DETERMINED USING AN ORION FLUORIDE ELECTRODE AND A MODEL 401 (1978), 404 (1982-83) ORION SPECIFIC ION METER.

PRIOR TO MEASUREMENT AN ALIQUOT OF THE SAMPLE WAS MIXED WITH AN EQUAL VOLUME OF A MODIFIED TISAB SOLUTION (TOTAL IONIC STRENGTH ADJUSTMENT BUFFER).

THE MODIFICATION CONSISTED OF ADDING 60 ML 8M KOH SOLUTION TO THE BUFFER.

THIS PERMITTED THE RE-ANALYSIS OF FLUORIDE IN ACIDIFIED WATER SAMPLES WHEN REQUIRED.

WHEN THIS ANALYSIS WAS REQUIRED, ACIDIFIED STANDARD SOLUTIONS WERE USED FOR CALIBRATION.

HYDROGEN ION ACTIVITY (PH) (1978) WAS MEASURED WITH A BECKMAN COMBINATION ELECTRODE AND A MODEL 401 ORION SPECIFIC ION METER.

HYDROGEN ION ACTIVITY (PH) WAS MEASURED WITH A BROADLEY-JAMES COMBINATION ELECTRODE AND A MODEL 404 ORION SPECIFIC ION METER.

URANIUM IN WATERS (1982-83) WAS DETERMINED BY A LASER-INDUCED FLUOROMETRIC METHOD USING A SCINTREX UA-3 URANIUM ANALYSER.

A COMPLEXING AGENT, KNOWN COMMERCIALY AS FLURAN AND COMPOSED OF SODIUM PYROPHOSPHATE AND SODIUM MONOPHOSPHATE, (HALL, G.E.M., 1979) IS ADDED TO PRODUCE THE URANYL PYROPHOSATE SPECIES WHICH FLUORESCES WHEN EXPOSED TO THE LASER.

SINCE ORGANIC MATTER IN THE SAMPLE CAN CAUSE UNPREDICABLE BEHAVIOUR, A STANDARD ADDITION METHOD WAS USED.

FURTHER, THERE HAVE BEEN INSTANCES AT THE G.S.C. WHERE THE REACTION OF URANIUM WITH FLURAN IS EITHER DELAYED OR SLUGGISH; FOR THIS REASON AN ARBITRARY 24 HOUR TIME DELEAY BETWEEN THE ADDITION OF THE FLURAN AND THE ACTUAL READING WAS INCORPORATED INTO THIS METHOD.

IN PRACTICE, 500UL FLURAN SOLUTION WAS ADDED TO A 5ML SAMPLE AND ALLOWED TO STAND FOR 24 HOURS. AT THE END OF THIS PERIOD FLUORESCENCE READINGS WERE MADE WITH THE ADDITION OF 0.0, 0.2 AND 0.4 PPB U.

FOR HIGH SAMPLES THE ADDITIONS WERE 0.0, 2.0 AND 4.0 (20UL ALIQUOTS OF 55 OR 550 PPB U WERE USED).

ALL READINGS WERE TAKEN AGAINST A SAMPLE BLANK.

THE FOLLOWING TABLE DISPLAYS THE DATA RECORD FORMAT SPECIFICATIONS.
THE DETECTION LIMITS OF THE ANALYTICAL METHODS ARE ALSO GIVEN WITH
THE SECOND FIGURE UNDER THE DETECTION LIMIT USED AS AN ARBITRARILY SET
VALUE IF THE RESULT FELL BELOW THE DETECTION LIMIT.

| FIELD | ELEMENT | CARD | COLUMNS |
|-------|---------------------|------|---------|
| | MAP | 1 | 01-06 |
| | ID | 1 | 07-12 |
| | UTM ZONE | 1 | 13-14 |
| | UTM EAST (METER) | 1 | 15-20 |
| | UTM NORTH (METER) | 1 | 21-27 |
| | ROCK TYPE | 1 | 28-31 |
| | LAKE AREA | 1 | 32-35 |
| | SAMPLE DEPTH (FEET) | 1 | 36-38 |
| | REPLICATE STATUS | 1 | 39-40 |
| | RELIEF | 1 | 41-43 |
| | CONTAMINATION | 1 | 48-51 |
| | SAMPLE COLOUR | 1 | 52-57 |
| | SUSPENDED MATTER | 1 | 58-59 |

THE ANALYTICAL DATA WERE RECORDED AS FOLLOWS:

| | ELEMENT | UNITS | CARD | COLUMNS | DETECTION LIMIT | |
|-----------------|---------|-------|------|---------|-----------------|-------|
| SEDIMENT | ZN | PPM | 2 | 21-25 | 2 | 1 |
| | CU | PPM | 2 | 26-30 | 2 | 1 |
| | PB | PPM | 2 | 31-35 | 2 | 1 |
| | NI | PPM | 2 | 36-40 | 2 | 1 |
| | CO | PPM | 2 | 41-45 | 2 | 1 |
| | AG | PPM | 2 | 46-50 | 0.2 | 0.1 |
| | MN | PPM | 2 | 51-55 | 5 | 2 |
| | AS | PPM | 2 | 56-60 | 1 | 0.5 |
| | MO | PPM | 2 | 61-65 | 2 | 1 |
| | FE | PCT | 2 | 66-70 | 0.02 | 0.01 |
| | HG | PPB | 2 | 71-75 | 10 | 5 |
| | LOI | PCT | 2 | 76-79 | 1.0 | 0.5 |
| | U | PPM | 3 | 21-25 | 0.2 | 0.1 |
| | F | PPM | 3 | 26-30 | 40 | 20 |
| | V | PPM | 3 | 31-35 | 0.5 | 0.2 |
| | CD | PPM | 3 | 36-40 | 0.2 | 0.1 |
| WATER (1978) | U | PPB | 4 | 21-25 | 0.01 | 0.005 |
| | F | PPB | 4 | 26-30 | 20 | 10 |
| | PH | | 4 | 31-35 | | |
| | U | PPB | 4 | 36-40 | 0.05 | 0.002 |

REFERENCES

- BOULANGER, A., EVANS, D.J.R. AND RABY, B.F. (1975) URANIUM ANALYSIS BY NEUTRON ACTIVATION DELAYED NEUTRON COUNTING: PROC. OF THE 7TH ANNUAL SYMP. OF CANADIAN MINERAL ANALYSTS. THUNDER BAY, ONTARIO, SEPT. 22-23, 1975.
- FICKLIN, W.H. (1970) A RAPID METHOD FOR THE DETERMINATION OF FLUORIDE IN ROCKS AND SOILS, USING AN ION SELECTIVE ELECTRODE. U.S. GEOL. SURV. PAPER 700C PP. C186-188.
- GARRETT, R.G. (1974) FIELD DATA ACQUISITION METHODS FOR APPLIED GEOCHEMICAL SURVEYS AT THE GEOLOGICAL SURVEY OF CANADA: GEOL SURV. CAN. PAPER 74-52.
- ASLIN, G.E.M. (1976) THE DETERMINATION OF ARSENIC AND ANTIMONY IN GEOLOGICAL MATERIALS BY FLAMELESS ATOMIC ABSORPTION SPECTROPHOTOMETER JOURNAL OF GEOCHEMICAL EXPLORATION, VOL. 6, PP. 321-330.
- HALL, G.E.M. (1979) A STUDY OF THE STABILITY OF URANIUM IN WATERS COLLECTED FROM VARIOUS GEOLOGICAL ENVIRONMENTS IN CANADA; IN CURRENT RESEARCH, PART A, GEOL. SURV. CAN. PAPER 79-1A, P. 361-365.
- JONASSON, I.R., LYNCH, J.J. AND TRIP, L.J. (1973) FIELD AND LABORATORY METHODS USED BY THE GEOLOGICAL SURVEY OF CANADA IN GEOCHEMICAL SURVEYS: NO. 12, MERCURY IN ORES, ROCKS, SOILS, SEDIMENTS AND WATER: GEOL. SURV. CAN. PAPER 73-21.

DATA LEGEND

MAP- NATIONAL TOPOGRAPHIC SYSTEM(NTS)- LETTERED QUADRANGLE
(SCALE 1:250000). PART OF SAMPLE NUMBER

ID- REMAINDER OF SAMPLE NUMBER- YEAR(2), FILED CREW(1),
SAMPLE SEQUENCE NUMBER(3)

UTM COORDINATES- UNIVERSAL TRANVERSE MERCATOR(UTM) COORDINATE
SYSTEM- SAMPLE COORDINATES

ZN- ZONE
EAST- EASTING(METERS)
NORTH- NORTHING(METERS)

ROCK TYPE- MAJOR ROCK TYPE OF LAKE CATCHMENT AREA

LAKE AREA- AREA OF LAKE SAMPLED

SMP DTH- SAMPLE DEPTH MEASURED TO THE NEAREST FOOT

RP ST- REPLICATE STATUS- RELATIONSHIP OF SAMPLE WITH
RESPECT TO OTHERS WITHIN THE SURVEY

RELF- RELIEF OF THE SURROUNDING LAKE CATCHMENT BASIN

CONT- CONTAMINATION- HUMAN OR NATURAL(WORK-DRILL/TRENCH,
CAMP,FUEL,OR GOSSAN)

SAMPL COLOR- SEDIMENT COLOUR

SUSP- SUSPENDED MATTER

ZN- ZINC BY ATOMIC ABSORPTION SPECTROSCOPY(PPM)
CU- COPPER BY ATOMIC ABSORPTION SPECTROSCOPY(PPM)
PB- LEAD BY ATOMIC ABSORPTION SPECTROSCOPY(PPM)
NI- NICKEL BY ATOMIC ABSORPTION SPECTROSCOPY(PPM)
CO- COBALT BY ATOMIC ABSORPTION SPECTROSCOPY(PPM)
AG- SILVER BY ATOMIC ABSORPTION SPECTROSCOPY(PPM)
MN- MANGANESE BY ATOMIC ABSORPTION SPECTROSCOPY(PPM)
AS- ARSENIC BY ATOMIC ABSORPTION SPECTROSCOPY(PPM)
MO- MOLYBDENUM BY ATOMIC ABSORPTION SPECTROSCOPY(PPM)
FE- IRON BY ATOMIC ABSORPTION SPECTROSCOPY(%)
HG- MERCURY BY ATOMIC ABSORPTION SPECTROSCOPY(PPB)
LOI- LOSS ON IGNITION BY WEIGHT DIFFERENCE(%)
U- URANIUM BY DELAYED NEUTRON ACTIVATION(PPM)
F- FLOURINE BY SPECIFIC ION ELECTRODE(PPM)
V- VANADIUM BY ATOMIC ABSORPTION SPECTROSCOPY(PPM)
CD- CADMIUM BY ATOMIC ABSORPTION SPECTROSCOPY(PPM)
F-W- FLOURINE IN WATERS BY FISSION TRACK(PPB)
PH- PH BY COMBINATION GLASS - CALOMEL ELECTRODE
(1978) U-W- URANIUM IN WATERS BY FISSION TRACK(PPB)
(1982-83) U-W- URANIUM IN WATERS BY SCINTREX(PPB)

ROCK TYPE : HUGP- PARAGNEISSES, GRANITOID GENEISSES
OF PROBABLE SEDIMENTARY ORIGIN,
MINOR QUARTZITE AND MARBLE

HUGB- INTERMEDIATE TO BASIC GNEISS,
AMPHIBOLITE

NHWS- (VNHW), (NHWK), (SMRK) QUARTZITE,
CONGLOMERATE, ARKOSE, SHALE...
NHWS - UNSEPARATED BESSIE LAKE...
FORMATION
NHWK - SHIPISKAN FORMATION
(POSSIBLY YOUNGER)

UPHW- QUARTZITE, GRIT CONGLOMERATE,
ACIDIC VOLCANICS... LETITIA GROUP

PHAW- (PAWP) GREYWACKE, QUARTZITE, ARKOSE,
SLATE... PAWP - PETSCAPISKAN GROUP

AUWR- (GRNL) GRANULITE, PYROXENE GNEISS,
CHARNOCKITE; MINOR GRANITIC GNEISS

NH17- DIABASIC OLIVINE GABBRO, INTERMEDIATE
AND ULTRAMAFIC INTRUSIVE ROCKS

PH14- (GRNT) GRANITE, QUARTZ MONZONITE,
GRANODIORITE, QUARTZ DIORITE, SYENITE

PH13- (QZMZ) ADAMILLITE SUITE: ADAMELLITE,
MONZONITE, SYENITE, GRANODIORITE,
GRANITE

PH11- ANORTHOSITE SUITE: ANORTHOSITE,
ANORTHOSITIC GABBRO, LEUCOTROCTOLITE

LAKE AREA : POND- POND
LT 1- 1/4 TO 1 SQ KM
1-5- 1/4 TO 5 SQ KM
GT 5- GREATER THAN 5 SQ KM

RP ST : 00- ROUTINE REGIONAL SAMPLE
10- FIRST OF FIELD DUPLICATE
20- SECOND OF FIELD DUPLICATE

RELF : L- LOW
M- MEDIUM
H- HIGH

CONT : BLANK- NONE
1- PRESENT

SAMP COLOR : TN- TAN
GN- GREEN
YL- YELLOW
GY- GREY
BR- BROWN
BK- BLACK

SUP : BLANK- NONE
L- LIGHT
H- HEAVY

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

| MAP | ID | UTM COORDINATS | | | ROCK TYPE | LAKE AREA | SMP DTH | RP ST | R C E O | | SMPL S | P | S U | | | | | | | | | | | | | | | | | | | |
|-----|--------|----------------|--------|---------|-----------|-----------|---------|-------|---------|---|--------|---|-----|----|----|----|----|-----|------|-----|----|------|-----|------|-----|-----|----|-----|-----|-------|--|--|
| | | ZN | EAST | NORTH | | | | | L | N | | | CU | PB | NI | CO | AG | MN | AS | MO | FE | HG | LOI | U | F | V | CD | F-W | PH | U-W | | |
| 13L | 781002 | 20 | 562711 | 6093791 | ANRS | POND | 10 | 00 | M | | BN | | 40 | 38 | 1 | 43 | 10 | 0.1 | 70 | 0.5 | 2 | 1.00 | 40 | 23.0 | 0.3 | 85 | | 20 | 6.7 | 0.005 | | |
| 13L | 781003 | 20 | 561996 | 6092255 | ANRS | POND | 30 | 00 | M | | BN | | 40 | 44 | 1 | 35 | 8 | 0.1 | 80 | 0.5 | 1 | 1.90 | 70 | 33.0 | 0.5 | 80 | | 10 | 6.6 | 0.005 | | |
| 13L | 781004 | 20 | 561077 | 6092348 | ANRS | POND | 15 | 70 | M | | BN | | 46 | 30 | 1 | 34 | 8 | 0.1 | 80 | 0.5 | 2 | 0.70 | 50 | 27.2 | 0.6 | 90 | | 10 | 6.8 | 0.005 | | |
| 13L | 781005 | 20 | 560449 | 6092029 | ANRS | POND | 18 | 10 | M | | BN | | 50 | 26 | 1 | 22 | 6 | 0.1 | 120 | 0.5 | 2 | 0.85 | 40 | 29.6 | 0.6 | 60 | | 20 | 6.9 | 0.030 | | |
| 13L | 781006 | 20 | 560449 | 6092029 | ANRS | POND | 18 | 20 | M | | BN | | 52 | 28 | 1 | 22 | 6 | 0.1 | 60 | 0.5 | 1 | 0.80 | 60 | 30.4 | 0.6 | 55 | | 10 | 6.8 | 0.010 | | |
| 13L | 781007 | 20 | 562323 | 6087986 | ANRS | POND | 10 | 00 | M | | BN | | 42 | 20 | 1 | 22 | 9 | 0.1 | 100 | 0.5 | 2 | 0.70 | 60 | 33.6 | 0.3 | 65 | | 10 | 6.8 | 0.005 | | |
| 13L | 781008 | 20 | 560937 | 6087561 | ANRS | POND | 10 | 00 | M | | BN | | 36 | 18 | 1 | 19 | 7 | 0.1 | 80 | 0.5 | 1 | 0.90 | 60 | 36.2 | 0.5 | 80 | | 10 | 7.0 | 0.005 | | |
| 13L | 781009 | 20 | 562089 | 6085951 | ANRS | POND | 15 | 00 | M | | BN | | 38 | 18 | 2 | 11 | 6 | 0.1 | 100 | 0.5 | 1 | 0.50 | 70 | 39.0 | 0.3 | 45 | | 10 | 6.8 | 0.010 | | |
| 13L | 781010 | 20 | 558432 | 6085677 | ANRS | POND | 23 | 00 | M | | BN | | 44 | 20 | 2 | 20 | 8 | 0.1 | 140 | 0.5 | 2 | 1.70 | 60 | 22.8 | 0.8 | 90 | | 10 | 6.9 | 0.005 | | |
| 13L | 781011 | 20 | 557411 | 6081999 | ANRS | POND | 10 | 00 | M | | BN | | 24 | 12 | 1 | 8 | 4 | 0.1 | 60 | 0.5 | 2 | 0.30 | 70 | 31.4 | 2.5 | 20 | | 10 | 7.0 | 0.040 | | |
| 13L | 781012 | 20 | 560605 | 6079925 | ANRS | POND | 7 | 00 | M | | BN | | 56 | 18 | 1 | 18 | 13 | 0.1 | 120 | 0.5 | 1 | 1.10 | 30 | 1.4 | 0.7 | 290 | | 10 | 6.9 | 0.010 | | |
| 13L | 781014 | 20 | 560144 | 6078746 | ANRS | POND | 5 | 00 | M | | BN | | 100 | 14 | 2 | 18 | 14 | 0.1 | 400 | 0.5 | 2 | 3.30 | 50 | 17.4 | 0.6 | 160 | | 20 | 7.0 | 0.005 | | |
| 13L | 781015 | 20 | 562157 | 6076345 | ANRS | POND | 7 | 00 | M | | BN | | 30 | 12 | 2 | 8 | 4 | 0.1 | 60 | 0.5 | 1 | 0.30 | 50 | 33.4 | 0.3 | 50 | | 10 | 6.7 | 0.005 | | |
| 13L | 781016 | 20 | 562301 | 6074189 | ANRS | 1-5 | 26 | 00 | M | | BN | | 86 | 20 | 2 | 14 | 8 | 0.1 | 280 | 0.5 | 4 | 3.10 | 60 | 27.0 | 1.1 | 125 | | 10 | 6.6 | 0.040 | | |
| 13L | 781017 | 20 | 561468 | 6069707 | ANRS | POND | 25 | 00 | M | | BN | | 66 | 18 | 1 | 15 | 9 | 0.1 | 200 | 0.5 | 3 | 1.70 | 70 | 17.6 | 0.8 | 90 | | 10 | 6.8 | 0.010 | | |
| 13L | 781018 | 20 | 563554 | 6067826 | ANRS | 1-5 | 8 | 00 | M | | BN | | 108 | 18 | 2 | 18 | 8 | 0.1 | 260 | 0.5 | 2 | 1.50 | 50 | 19.0 | 0.9 | 135 | | 20 | 6.9 | 0.010 | | |
| 13L | 781019 | 20 | 560904 | 6067044 | ANRS | POND | 7 | 00 | M | | BN | | 48 | 10 | 1 | 7 | 5 | 0.1 | 120 | 0.5 | 1 | 0.90 | 40 | 6.0 | 0.4 | 80 | | 10 | 6.9 | 0.010 | | |
| 13L | 781020 | 20 | 559492 | 6068963 | ANRS | POND | 30 | 00 | M | | BN | | 68 | 20 | 1 | 11 | 24 | 0.2 | 420 | 0.5 | 5 | 3.70 | 140 | 37.8 | 0.6 | 90 | | 10 | 6.7 | 0.005 | | |
| 13L | 781022 | 20 | 558971 | 6074036 | ANRS | POND | 5 | 00 | M | | BN | | 82 | 14 | 2 | 19 | 9 | 0.1 | 300 | 0.5 | 2 | 1.80 | 60 | 22.2 | 0.9 | 270 | | 20 | 6.9 | 0.030 | | |
| 13L | 781023 | 20 | 556254 | 6075802 | ANRS | POND | 10 | 00 | M | | BN | | 102 | 28 | 1 | 21 | 11 | 0.1 | 310 | 0.5 | 3 | 1.60 | 90 | 27.2 | 1.6 | 125 | | 20 | 7.0 | 0.020 | | |
| 13L | 781024 | 20 | 553624 | 6078824 | ANRS | POND | 20 | 00 | M | | BN | | 62 | 16 | 1 | 12 | 10 | 0.1 | 680 | 0.5 | 5 | 2.70 | 60 | 29.6 | 1.4 | 60 | | 10 | 6.7 | 0.005 | | |
| 13L | 781025 | 20 | 552805 | 6081189 | ANRS | POND | 37 | 00 | M | | BN | | 50 | 18 | 2 | 19 | 9 | 0.1 | 120 | 0.5 | 1 | 1.50 | 40 | 14.0 | 0.9 | 140 | | 10 | 7.0 | 0.005 | | |
| 13L | 781026 | 20 | 547323 | 6081432 | ANRS | POND | 10 | 00 | M | | BN | | 54 | 14 | 2 | 17 | 8 | 0.1 | 80 | 0.5 | 2 | 2.90 | 40 | 18.8 | 0.4 | 135 | | 10 | 6.9 | 0.030 | | |
| 13L | 781027 | 20 | 545582 | 6079660 | ANRS | POND | 15 | 00 | M | | BN | | 50 | 20 | 2 | 30 | 10 | 0.1 | 80 | 0.5 | 2 | 0.85 | 30 | 38.0 | 0.5 | 80 | | 10 | 6.7 | 0.030 | | |
| 13L | 781028 | 20 | 542593 | 6080803 | ANRS | POND | 10 | 70 | M | | BN | | 70 | 14 | 1 | 24 | 10 | 0.1 | 80 | 0.5 | 2 | 0.70 | 30 | 35.0 | 0.6 | 80 | | 10 | 6.9 | 0.020 | | |
| 13L | 781030 | 20 | 541320 | 6079632 | ANRS | GT 5 | 20 | 10 | M | | BN | | 84 | 18 | 1 | 22 | 13 | 0.1 | 240 | 0.5 | 3 | 3.25 | 40 | 24.0 | 0.5 | 120 | | 10 | 6.8 | 0.010 | | |
| 13L | 781031 | 20 | 541320 | 6079632 | ANRS | GT 5 | 20 | 20 | M | | BN | | 88 | 14 | 2 | 19 | 11 | 0.1 | 210 | 0.5 | 1 | 2.20 | 40 | 24.0 | 0.5 | 110 | | 10 | 6.8 | 0.005 | | |
| 13L | 781032 | 20 | 551762 | 6089600 | ANRS | POND | 3 | 00 | M | | BN | | 42 | 14 | 2 | 24 | 10 | 0.2 | 120 | 0.5 | 2 | 1.40 | 40 | 22.0 | 0.7 | 165 | | 10 | 7.0 | 0.030 | | |
| 13L | 781033 | 20 | 551686 | 6091997 | ANRS | POND | 14 | 00 | M | | BN | | 46 | 18 | 2 | 26 | 9 | 0.2 | 130 | 0.5 | 1 | 0.80 | 40 | 27.0 | 0.4 | 50 | | 10 | 7.0 | 0.020 | | |
| 13L | 781034 | 20 | 544567 | 6088566 | ANRS | POND | 14 | 00 | M | | BN | | 52 | 14 | 3 | 23 | 9 | 0.1 | 80 | 0.5 | 1 | 0.90 | 30 | 23.8 | 0.5 | 120 | | 10 | 6.9 | 0.030 | | |
| 13L | 781035 | 20 | 540356 | 6087489 | ANRS | POND | 23 | 00 | M | | BN | | 62 | 14 | 2 | 20 | 9 | 0.1 | 130 | 0.5 | 1 | 1.10 | 20 | 18.2 | 0.8 | 205 | | 10 | 6.5 | 0.010 | | |
| 13L | 781036 | 20 | 539420 | 6087024 | ANRS | POND | 17 | 00 | M | | BN | | 56 | 16 | 2 | 28 | 12 | 0.1 | 120 | 0.5 | 2 | 1.30 | 20 | 21.6 | 0.7 | 185 | | 10 | 6.7 | 0.010 | | |
| 13L | 781037 | 20 | 539095 | 6083892 | ANRS | POND | 7 | 00 | M | | BN | | 58 | 14 | 2 | 22 | 8 | 0.1 | 80 | 0.5 | 1 | 0.80 | 30 | 32.0 | 0.4 | 95 | | 10 | 6.9 | 0.005 | | |
| 13L | 781038 | 20 | 538543 | 6078801 | ANRS | GT 5 | 45 | 00 | M | | BN | | 150 | 18 | 1 | 24 | 50 | 0.1 | 7500 | 0.5 | 2 | 5.25 | 40 | 28.4 | 0.6 | 60 | | 10 | 6.6 | 0.005 | | |
| 13L | 781039 | 20 | 538320 | 6075013 | ANRS | POND | 5 | 00 | M | | BN | | 138 | 14 | 1 | 16 | 14 | 0.2 | 430 | 0.5 | 1 | 1.60 | 40 | 24.4 | 0.2 | 60 | | 10 | 6.5 | 0.020 | | |
| 13L | 781040 | 20 | 540288 | 6071591 | ANRS | POND | 7 | 00 | M | | BN | | 126 | 10 | 2 | 14 | 9 | 0.1 | 190 | 0.5 | 2 | 1.00 | 50 | 33.4 | 1.1 | 135 | | 10 | 7.0 | 0.005 | | |
| 13L | 781042 | 20 | 537369 | 6066265 | GRNL | POND | 3 | 00 | M | | BN | L | 20 | 16 | 2 | 12 | 2 | 0.2 | 60 | 0.5 | 2 | 0.30 | 70 | 86.4 | 0.4 | 40 | | 10 | 5.3 | 0.010 | | |
| 13L | 781043 | 20 | 537745 | 6063291 | GRNL | POND | 12 | 00 | M | | BN | | 44 | 18 | 4 | 14 | 8 | 0.1 | 120 | 0.5 | 2 | 0.90 | 30 | 34.2 | 1.3 | 265 | | 30 | 6.7 | 0.040 | | |
| 13L | 781044 | 20 | 537745 | 6060871 | GRNL | POND | 5 | 00 | M | | BN | L | 28 | 24 | 2 | 12 | 5 | 0.1 | 100 | 0.5 | 2 | 0.70 | 40 | 33.0 | 0.3 | 50 | | 36 | 6.9 | 0.030 | | |
| 13L | 781045 | 20 | 538575 | 6055653 | SMRK | GT 5 | 65 | 00 | M | | BK | | 46 | 18 | 4 | 17 | 10 | 0.1 | 240 | 0.5 | 1 | 1.90 | 20 | 8.4 | 3.3 | 360 | | 22 | 7.1 | 1.120 | | |
| 13L | 781046 | 20 | 539945 | 6053232 | SMRK | POND | 7 | 00 | M | | BN | | 32 | 16 | 1 | 9 | 2 | 0.1 | 40 | 1.0 | 5 | 0.40 | 30 | 16.6 | 4.9 | 85 | | 44 | 7.3 | 1.120 | | |
| 13L | 781047 | 20 | 538939 | 6053416 | SMRK | POND | 5 | 00 | M | | BN | | 46 | 12 | 1 | 10 | 5 | 0.1 | 120 | 2.0 | 2 | 0.85 | 30 | 30.6 | 2.6 | 170 | | 38 | 7.3 | 1.130 | | |
| 13L | 781048 | 20 | 538843 | 6049619 | SMRK | POND | 4 | 00 | M | | GY | | 42 | 14 | 1 | 14 | 6 | 0.1 | 150 | 3.0 | 5 | 1.45 | 20 | 14.0 | 5.0 | | | | | | | |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

| MAP | ID | UTM COORDINATS | | | ROCK TYPE | LAKE AREA | SMP DTH | RP ST | R C E O | | SMPL COLOR | S U S P | ZN | CU | PB | NI | CO | AG | MN | AS | MO | FE | HG | LOI | U | F | V | CD | F-W | PH | U-W |
|-----|--------|----------------|--------|---------|-----------|-----------|---------|-------|---------|---|------------|---------|-----|----|----|----|----|-----|-----|------|----|------|-----|------|------|-----|---|----|-----|---------|-----|
| | | ZN | EAST | NORTH | | | | | L | N | | | | | | | | | | | | | | | | | | | | | |
| 13L | 781057 | 20 | 535430 | 6041946 | SMRK | POND | 30 | 00 | M | | BN | | 130 | 50 | 2 | 12 | 11 | 0.1 | 550 | 12.0 | 10 | 2.20 | 120 | 47.6 | 28.2 | 125 | | | 24 | 7.4.230 | |
| 13L | 781058 | 20 | 535494 | 6044708 | SMRK | LT 1 | 21 | 00 | M | | BN | | 118 | 20 | 2 | 13 | 8 | 0.1 | 340 | 0.5 | 3 | 2.00 | 60 | 38.2 | 2.0 | 125 | | | 22 | 6.8.040 | |
| 13L | 781059 | 20 | 534444 | 6055165 | SMRK | POND | 5 | 00 | M | | BN | | 14 | 20 | 1 | 10 | 1 | 0.1 | 30 | 0.5 | 2 | 0.10 | 70 | 89.6 | 0.5 | 40 | | | 10 | 5.0.030 | |
| 13L | 781060 | 20 | 534211 | 6064101 | SMRK | POND | 3 | 00 | M | | BN | | 32 | 8 | 2 | 9 | 2 | 0.1 | 40 | 0.5 | 1 | 0.60 | 40 | 28.2 | 1.7 | 145 | | | 76 | 7.6.330 | |
| 13L | 781062 | 20 | 535337 | 6075450 | ANRS | POND | 7 | 00 | M | | BN | | 134 | 22 | 7 | 34 | 18 | 0.1 | 360 | 1.0 | 1 | 2.50 | 60 | 24.4 | 0.5 | 150 | | | 10 | 7.0.060 | |
| 13L | 781063 | 20 | 536305 | 6070141 | ANRS | POND | 5 | 00 | M | | BN | | 54 | 12 | 1 | 13 | 4 | 0.1 | 55 | 0.5 | 1 | 1.20 | 40 | 22.0 | 1.2 | 190 | | | 10 | 6.9.030 | |
| 13L | 781064 | 20 | 535533 | 6070631 | ANRS | POND | 10 | 00 | M | | BN | | 40 | 20 | 1 | 10 | 2 | 0.1 | 120 | 0.5 | 10 | 1.30 | 50 | 36.8 | 3.4 | 65 | | | 20 | 7.0.060 | |
| 13L | 781065 | 20 | 528909 | 6073341 | SMRK | LT 1 | 16 | 00 | M | | BN | | 62 | 10 | 1 | 12 | 6 | 0.1 | 250 | 0.5 | 2 | 1.45 | 50 | 27.2 | 0.2 | 70 | | | 20 | 6.8.005 | |
| 13L | 781066 | 20 | 526937 | 6073467 | SMRK | POND | 4 | 70 | M | | BN | | 32 | 16 | 2 | 12 | 3 | 0.1 | 200 | 0.5 | 1 | 0.60 | 90 | 72.6 | 0.3 | 50 | | | 10 | 6.3.030 | |
| 13L | 781067 | 20 | 525957 | 6072361 | SMRK | POND | 7 | 10 | M | | BN | | 60 | 12 | 1 | 12 | 3 | 0.1 | 130 | 0.5 | 1 | 0.60 | 60 | 29.0 | 0.6 | 40 | | | 10 | 6.9.030 | |
| 13L | 781068 | 20 | 525957 | 6072361 | SMRK | POND | 7 | 20 | M | | BN | | 58 | 12 | 1 | 13 | 4 | 0.1 | 140 | 0.5 | 1 | 0.75 | 70 | 30.4 | 0.3 | 45 | | | 20 | 6.9.070 | |
| 13L | 781069 | 20 | 526603 | 6069211 | SMRK | POND | 5 | 00 | M | | BN | | 72 | 14 | 2 | 16 | 3 | 0.1 | 70 | 0.5 | 1 | 0.65 | 70 | 49.0 | 0.6 | 70 | | | 10 | 6.6.010 | |
| 13L | 781070 | 20 | 526159 | 6064455 | SMRK | POND | 5 | 00 | M | | BN | L | 42 | 12 | 2 | 10 | 2 | 0.2 | 140 | 0.5 | 1 | 0.70 | 80 | 65.8 | 0.2 | 20 | | | 10 | 6.4.010 | |
| 13L | 781071 | 20 | 526753 | 6059838 | SMRK | POND | 7 | 00 | M | | BN | | 30 | 46 | 1 | 14 | 4 | 0.1 | 55 | 0.5 | 1 | 0.70 | 60 | 27.0 | 1.1 | 70 | | | 38 | 7.1.150 | |
| 13L | 781073 | 20 | 524974 | 6059497 | SMRK | POND | 7 | 00 | M | | BN | | 20 | 12 | 2 | 6 | 1 | 0.2 | 20 | 0.5 | 2 | 0.10 | 50 | 89.2 | 0.2 | 45 | | | 10 | 5.6.020 | |
| 13L | 781074 | 20 | 531662 | 6055128 | SMRK | POND | 5 | 00 | M | | BN | L | 18 | 18 | 2 | 10 | 1 | 0.2 | 30 | 0.5 | 2 | 0.20 | 90 | 75.6 | 1.0 | 40 | | | 20 | 5.6.040 | |
| 13L | 781075 | 20 | 530937 | 6053350 | SMRK | POND | 4 | 00 | M | | BN | | 30 | 6 | 2 | 8 | 2 | 0.1 | 50 | 0.5 | 1 | 0.40 | 30 | 37.6 | 2.2 | 110 | | | 40 | 7.5.230 | |
| 13L | 781076 | 20 | 528581 | 6054392 | SMRK | LT 1 | 17 | 00 | M | | BN | | 96 | 46 | 2 | 27 | 12 | 0.1 | 120 | 0.5 | 1 | 1.40 | 30 | 26.6 | 2.5 | 295 | | | 10 | 5.8.080 | |
| 13L | 781077 | 20 | 527069 | 6053658 | SMRK | POND | 5 | 00 | M | | BN | | 24 | 24 | 2 | 18 | 2 | 0.1 | 40 | 0.5 | 2 | 0.30 | 60 | 55.4 | 1.0 | 70 | | | 10 | 5.3.030 | |
| 13L | 781078 | 20 | 532749 | 6046684 | SMRK | LT 1 | 8 | 00 | M | | BN | | 66 | 12 | 1 | 11 | 6 | 0.1 | 70 | 0.5 | 2 | 0.60 | 40 | 37.0 | 3.5 | 85 | | | 20 | 6.8.040 | |
| 13L | 781079 | 20 | 530060 | 6047167 | SMRK | POND | 6 | 00 | M | | BN | | 26 | 20 | 2 | 11 | 2 | 0.1 | 40 | 0.5 | 2 | 0.25 | 60 | 55.4 | 1.1 | 50 | | | 10 | 5.4.040 | |
| 13L | 781080 | 20 | 526522 | 6047112 | SMRK | POND | 2 | 00 | M | | BN | | 54 | 10 | 2 | 12 | 5 | 0.1 | 80 | 0.5 | 1 | 0.70 | 40 | 51.0 | 0.8 | 90 | | | 10 | 6.7.040 | |
| 13L | 781082 | 20 | 527492 | 6043962 | SMRK | POND | 10 | 00 | M | | BN | | 68 | 14 | 1 | 13 | 8 | 0.2 | 140 | 0.5 | 2 | 1.10 | 70 | 45.8 | 0.9 | 100 | | | 20 | 6.5.020 | |
| 13L | 781083 | 20 | 530752 | 6044460 | SMRK | LT 1 | 5 | 00 | M | | BN | | 70 | 14 | 1 | 12 | 6 | 0.2 | 60 | 0.5 | 2 | 0.45 | 60 | 52.4 | 1.3 | 70 | | | 20 | 6.4.050 | |
| 13L | 781084 | 20 | 529983 | 6042715 | SMRK | POND | 11 | 00 | M | | BN | | 48 | 16 | 1 | 9 | 7 | 0.1 | 90 | 0.5 | 2 | 0.80 | 50 | 35.6 | 4.9 | 55 | | | 10 | 6.8.100 | |
| 13L | 781086 | 20 | 527191 | 6042170 | SMRK | POND | 10 | 00 | M | | BN | | 54 | 22 | 2 | 12 | 7 | 0.1 | 150 | 0.5 | 2 | 0.80 | 50 | 41.6 | 0.9 | 75 | | | 20 | 6.8.005 | |
| 13L | 781087 | 20 | 524424 | 6041574 | SMRK | POND | 10 | 00 | M | | BN | | 48 | 12 | 1 | 7 | 8 | 0.1 | 95 | 0.5 | 2 | 0.70 | 50 | 43.6 | 0.6 | 65 | | | 10 | 6.5.030 | |
| 13L | 781088 | 20 | 523046 | 6043271 | SMRK | POND | 7 | 00 | M | | BN | | 40 | 14 | 1 | 8 | 6 | 0.1 | 50 | 0.5 | 1 | 0.40 | 60 | 37.2 | 1.8 | 65 | | | 22 | 6.8.080 | |
| 13L | 781089 | 20 | 518587 | 6041150 | SMRK | 1-5 | 9 | 00 | M | | BN | | 52 | 16 | 2 | 12 | 9 | 0.1 | 130 | 0.5 | 2 | 1.20 | 30 | 11.6 | 3.4 | 260 | | | 20 | 6.8.100 | |
| 13L | 781090 | 20 | 519716 | 6045474 | SMRK | 1-5 | 5 | 00 | L | | BN | | 24 | 14 | 1 | 8 | 2 | 0.1 | 40 | 0.5 | 1 | 0.25 | 70 | 68.0 | 0.7 | 50 | | | 10 | 5.6.050 | |
| 13L | 781091 | 20 | 517733 | 6046756 | SMRK | POND | 4 | 00 | M | | BN | | 86 | 8 | 1 | 9 | 11 | 0.1 | 360 | 0.5 | 2 | 1.30 | 40 | 17.0 | 2.8 | 210 | | | 28 | 6.8.030 | |
| 13L | 781092 | 20 | 515485 | 6040306 | SMRK | GT 5 | 14 | 00 | M | | BN | | 160 | 50 | 2 | 24 | 14 | 0.1 | 300 | 0.5 | 7 | 1.40 | 40 | 33.8 | 5.9 | 200 | | | 10 | 6.7.010 | |
| 13L | 781093 | 20 | 512708 | 6041190 | ANRS | POND | 60 | 70 | M | | BN | | 106 | 50 | 2 | 22 | 14 | 0.2 | 390 | 5.0 | 8 | 2.00 | 60 | 22.2 | 11.1 | 300 | | | 20 | 6.8.050 | |
| 13L | 781094 | 20 | 512484 | 6042478 | ANRS | POND | 12 | 10 | M | | BN | | 32 | 12 | 1 | 8 | 4 | 0.1 | 55 | 0.5 | 2 | 0.40 | 50 | 39.4 | 1.8 | 65 | | | 30 | 6.7.060 | |
| 13L | 781095 | 20 | 512484 | 6042478 | ANRS | POND | 12 | 20 | M | | BN | | 30 | 10 | 1 | 8 | 4 | 0.1 | 45 | 0.5 | 2 | 0.35 | 50 | 39.2 | 1.8 | 65 | | | 20 | 6.8.070 | |
| 13L | 781096 | 20 | 516764 | 6043846 | SMRK | POND | 4 | 00 | M | | BN | | 90 | 8 | 1 | 10 | 10 | 0.1 | 520 | 0.5 | 1 | 1.55 | 40 | 19.0 | 3.2 | 160 | | | 22 | 6.8.060 | |
| 13L | 781097 | 20 | 514388 | 6045796 | SMRK | POND | 7 | 00 | M | | BN | | 76 | 24 | 1 | 17 | 6 | 0.1 | 65 | 0.5 | 1 | 0.70 | 50 | 26.2 | 1.3 | 100 | | | 20 | 5.7.080 | |
| 13L | 781098 | 20 | 513937 | 6047520 | SMRK | POND | 15 | 00 | M | | BN | | 22 | 10 | 1 | 6 | 2 | 0.1 | 25 | 0.5 | 1 | 0.30 | 60 | 26.0 | 0.4 | 60 | | | 10 | 5.4.080 | |
| 13L | 781099 | 20 | 517722 | 6050942 | SMRK | POND | 7 | 00 | M | | BN | | 48 | 16 | 1 | 14 | 8 | 0.1 | 160 | 0.5 | 1 | 0.95 | 40 | 42.0 | 0.6 | 65 | | | 20 | 6.6.070 | |
| 13L | 781100 | 20 | 520661 | 6049884 | SMRK | POND | 7 | 00 | L | | BN | | 70 | 10 | 1 | 9 | 8 | 0.1 | 170 | 0.5 | 3 | 0.65 | 30 | 68.2 | 0.5 | 50 | | | 28 | 6.8.070 | |
| 13L | 781102 | 20 | 520599 | 6052007 | SMRK | POND | 7 | 00 | M | | BN | | 30 | 6 | 1 | 4 | 3 | 0.1 | 70 | 0.5 | 1 | 0.50 | 40 | 29.8 | 0.3 | 45 | | | 10 | 7.0.100 | |
| 13L | 781103 | 20 | 522869 | 6054537 | SMRK | POND | 5 | 00 | M | | BN | | 36 | 10 | 1 | 8 | 3 | 0.1 | 50 | 0.5 | 1 | 0.40 | 60 | 72.8 | 0.4 | 45 | | | 10 | 6.5.050 | |
| 13L | 781104 | 20 | 521121 | 6055109 | SMRK | POND | 5 | 00 | M | | BN | | 18 | 8 | 1 | 6 | 2 | 0.1 | 40 | 0.5 | 2 | 0.30 | 60 | 33.4 | 0.2 | 40 | | | 20 | 6.1.060 | |
| 13L | 781105 | 20 | 521290 | 6058721 | SMRK | POND | 25 | 00 | M | | BN | | 28 | 28 | 1 | 8 | 2 | 0.4 | 60 | 0.5 | 1 | | | | | | | | | | |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

| MAP | ID | UTM COORDINATS | | ROCK TYPE | LAKE AREA | SMP DTH | RP ST | R E L N | O T | SMPL COLOR | S U S P | ZN | CU | PB | NI | CO | AG | MN | AS | MO | FE | HG | LOI | U | F | V | CD | F-W | PH | U-W |
|-----|--------|----------------|--------|-----------|-----------|---------|-------|---------|-----|------------|---------|-----|----|----|----|----|-----|-----|-----|----|------|-----|------|-----|-----|---|----|-----|-----|---------|
| | | ZN | EAST | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13L | 781113 | 20 | 525034 | 6074944 | SMRK | POND | 7 | 20 | M | BN | | 64 | 16 | 1 | 16 | 6 | 0.1 | 210 | 0.5 | 1 | 1.00 | 60 | 32.6 | 0.4 | 75 | | | | 20 | 6.9.010 |
| 13L | 781114 | 20 | 532297 | 6078594 | ANRS | POND | 5 | 00 | M | BN | | 50 | 14 | 1 | 16 | 6 | 0.1 | 130 | 0.5 | 1 | 0.80 | 60 | 37.4 | 0.4 | 80 | | | | 10 | 6.9.040 |
| 13L | 781115 | 20 | 535655 | 6077204 | ANRS | POND | 8 | 00 | M | BN | | 66 | 12 | 4 | 16 | 10 | 0.1 | 150 | 0.5 | 1 | 1.20 | 40 | 12.0 | 0.3 | 105 | | | | 10 | 6.6.030 |
| 13L | 781116 | 20 | 544512 | 6092461 | ANRS | POND | 30 | 00 | M | BN | | 78 | 20 | 1 | 24 | 12 | 0.1 | 120 | 0.5 | 1 | 2.20 | 40 | 18.8 | 0.6 | 140 | | | | 10 | 6.7.030 |
| 13L | 781117 | 20 | 543450 | 6090982 | ANRS | POND | 36 | 00 | M | BN | | 64 | 20 | 2 | 18 | 6 | 0.1 | 60 | 0.5 | 2 | 2.60 | 40 | 27.0 | 0.7 | 115 | | | | 10 | 6.8.030 |
| 13L | 781118 | 20 | 541564 | 6093711 | ANRS | POND | 19 | 00 | M | BN | | 178 | 14 | 1 | 18 | 7 | 0.1 | 40 | 0.5 | 1 | 1.20 | 20 | 24.0 | 0.3 | 80 | | | | 10 | 6.8.010 |
| 13L | 781119 | 20 | 536968 | 6093098 | ANRS | GT 5 | 110 | 00 | M | BN | | 220 | 20 | 1 | 24 | 20 | 0.1 | 940 | 0.5 | 2 | 4.20 | 50 | 24.8 | 0.7 | 150 | | | | 10 | 6.7.005 |
| 13L | 781120 | 20 | 537954 | 6094255 | ANRS | GT 5 | 40 | 00 | M | BN | | 116 | 14 | 1 | 20 | 8 | 0.1 | 120 | 0.5 | 1 | 1.80 | 30 | 21.0 | 0.6 | 165 | | | | 10 | 6.7.040 |
| 13L | 781122 | 20 | 534486 | 6094555 | ANRS | POND | 12 | 00 | M | BN | | 170 | 8 | 1 | 9 | 4 | 0.1 | 20 | 0.5 | 1 | 0.25 | 20 | 35.2 | 0.2 | 40 | | | | 10 | 6.7.050 |
| 13L | 781123 | 20 | 533678 | 6091731 | ANRS | GT 5 | 23 | 00 | M | BN | | 198 | 12 | 1 | 18 | 8 | 0.1 | 100 | 0.5 | 1 | 1.15 | 30 | 29.0 | 0.7 | 105 | | | | 20 | 6.6.040 |
| 13L | 781125 | 20 | 529328 | 6091361 | ANRS | POND | 8 | 00 | M | BN | | 140 | 14 | 2 | 19 | 6 | 0.1 | 80 | 0.5 | 2 | 0.80 | 40 | 27.2 | 0.7 | 85 | | | | 10 | 6.9.030 |
| 13L | 781126 | 20 | 525996 | 6091817 | ANRS | POND | 15 | 00 | M | BN | | 168 | 16 | 1 | 19 | 8 | 0.1 | 85 | 0.5 | 1 | 1.05 | 50 | 27.8 | 0.4 | 50 | | | | 20 | 7.0.070 |
| 13L | 781127 | 20 | 522876 | 6091698 | ANRS | GT 5 | 28 | 00 | M | BN | | 200 | 18 | 1 | 16 | 11 | 0.1 | 500 | 0.5 | 2 | 4.55 | 40 | 28.8 | 0.7 | 60 | | | | 10 | 6.8.010 |
| 13L | 781128 | 20 | 522056 | 6094381 | ANRS | LT 1 | 14 | 00 | M | BN | | 180 | 12 | 1 | 9 | 4 | 0.1 | 45 | 0.5 | 1 | 0.30 | 40 | 40.8 | 0.4 | 45 | | | | 10 | 6.6.010 |
| 13L | 781129 | 20 | 519997 | 6094305 | ANRS | POND | 12 | 00 | M | BN | | 200 | 12 | 1 | 11 | 4 | 0.1 | 45 | 0.5 | 1 | 0.40 | 50 | 34.4 | 0.6 | 45 | | | | 10 | 6.7.070 |
| 13L | 781130 | 20 | 519416 | 6091382 | ANRS | POND | 8 | 70 | M | BN | | 172 | 12 | 1 | 7 | 5 | 0.1 | 45 | 0.5 | 1 | 0.45 | 40 | 50.8 | 0.4 | 65 | | | | 20 | 6.4.030 |
| 13L | 781131 | 20 | 518700 | 6091801 | ANRS | POND | 8 | 10 | M | BN | | 146 | 10 | 1 | 6 | 4 | 0.1 | 40 | 0.5 | 1 | 0.30 | 30 | 34.2 | 2.2 | 40 | | | | 22 | 6.5.010 |
| 13L | 781132 | 20 | 518700 | 6091801 | ANRS | POND | 8 | 20 | M | BN | | 118 | 12 | 1 | 8 | 5 | 0.1 | 40 | 0.5 | 1 | 0.45 | 30 | 39.0 | 2.7 | 40 | | | | 20 | 6.6.020 |
| 13L | 781133 | 20 | 517410 | 6092131 | ANRS | LT 1 | 8 | 00 | M | BN | | 92 | 8 | 1 | 10 | 8 | 0.1 | 140 | 0.5 | 1 | 0.75 | 30 | 23.8 | 0.7 | 115 | | | | 10 | 6.7.020 |
| 13L | 781134 | 20 | 513147 | 6088926 | ANRS | LT 1 | 21 | 00 | M | BN | | 290 | 14 | 1 | 8 | 6 | 0.1 | 80 | 0.5 | 1 | 0.75 | 50 | 35.8 | 0.5 | 100 | | | | 34 | 6.6.040 |
| 13L | 781135 | 20 | 510034 | 6085078 | ANRS | LT 1 | 9 | 00 | M | BN | | 270 | 16 | 1 | 8 | 4 | 0.1 | 35 | 0.5 | 1 | 0.30 | 60 | 50.8 | 0.6 | 40 | | | | 24 | 6.6.010 |
| 13L | 781136 | 20 | 508172 | 6081308 | ANRS | POND | 7 | 00 | M | BN | | 160 | 14 | 1 | 6 | 3 | 0.1 | 35 | 0.5 | 1 | 0.40 | 50 | 47.2 | 1.0 | 55 | | | | 36 | 6.4.040 |
| 13L | 781137 | 20 | 504727 | 6079727 | SMRK | POND | 7 | 00 | M | BN | | 90 | 16 | 1 | 11 | 3 | 0.1 | 30 | 0.5 | 2 | 0.35 | 80 | 42.2 | 0.7 | 70 | | | | 28 | 6.0.010 |
| 13L | 781138 | 20 | 500403 | 6067821 | ANRS | LT 1 | 34 | 00 | M | BN | | 196 | 16 | 1 | 10 | 11 | 0.1 | 180 | 0.5 | 1 | 2.30 | 70 | 28.2 | 0.6 | 95 | | | | 10 | 6.6.010 |
| 13L | 781139 | 20 | 498710 | 6063190 | ANRS | POND | 29 | 00 | M | BN | | 200 | 18 | 1 | 10 | 16 | 0.1 | 870 | 0.5 | 1 | 5.70 | 90 | 30.0 | 0.5 | 55 | | | | 10 | 6.7.010 |
| 13L | 781140 | 20 | 496197 | 6060563 | ANRS | POND | 9 | 00 | M | BN | | 94 | 6 | 1 | 6 | 4 | 0.1 | 70 | 0.5 | 3 | 0.60 | 50 | 37.0 | 0.3 | 40 | | | | 22 | 6.7.020 |
| 13L | 781142 | 20 | 497609 | 6058980 | ANRS | POND | 26 | 00 | M | BN | | 225 | 18 | 1 | 8 | 9 | 0.2 | 620 | 0.5 | 1 | 3.80 | 110 | 32.0 | 0.4 | 80 | | | | 10 | 6.7.040 |
| 13L | 781143 | 20 | 494421 | 6054218 | ANRS | POND | 40 | 00 | M | BK | | 86 | 10 | 1 | 4 | 5 | 0.1 | 635 | 3.0 | 7 | 2.95 | 70 | 27.2 | 0.6 | 50 | | | | 28 | 6.8.005 |
| 13L | 781144 | 20 | 492629 | 6054455 | ANRS | POND | 34 | 70 | M | BK | | 104 | 12 | 1 | 5 | 6 | 0.1 | 990 | 1.0 | 5 | 3.40 | 80 | 30.8 | 0.4 | 70 | | | | 20 | 6.9.005 |
| 13L | 781145 | 20 | 489930 | 6056824 | QZMZ | POND | 10 | 10 | M | BN | | 100 | 10 | 1 | 8 | 11 | 0.1 | 570 | 0.5 | 1 | 2.60 | 40 | 11.6 | 0.6 | 215 | | | | 20 | 6.7.005 |
| 13L | 781146 | 20 | 489930 | 6056824 | QZMZ | POND | 10 | 20 | M | BN | | 90 | 10 | 1 | 7 | 10 | 0.1 | 520 | 0.5 | 1 | 2.35 | 30 | 12.6 | 0.5 | 220 | | | | 20 | 6.7.040 |
| 13L | 781147 | 20 | 483667 | 6046892 | GRNL | POND | 10 | 00 | M | BN | | 66 | 6 | 1 | 7 | 3 | 0.1 | 35 | 0.5 | 1 | 0.50 | 30 | 31.4 | 0.7 | 50 | | | | 10 | 6.6.010 |
| 13L | 781148 | 20 | 477505 | 6044378 | GRNL | POND | 12 | 00 | M | BN | | 220 | 18 | 1 | 16 | 10 | 0.1 | 65 | 0.5 | 3 | 0.90 | 40 | 75.4 | 0.7 | 60 | | | | 10 | 5.8.005 |
| 13L | 781149 | 20 | 474172 | 6045419 | GRNL | POND | 6 | 00 | M | BN | | 138 | 12 | 1 | 12 | 4 | 0.1 | 30 | 0.5 | 4 | 1.20 | 50 | 26.8 | 4.3 | 65 | | | | 130 | 6.8.120 |
| 13L | 781150 | 20 | 475237 | 6046707 | GRNL | POND | 5 | 00 | M | BN | | 152 | 18 | 2 | 8 | 5 | 0.1 | 50 | 0.5 | 4 | 0.90 | 40 | 33.0 | 1.9 | 95 | | | | 32 | 6.5.010 |
| 13L | 781151 | 20 | 474145 | 6047369 | GRNL | POND | 21 | 00 | M | BN | | 270 | 12 | 2 | 14 | 4 | 0.1 | 45 | 0.5 | 1 | 0.45 | 50 | 64.4 | 0.9 | 90 | | | | 10 | 5.5.020 |
| 13L | 781152 | 20 | 470495 | 6045729 | GRNL | LT 1 | 24 | 00 | M | BN | | 240 | 12 | 1 | 8 | 6 | 0.1 | 180 | 0.5 | 9 | 2.10 | 50 | 25.0 | 7.8 | 95 | | | | 44 | 6.8.050 |
| 13L | 781153 | 20 | 469276 | 6048134 | GRNL | POND | 5 | 00 | M | BN | | 112 | 6 | 1 | 6 | 2 | 0.1 | 20 | 0.5 | 1 | 0.30 | 40 | 26.0 | 3.4 | 55 | | | | 30 | 6.7.100 |
| 13L | 781154 | 20 | 465829 | 6048186 | GRNL | 1-5 | 30 | 00 | M | BN | | 184 | 10 | 1 | 7 | 4 | 0.1 | 90 | 0.5 | 4 | 1.10 | 50 | 27.2 | 1.3 | 70 | | | | 44 | 6.8.050 |
| 13L | 781156 | 20 | 465450 | 6044909 | GRNL | POND | 7 | 00 | M | BN | | 84 | 12 | 1 | 12 | 6 | 0.1 | 65 | 0.5 | 2 | 1.15 | 30 | 11.0 | 0.9 | 175 | | | | 30 | 6.6.030 |
| 13L | 781157 | 20 | 461778 | 6045517 | GRNL | POND | 25 | 00 | M | BN | | 146 | 16 | 1 | 14 | 2 | 0.1 | 30 | 0.5 | 1 | 0.30 | 100 | 46.8 | 0.5 | 75 | | | | 10 | 5.5.010 |
| 13L | 781158 | 20 | 458166 | 6045223 | GRNL | POND | 5 | 00 | M | BN | | 124 | 8 | 1 | 10 | 4 | 0.1 | 35 | 0.5 | 1 | 0.30 | 50 | 31.0 | 0.3 | 50 | | | | 20 | 6.9.010 |
| 13L | 781159 | 20 | 455638 | 6046890 | GRNL | POND | 7 | 00 | M | BN | | 132 | 8 | 1 | 8 | 2 | 0.1 | 20 | 0.5 | 1 | 0.20 | 40 | 31.0 | 0.3 | 40 | | | | 20 | 6.8.005 |
| 13L | 781160 | 20 | 454152 | 6045520 | GRNL | GT 5 | 7 | 00 | M | BN | | 158 | 8 | 1 | 12 | 5 | 0.1 | 100 | 0.5 | 1 | | | | | | | | | | |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

| MAP | ID | UTM COORDINATS | | | ROCK TYPE | LAKE AREA | SMP DTH | RP ST | R E O L N | S M P L | S U S P | ZN | CU | PB | NI | CO | AG | MN | AS | MO | FE | HG | LOI | U | F | V | CD | F-W | PH | U-W |
|-----|--------|----------------|--------|---------|-----------|-----------|---------|-------|-----------|---------|---------|-----|----|----|----|----|-----|------|-------|----|-------|-----|------|-----|-----|---|----|-----|----|---------|
| | | ZN | EAST | NORTH | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13L | 781168 | 20 | 437441 | 6047663 | GRNL | POND | 7 | 70 | M | BN | | 168 | 14 | 1 | 13 | 4 | 0.1 | 40 | 0.5 | 1 | 0.40 | 50 | 32.8 | 1.0 | 75 | | | | 10 | 6.6.050 |
| 13L | 781169 | 20 | 436641 | 6048726 | GRNL | POND | 7 | 10 | M | BN | | 190 | 8 | 1 | 10 | 4 | 0.1 | 55 | 0.5 | 1 | 0.50 | 50 | 29.4 | 1.3 | 75 | | | | 22 | 6.8.030 |
| 13L | 781170 | 20 | 436641 | 6048726 | GRNL | POND | 7 | 20 | M | BN | | 156 | 10 | 1 | 10 | 5 | 0.1 | 60 | 0.5 | 1 | 0.50 | 50 | 28.6 | 1.7 | 90 | | | | 26 | 6.8.070 |
| 13L | 781171 | 20 | 437555 | 6050729 | GRNL | LT 1 | 19 | 00 | M | BN | | 245 | 12 | 1 | 8 | 5 | 0.2 | 110 | 0.5 | 2 | 0.55 | 70 | 27.6 | 1.3 | 90 | | | | 20 | 6.7.010 |
| 13L | 781172 | 20 | 439788 | 6050262 | GRNL | LT 1 | 11 | 00 | M | BN | | 198 | 10 | 1 | 9 | 2 | 0.1 | 20 | 0.5 | 1 | 0.35 | 70 | 33.2 | 1.1 | 55 | | | | 20 | 6.7.010 |
| 13L | 781173 | 20 | 442852 | 6049416 | GRNL | POND | 7 | 00 | M | BN | | 200 | 12 | 1 | 12 | 6 | 0.1 | 70 | 0.5 | 2 | 1.00 | 50 | 25.8 | 0.5 | 110 | | | | 10 | 6.3.010 |
| 13L | 781174 | 20 | 444912 | 6051938 | GRNL | POND | 15 | 00 | M | BN | | 186 | 8 | 1 | 9 | 4 | 0.1 | 15 | 0.5 | 1 | 0.20 | 50 | 32.0 | 0.4 | 50 | | | | 20 | 6.8.030 |
| 13L | 781175 | 20 | 448608 | 6054352 | GRNL | 1-5 | 29 | 00 | M | BN | | 260 | 8 | 1 | 5 | 4 | 0.1 | 80 | 0.5 | 1 | 0.60 | 40 | 31.0 | 0.5 | 75 | | | | 20 | 6.7.010 |
| 13L | 781176 | 20 | 448701 | 6051168 | GRNL | LT 1 | 21 | 00 | M | BN | | 230 | 8 | 1 | 10 | 4 | 0.1 | 90 | 0.5 | 1 | 0.60 | 50 | 27.8 | 0.7 | 50 | | | | 20 | 6.8.005 |
| 13L | 781177 | 20 | 448065 | 6049427 | GRNL | LT 1 | 46 | 00 | M | BN | | 245 | 12 | 1 | 10 | 7 | 0.1 | 270 | 0.5 | 1 | 1.85 | 90 | 32.8 | 0.8 | 70 | | | | 10 | 6.7.030 |
| 13L | 781179 | 20 | 450829 | 6049851 | GRNL | LT 1 | 5 | 00 | M | BN | | 230 | 10 | 1 | 10 | 6 | 0.1 | 160 | 0.5 | 1 | 0.95 | 50 | 35.0 | 0.7 | 90 | | | | 20 | 6.9.020 |
| 13L | 781180 | 20 | 452964 | 6051285 | GRNL | 1-5 | 12 | 00 | M | BN | | 355 | 8 | 1 | 6 | 3 | 0.1 | 50 | 0.5 | 1 | 0.25 | 50 | 40.0 | 0.6 | 70 | | | | 10 | 6.6.010 |
| 13L | 783002 | 20 | 437626 | 6041244 | ANRS | LT 1 | 10 | 00 | M | BN | | 192 | 14 | 2 | 12 | 9 | 0.1 | 280 | 0.5 | 1 | 1.45 | 70 | 35.6 | 1.4 | 165 | | | | 26 | 6.7.010 |
| 13L | 783003 | 20 | 440766 | 6041433 | ANRS | LT 1 | 10 | 00 | M | BN | | 84 | 8 | 1 | 4 | 2 | 0.1 | 20 | 0.5 | 1 | 0.25 | 60 | 32.8 | 0.6 | 45 | | | | 22 | 6.9.005 |
| 13L | 783004 | 20 | 443397 | 6040869 | ANRS | POND | 25 | 00 | M | BN | | 104 | 14 | 1 | 8 | 7 | 0.2 | 135 | 0.5 | 2 | 1.10 | 110 | 35.4 | 0.8 | 125 | | | | 10 | 6.5.005 |
| 13L | 783006 | 20 | 448221 | 6040772 | ANRS | POND | 12 | 70 | M | BN | L | 220 | 10 | 1 | 7 | 5 | 0.1 | 50 | 0.5 | 2 | 4.30 | 90 | 44.6 | 0.4 | 130 | | | | 20 | 6.4.010 |
| 13L | 783007 | 20 | 448932 | 6040752 | ANRS | LT 1 | 10 | 10 | M | BN | | 112 | 8 | 1 | 10 | 5 | 0.1 | 55 | 0.5 | 1 | 0.50 | 90 | 37.8 | 0.8 | 75 | | | | 10 | 6.6.005 |
| 13L | 783008 | 20 | 448932 | 6040752 | ANRS | LT 1 | 10 | 20 | M | BN | | 94 | 10 | 1 | 10 | 4 | 0.1 | 50 | 0.5 | 1 | 0.40 | 80 | 38.4 | 0.8 | 80 | | | | 20 | 6.6.040 |
| 13L | 783009 | 20 | 451251 | 6041147 | ANRS | POND | 10 | 00 | M | BN | L | 78 | 6 | 1 | 6 | 3 | 0.1 | 30 | 0.5 | 1 | 0.20 | 50 | 36.4 | 0.3 | 40 | | | | 10 | 6.5.010 |
| 13L | 783010 | 20 | 454435 | 6040916 | GRNL | POND | 6 | 00 | M | BN | | 46 | 6 | 1 | 8 | 2 | 0.1 | 20 | 0.5 | 1 | 0.20 | 80 | 30.6 | 0.3 | 40 | | | | 22 | 6.7.005 |
| 13L | 783011 | 20 | 459187 | 6041030 | GRNL | LT 1 | 4 | 00 | M | BN | L | 94 | 8 | 1 | 11 | 4 | 0.1 | 210 | 0.5 | 1 | 1.00 | | 25.2 | 0.8 | 135 | | | | 24 | 6.9.040 |
| 13L | 783012 | 20 | 463581 | 6040688 | GRNL | LT 1 | 4 | 00 | M | BN | L | 72 | 8 | 1 | 15 | 3 | 0.1 | 30 | 0.5 | 2 | 0.45 | 80 | 33.4 | 1.4 | 60 | | | | 38 | 6.8.040 |
| 13L | 783013 | 20 | 465958 | 6040802 | GRNL | 1-5 | 7 | 00 | M | GY BN | | 102 | 10 | 1 | 13 | 3 | 0.1 | 50 | 0.5 | 5 | 0.70 | 60 | 35.8 | 2.4 | 85 | | | | 76 | 6.7.040 |
| 13L | 783014 | 20 | 468997 | 6039627 | GRNL | 1-5 | 12 | 00 | M | BN | | 76 | 8 | 1 | 8 | 4 | 0.1 | 35 | 0.5 | 4 | 0.60 | 50 | 31.0 | 3.3 | 75 | | | | 46 | 6.6.030 |
| 13L | 783015 | 20 | 471799 | 6041461 | GRNL | LT 1 | 20 | 00 | M | BN | | 140 | 10 | 1 | 6 | 3 | 0.1 | 60 | 0.525 | 3 | 3.30 | 70 | 35.6 | 0.6 | 55 | | | | 32 | 6.6.010 |
| 13L | 783016 | 20 | 475679 | 6042113 | GRNL | LT 1 | 5 | 00 | M | BN | | 92 | 6 | 1 | 8 | 4 | 0.1 | 45 | 0.5 | 3 | 0.70 | 60 | 31.2 | 1.2 | 45 | | | | 26 | 6.6.010 |
| 13L | 783017 | 20 | 479251 | 6041595 | GRNL | LT 1 | 4 | 00 | L | BN | | 88 | 8 | 1 | 11 | 4 | 0.1 | 25 | 0.514 | 1 | 1.90 | 100 | 46.2 | 0.5 | 70 | | | | 20 | 6.1.010 |
| 13L | 783018 | 20 | 478657 | 6043149 | GRNL | LT 1 | 5 | 00 | L | BN | | 80 | 8 | 1 | 12 | 4 | 0.1 | 40 | 0.5 | 3 | 0.80 | 70 | 44.2 | 0.7 | 65 | | | | 22 | 6.1.010 |
| 13L | 783019 | 20 | 481284 | 6049186 | GRNL | POND | 10 | 00 | M | BN | L | 142 | 8 | 1 | 6 | 4 | 0.1 | 50 | 0.5 | 1 | 1.10 | 60 | 39.6 | 0.2 | 50 | | | | 10 | 6.4.010 |
| 13L | 783020 | 20 | 480447 | 6051253 | QZMZ | POND | 5 | 00 | M | BN | | 54 | 10 | 1 | 8 | 4 | 0.1 | 40 | 0.5 | 4 | 1.20 | 60 | 33.0 | 1.1 | 120 | | | | 20 | 6.6.010 |
| 13L | 783022 | 20 | 483312 | 6056440 | QZMZ | 1-5 | 25 | 00 | M | BN | | 120 | 14 | 1 | 9 | 14 | 0.1 | 490 | 0.5 | 7 | 4.75 | 50 | 30.2 | 0.5 | 140 | | | | 10 | 6.3.010 |
| 13L | 783023 | 20 | 489080 | 6058937 | QZMZ | 1-5 | 50 | 00 | H | 1 BN | | 198 | 18 | 1 | 9 | 19 | 0.1 | 1600 | 0.5 | 8 | 10.40 | 130 | 32.8 | 0.7 | 150 | | | | 20 | 6.5.010 |
| 13L | 783024 | 20 | 488469 | 6062963 | QZMZ | 1-5 | 10 | 00 | H | BN | L | 184 | 12 | 1 | 8 | 12 | 0.1 | 590 | 0.5 | 6 | 3.60 | 60 | 20.2 | 0.9 | 250 | | | | 20 | 6.6.005 |
| 13L | 783025 | 20 | 488341 | 6065989 | ANRS | LT 1 | 10 | 70 | M | BN | | 210 | 12 | 1 | 8 | 8 | 0.1 | 280 | 0.5 | 2 | 1.90 | 90 | 35.6 | 0.8 | 115 | | | | 10 | 6.7.020 |
| 13L | 783026 | 20 | 488136 | 6067593 | ANRS | 1-5 | 10 | 10 | M | BN | | 150 | 14 | 1 | 9 | 8 | 0.1 | 185 | 0.5 | 2 | 1.20 | 60 | 36.6 | 0.9 | 125 | | | | 20 | 6.7.030 |
| 13L | 783027 | 20 | 488136 | 6067593 | ANRS | 1-5 | 10 | 20 | M | BN | | 138 | 10 | 1 | 7 | 8 | 0.1 | 230 | 0.5 | 2 | 1.50 | 60 | 29.0 | 0.6 | 200 | | | | 20 | 6.5.005 |
| 13L | 783028 | 20 | 488570 | 6069389 | ANRS | 1-5 | 10 | 00 | M | BN | | 200 | 14 | 1 | 10 | 8 | 0.1 | 130 | 0.5 | 3 | 1.20 | 70 | 47.0 | 0.8 | 125 | | | | 10 | 6.6.005 |
| 13L | 783029 | 20 | 487710 | 6073344 | ANRS | 1-5 | 4 | 00 | M | BN | | 84 | 12 | 2 | 8 | 4 | 0.1 | 140 | 0.5 | 1 | 0.90 | 50 | 35.4 | 1.0 | 175 | | | | 26 | 6.7.010 |
| 13L | 783030 | 20 | 483594 | 6073269 | ANRS | POND | 4 | 00 | M | BN | L | 42 | 10 | 3 | 4 | 3 | 0.1 | 70 | 0.5 | 1 | 0.80 | 50 | 68.6 | 0.3 | 50 | | | | 24 | 6.0.005 |
| 13L | 783031 | 20 | 481233 | 6073681 | ANRS | 1-5 | 5 | 00 | M | BN | | 112 | 10 | 1 | 7 | 8 | 0.1 | 170 | 0.5 | 4 | 1.90 | 60 | 34.0 | 0.5 | 135 | | | | 32 | 6.6.040 |
| 13L | 783032 | 20 | 480504 | 6075810 | ANRS | LT 1 | 3 | 00 | M | BN | | 86 | 10 | 1 | 8 | 6 | 0.1 | 80 | 0.5 | 2 | 0.70 | 50 | 28.6 | 1.0 | 115 | | | | 34 | 6.6.030 |
| 13L | 783033 | 20 | 484774 | 6077655 | ANRS | 1-5 | 22 | 00 | M | GN GY | | 98 | 26 | 2 | 12 | 8 | 0.1 | 220 | 0.5 | 7 | 2.70 | 50 | 13.6 | 1.8 | 400 | | | | 26 | 6.6.010 |
| 13L | 783034 | 20 | 487392 | 6077403 | ANRS | LT 1 | 15 | 00 | M | BN | | 96 | 12 | 1 | 7 | 4 | 0.1 | 80 | 0.5 | 2 | 0.60 | 60 | 44.8 | 0.5 | 80 | | | | 34 | 6.8.040 |
| 13L | 783036 | 20 | 489568 | 6078626 | ANRS | POND</ | | | | | | | | | | | | | | | | | | | | | | | | |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

| MAP | ID | UTM COORDINATS | | | ROCK TYPE | LAKE AREA | SMP DTH | RP ST | R C E O | | SMPL COLOR | S U S P | ZN | CU | PB | NI | CO | AG | MN | AS | MO | FE | HG | LOI | U | F | V | CD | F-W | PH | U-W |
|-----|--------|----------------|--------|---------|-----------|-----------|---------|-------|---------|---|------------|---------|-----|----|----|----|----|-----|------|-----|----|------|-----|------|-----|-----|---|----|-----|-----|---------|
| | | ZN | EAST | NORTH | | | | | L | N | | | | | | | | | | | | | | | | | | | | | |
| 13L | 783044 | 20 | 488041 | 6084613 | ANRS | POND | 6 | 00 | M | | BN | | 92 | 14 | 1 | 9 | 5 | 0.1 | 90 | 0.5 | 2 | 0.85 | 70 | 42.0 | 1.8 | 130 | | | | 92 | 6.5.005 |
| 13L | 783046 | 20 | 488720 | 6088024 | ANRS | 1-5 | 30 | 70 | M | | BN | | 156 | 24 | 2 | 11 | 8 | 0.2 | 160 | 0.5 | 4 | 1.95 | 90 | 41.8 | 1.9 | 340 | | | | 80 | 6.5.030 |
| 13L | 783047 | 20 | 486280 | 6089620 | ANRS | POND | 5 | 10 | H | | BN | L | 92 | 24 | 1 | 12 | 6 | 0.1 | 30 | 0.5 | 2 | 0.30 | 80 | 30.0 | 1.4 | 80 | | | | 46 | 6.5.040 |
| 13L | 783048 | 20 | 486280 | 6089620 | ANRS | POND | 5 | 20 | H | | BN | L | 72 | 22 | 1 | 13 | 5 | 0.1 | 40 | 0.5 | 2 | 0.30 | 70 | 32.2 | 1.5 | 60 | | | | 42 | 6.6.070 |
| 13L | 783049 | 20 | 483631 | 6089587 | ANRS | 1-5 | 35 | 00 | H | | BN | | 240 | 42 | 2 | 24 | 52 | 0.4 | 2300 | 0.5 | 19 | 7.20 | 130 | 33.0 | 3.2 | 350 | | | | 78 | 6.5.010 |
| 13L | 783050 | 20 | 484597 | 6091983 | ANRS | POND | 5 | 00 | H | | BN | | 72 | 16 | 1 | 10 | 4 | 0.1 | 60 | 0.5 | 2 | 0.60 | 70 | 26.6 | 0.6 | 90 | | | | 34 | 6.5.010 |
| 13L | 783051 | 20 | 487218 | 6091896 | ANRS | POND | 5 | 00 | H | | BN | | 66 | 18 | 2 | 10 | 4 | 0.1 | 45 | 0.5 | 1 | 0.40 | 100 | 30.8 | 0.9 | 65 | | | | 30 | 6.3.005 |
| 13L | 783052 | 20 | 486384 | 6094147 | ANRS | LT 1 | 12 | 00 | H | | BN | | 82 | 18 | 1 | 8 | 5 | 0.1 | 75 | 0.5 | 2 | 0.50 | 90 | 29.6 | 0.6 | 80 | | | | 20 | 6.3.005 |
| 13L | 783053 | 20 | 482860 | 6094201 | ANRS | POND | 15 | 00 | M | | BN | | 92 | 20 | 1 | 10 | 15 | 0.1 | 140 | 0.5 | 3 | 2.90 | 100 | 30.0 | 0.6 | 140 | | | | 34 | 6.5.005 |
| 13L | 783054 | 20 | 466354 | 6094408 | GRNL | GT 5 | 7 | 00 | M | | GY BN | | 68 | 28 | 1 | 15 | 7 | 0.1 | 190 | 0.5 | 2 | 1.20 | 80 | 47.4 | 1.1 | 115 | | | | 54 | 6.3.040 |
| 13L | 783055 | 20 | 464751 | 6092583 | GRNL | LT 1 | 5 | 00 | M | | BN | | 70 | 32 | 1 | 14 | 6 | 0.1 | 95 | 0.5 | 3 | 1.00 | 70 | 56.8 | 1.2 | 110 | | | | 78 | 6.5.005 |
| 13L | 783056 | 20 | 463701 | 6091434 | GRNL | 1-5 | 6 | 00 | L | | BN | | 94 | 30 | 2 | 13 | 9 | 0.1 | 280 | 0.5 | 4 | 1.95 | 70 | 45.8 | 1.6 | 150 | | | | 76 | 6.4.030 |
| 13L | 783057 | 20 | 462151 | 6089367 | GRNL | POND | 5 | 00 | L | | BN | | 72 | 16 | 4 | 7 | 6 | 0.1 | 545 | 0.5 | 1 | 1.60 | 80 | 69.4 | 2.6 | 110 | | | | 210 | 6.6.040 |
| 13L | 783058 | 20 | 462422 | 6085817 | GRNL | POND | 5 | 00 | L | | BN | | 126 | 24 | 2 | 12 | 7 | 0.1 | 90 | 0.5 | 2 | 2.50 | 50 | 57.6 | 1.8 | 225 | | | | 170 | 6.3.010 |
| 13L | 783059 | 20 | 459072 | 6083606 | GRNL | POND | 7 | 00 | M | | BN | | 60 | 24 | 1 | 10 | 4 | 0.1 | 70 | 0.5 | 1 | 0.55 | 80 | 36.8 | 1.8 | 115 | | | | 32 | 6.3.070 |
| 13L | 783060 | 20 | 463123 | 6080519 | GRNL | POND | 10 | 00 | M | | BN | | 60 | 18 | 1 | 8 | 4 | 0.1 | 45 | 0.5 | 1 | 0.50 | 70 | 42.0 | 0.7 | 80 | | | | 26 | 6.1.030 |
| 13L | 783062 | 20 | 463303 | 6077905 | GRNL | LT 1 | 7 | 70 | M | | BN | | 62 | 12 | 1 | 6 | 4 | 0.1 | 40 | 0.5 | 3 | 0.50 | 60 | 32.6 | 0.8 | 65 | | | | 24 | 6.5.040 |
| 13L | 783063 | 20 | 462849 | 6076014 | GRNL | 1-5 | 10 | 10 | M | | BN | | 124 | 20 | 1 | 8 | 14 | 0.1 | 415 | 0.5 | 6 | 2.40 | 50 | 21.0 | 1.6 | 200 | | | | 88 | 6.4.040 |
| 13L | 783064 | 20 | 462849 | 6076014 | GRNL | 1-5 | 10 | 20 | M | | BN | | 190 | 26 | 1 | 12 | 18 | 0.1 | 640 | 0.5 | 8 | 3.50 | 60 | 44.4 | 2.4 | 210 | | | | 88 | 6.5.005 |
| 13L | 783065 | 20 | 461260 | 6073909 | GRNL | POND | 5 | 00 | M | | BN | | 94 | 18 | 2 | 12 | 8 | 0.1 | 120 | 0.5 | 2 | 1.35 | 50 | 34.6 | 0.8 | 115 | | | | 38 | 6.6.040 |
| 13L | 783066 | 20 | 465040 | 6070916 | GRNL | POND | 7 | 00 | M | | BN | | 110 | 12 | 1 | 8 | 10 | 0.1 | 140 | 0.5 | 3 | 1.60 | 60 | 39.6 | 0.6 | 90 | | | | 38 | 6.6.030 |
| 13L | 783067 | 20 | 466628 | 6067869 | GRNL | POND | 6 | 00 | M | | BN | | 86 | 16 | 1 | 11 | 7 | 0.1 | 110 | 0.5 | 2 | 1.30 | 60 | 37.0 | 0.7 | 110 | | | | 60 | 6.6.010 |
| 13L | 783069 | 20 | 469800 | 6067715 | QZMZ | POND | 4 | 00 | M | | BN | | 118 | 14 | 2 | 10 | 11 | 0.1 | 900 | 0.5 | 3 | 3.80 | 60 | 24.6 | 0.7 | 305 | | | | 22 | 6.5.030 |
| 13L | 783070 | 20 | 474187 | 6066000 | QZMZ | POND | 7 | 00 | M | | GY BN | | 78 | 42 | 2 | 22 | 14 | 0.1 | 200 | 0.5 | 3 | 2.30 | 20 | 2.8 | 1.1 | 355 | | | | 20 | 6.4.040 |
| 13L | 783071 | 20 | 475545 | 6065244 | QZMZ | POND | 5 | 00 | M | | BN | | 102 | 10 | 1 | 7 | 11 | 0.1 | 390 | 0.5 | 3 | 2.10 | 50 | 24.2 | 0.5 | 170 | | | | 20 | 6.5.040 |
| 13L | 783072 | 20 | 477712 | 6062599 | QZMZ | LT 1 | 6 | 00 | M | | BN | | 58 | 10 | 1 | 6 | 5 | 0.1 | 60 | 0.5 | 1 | 0.70 | 50 | 32.4 | 0.4 | 50 | | | | 30 | 6.4.050 |
| 13L | 783073 | 20 | 481875 | 6063156 | QZMZ | LT 1 | 5 | 00 | M | | BN | | 122 | 8 | 1 | 6 | 10 | 0.1 | 410 | 0.5 | 1 | 3.60 | 50 | 17.2 | 0.4 | 115 | | | | 10 | 6.5.020 |
| 13L | 783074 | 20 | 483962 | 6061656 | QZMZ | POND | 15 | 00 | M | | BN | | 88 | 10 | 1 | 4 | 4 | 0.1 | 200 | 0.5 | 2 | 1.65 | 60 | 30.2 | 0.4 | 40 | | | | 20 | 6.4.010 |
| 13L | 783075 | 20 | 483238 | 6060285 | QZMZ | POND | 5 | 00 | M | | BN | L | 46 | 12 | 2 | 6 | 3 | 0.1 | 75 | 0.5 | 1 | 1.00 | 60 | 38.2 | 0.4 | 45 | | | | 20 | 6.3.010 |
| 13L | 783076 | 20 | 478670 | 6058477 | QZMZ | POND | 10 | 00 | M | | BN | L | 78 | 8 | 1 | 4 | 5 | 0.1 | 290 | 0.5 | 3 | 1.55 | 50 | 30.2 | 0.3 | 65 | | | | 10 | 6.5.040 |
| 13L | 783077 | 20 | 477278 | 6060441 | QZMZ | LT 1 | 30 | 00 | M | | BN | | 128 | 14 | 1 | 6 | 10 | 0.1 | 890 | 0.5 | 5 | 3.60 | 80 | 33.6 | 0.6 | 65 | | | | 10 | 6.5.005 |
| 13L | 783078 | 20 | 474199 | 6060143 | QZMZ | POND | 30 | 00 | M | | BN BK | | 128 | 16 | 1 | 5 | 12 | 0.1 | 730 | 0.5 | 9 | 6.70 | 80 | 41.8 | 0.5 | 95 | | | | 26 | 6.7.010 |
| 13L | 783079 | 20 | 472897 | 6062194 | QZMZ | POND | 7 | 00 | M | | BN | | 62 | 8 | 1 | 6 | 4 | 0.1 | 160 | 0.5 | 2 | 1.05 | 60 | 35.4 | 0.4 | 65 | | | | 10 | 6.6.020 |
| 13L | 783080 | 20 | 469767 | 6063923 | QZMZ | LT 1 | 5 | 00 | M | | BN | | 54 | 8 | 1 | 8 | 4 | 0.1 | 60 | 0.5 | 1 | 0.80 | 40 | 35.0 | 0.3 | 50 | | | | 20 | 6.8.040 |
| 13L | 783082 | 20 | 465492 | 6064530 | GRNL | POND | 5 | 70 | M | | BN | | 58 | 10 | 1 | 7 | 5 | 0.1 | 60 | 0.5 | 1 | 0.80 | 50 | 31.2 | 0.2 | 55 | | | | 26 | 6.4.030 |
| 13L | 783083 | 20 | 465400 | 6063700 | GRNL | POND | 5 | 10 | M | | BN | | 34 | 8 | 1 | 12 | 2 | 0.1 | 40 | 0.5 | 2 | 0.50 | 60 | 49.6 | 0.2 | 40 | | | | 10 | 6.2.005 |
| 13L | 783084 | 20 | 465400 | 6063700 | GRNL | POND | 5 | 20 | M | | BN | | 52 | 10 | 1 | 6 | 2 | 0.1 | 50 | 0.5 | 1 | 0.60 | 60 | 54.0 | 0.3 | 20 | | | | 10 | 6.3.005 |
| 13L | 783085 | 20 | 461398 | 6066690 | GRNL | POND | 6 | 00 | M | | BN | | 146 | 20 | 1 | 14 | 10 | 0.1 | 270 | 0.5 | 3 | 2.80 | 60 | 30.8 | 3.7 | 265 | | | | 58 | 6.7.050 |
| 13L | 783086 | 20 | 461244 | 6070346 | QZMZ | LT 1 | 5 | 00 | M | | BN | | 78 | 16 | 1 | 13 | 6 | 0.1 | 85 | 0.5 | 1 | 1.00 | 60 | 35.0 | 1.9 | 100 | | | | 34 | 6.8.050 |
| 13L | 783087 | 20 | 458487 | 6071636 | QZMZ | LT 1 | 5 | 00 | M | | BN | | 82 | 18 | 1 | 11 | 4 | 0.1 | 65 | 0.5 | 1 | 0.85 | 60 | 33.0 | 1.1 | 100 | | | | 26 | 6.6.020 |
| 13L | 783088 | 20 | 458659 | 6074053 | QZMZ | POND | 7 | 00 | M | | BN | | 68 | 26 | 1 | 12 | 5 | 0.1 | 210 | 0.5 | 1 | 1.80 | 80 | 50.4 | 0.7 | 90 | | | | 28 | 6.5.030 |
| 13L | 783089 | 20 | 458897 | 6076247 | GRNL | LT 1 | 6 | 00 | M | | BN | L | 68 | 16 | 1 | 8 | 6 | 0.2 | 75 | 0.5 | 1 | 0.80 | 70 | 39.6 | 1.3 | 85 | | | | 20 | 6.5.010 |
| 13L | 783090 | 20 | 457349 | 6081758 | GRNL | LT 1 | 6 | 00 | M | | BN | | 84 | 14 | 1 | 10 | | | | | | | | | | | | | | | |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

| MAP | ID | UTM COORDINATS | | | ROCK TYPE | LAKE AREA | SMP DTH | RP ST | R E O L N F T | S U S P | SMPL COLOR | P | ZN | CU | PB | NI | CO | AG | MN | AS | MO | FE | HG | LOI | U | F | V | CD | F-W | PH | U-W |
|-----|--------|----------------|--------|---------|-----------|-----------|---------|-------|---------------|---------|------------|---|-----|----|----|----|----|-----|-----|-----|----|------|-----|------|-----|-----|---|----|-----|-----|---------|
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13L | 783099 | 20 | 445793 | 6081860 | GRNT | POND | 7 | 00 | M | | BN | | 88 | 18 | 1 | 10 | 4 | 0.1 | 55 | 0.5 | 3 | 0.60 | 80 | 36.8 | 4.2 | 160 | | | | 90 | 6.3.150 |
| 13L | 783100 | 20 | 448727 | 6078464 | QZMZ | 1-5 | 10 | 00 | M | | BN | | 112 | 18 | 1 | 11 | 6 | 0.1 | 110 | 0.5 | 6 | 1.20 | 110 | 45.8 | 2.7 | 145 | | | | 46 | 6.8.040 |
| 13L | 783102 | 20 | 450486 | 6078119 | QZMZ | 1-5 | 5 | 70 | M | | BN | | 90 | 16 | 1 | 10 | 4 | 0.1 | 70 | 0.5 | 2 | 0.75 | 90 | 43.0 | 1.1 | 75 | | | | 32 | 6.1.005 |
| 13L | 783103 | 20 | 450992 | 6078675 | QZMZ | POND | 5 | 10 | M | | BN | | 82 | 12 | 1 | 7 | 4 | 0.1 | 60 | 0.5 | 2 | 0.40 | 70 | 39.4 | 0.5 | 60 | | | | 26 | 6.1.005 |
| 13L | 783104 | 20 | 450992 | 6078675 | QZMZ | POND | 5 | 20 | M | | BN | | 74 | 10 | 1 | 7 | 3 | 0.1 | 50 | 0.5 | 3 | 0.45 | 70 | 38.4 | 0.5 | 55 | | | | 28 | 6.2.005 |
| 13L | 783105 | 20 | 451971 | 6079413 | QZMZ | POND | 6 | 00 | M | | BN | | 68 | 14 | 1 | 8 | 4 | 0.1 | 45 | 0.5 | 2 | 0.60 | 80 | 33.8 | 6.6 | 65 | | | | 50 | 6.7.080 |
| 13L | 783106 | 20 | 455479 | 6077880 | QZMZ | LT 1 | 7 | 00 | M | | BN | | 152 | 20 | 1 | 14 | 7 | 0.1 | 170 | 0.5 | 1 | 1.70 | 90 | 46.2 | 0.6 | 110 | | | | 22 | 6.2.010 |
| 13L | 783107 | 20 | 455893 | 6074842 | QZMZ | LT 1 | 15 | 00 | M | | BN | | 124 | 24 | 1 | 13 | 8 | 0.2 | 240 | 0.5 | 5 | 1.40 | 80 | 45.2 | 0.6 | 100 | | | | 30 | 6.3.010 |
| 13L | 783109 | 20 | 450495 | 6074168 | GRNL | POND | 5 | 00 | L | | BN | | 64 | 12 | 1 | 7 | 2 | 0.1 | 30 | 0.5 | 1 | 0.20 | 90 | 67.8 | 0.3 | 45 | | | | 10 | 5.4.005 |
| 13L | 783110 | 20 | 448034 | 6073623 | GRNL | GT 5 | 25 | 00 | L | | BN | | 154 | 28 | 1 | 13 | 10 | 0.2 | 465 | 0.5 | 6 | 8.70 | 80 | 40.6 | 1.3 | 190 | | | | 22 | 6.5.020 |
| 13L | 783111 | 20 | 445035 | 6073197 | GRNL | GT 5 | 15 | 00 | L | | BN | | 64 | 20 | 1 | 12 | 8 | 0.1 | 165 | 0.5 | 2 | 1.75 | 40 | 6.4 | 1.4 | 450 | | | | 20 | 6.4.005 |
| 13L | 783112 | 20 | 443976 | 6071578 | GRNL | 1-5 | 30 | 00 | L | | BN | | 160 | 20 | 1 | 14 | 18 | 0.1 | 550 | 0.5 | 6 | 7.60 | 100 | 24.4 | 1.4 | 315 | | | | 26 | 6.5.005 |
| 13L | 783113 | 20 | 441485 | 6070100 | GRNL | 1-5 | 5 | 00 | M | | BN | L | 120 | 16 | 1 | 12 | 9 | 0.1 | 470 | 0.5 | 3 | 8.80 | 50 | 25.4 | 1.0 | 290 | | | | 22 | 6.5.020 |
| 13L | 783114 | 20 | 443112 | 6068138 | GRNL | POND | 5 | 00 | L | | BN | | 110 | 12 | 1 | 8 | 8 | 0.1 | 170 | 0.5 | 1 | 3.90 | 90 | 48.4 | 0.5 | 70 | | | | 10 | 6.6.005 |
| 13L | 783115 | 20 | 448040 | 6066782 | GRNL | LT 1 | 7 | 00 | M | | BN | | 106 | 16 | 1 | 12 | 6 | 0.1 | 75 | 0.5 | 1 | 0.75 | 100 | 45.6 | 0.7 | 50 | | | | 22 | 6.4.030 |
| 13L | 783116 | 20 | 447385 | 6069792 | GRNL | POND | 7 | 00 | M | | BN | L | 56 | 10 | 1 | 8 | 4 | 0.1 | 100 | 0.5 | 1 | 0.70 | 50 | 37.0 | 0.5 | 75 | | | | 24 | 6.4.030 |
| 13L | 783117 | 20 | 450859 | 6069187 | GRNL | POND | 5 | 00 | L | | BN | | 126 | 30 | 1 | 15 | 8 | 0.1 | 140 | 0.5 | 1 | 2.00 | 100 | 50.2 | 0.7 | 85 | | | | 10 | 6.2.005 |
| 13L | 783118 | 20 | 452481 | 6066603 | GRNL | GT 5 | 6 | 00 | L | | BN | | 84 | 18 | 1 | 13 | 10 | 0.1 | 220 | 0.5 | 1 | 1.20 | 80 | 46.2 | 0.7 | 70 | | | | 20 | 6.5.005 |
| 13L | 783119 | 20 | 454382 | 6069782 | GRNL | LT 1 | 7 | 00 | M | | BN | | 72 | 16 | 1 | 12 | 4 | 0.1 | 50 | 0.5 | 1 | 0.50 | 80 | 35.6 | 0.5 | 65 | | | | 20 | 6.5.010 |
| 13L | 783120 | 20 | 458777 | 6067788 | GRNL | GT 5 | 10 | 00 | M | | BN | | 86 | 12 | 1 | 8 | 6 | 0.1 | 220 | 0.5 | 2 | 1.90 | 50 | 18.4 | 2.4 | 280 | | | | 64 | 6.5.050 |
| 13L | 783122 | 20 | 461721 | 6063540 | GRNL | LT 1 | 15 | 70 | M | | BN | | 102 | 18 | 1 | 8 | 4 | 0.1 | 60 | 0.5 | 4 | 4.45 | 100 | 49.2 | 0.4 | 115 | | | | 56 | 6.5.040 |
| 13L | 783123 | 20 | 460954 | 6061896 | GRNL | 1-5 | 7 | 10 | M | | BN | | 102 | 16 | 3 | 11 | 6 | 0.1 | 250 | 0.5 | 3 | 2.50 | 70 | 48.0 | 0.6 | 100 | | | | 20 | 6.6.005 |
| 13L | 783124 | 20 | 460954 | 6061896 | GRNL | 1-5 | 7 | 20 | M | | BN | | 114 | 18 | 2 | 11 | 7 | 0.1 | 260 | 0.5 | 2 | 2.50 | 70 | 48.6 | 0.5 | 75 | | | | 20 | 6.7.005 |
| 13L | 783126 | 20 | 484043 | 6066031 | QZMZ | POND | 10 | 00 | M | | BN | | 90 | 12 | 1 | 8 | 7 | 0.1 | 160 | 0.5 | 2 | 1.70 | 70 | 30.0 | 0.5 | 85 | | | | 22 | 6.6.005 |
| 13L | 783127 | 20 | 481138 | 6066854 | QZMZ | LT 1 | 7 | 00 | M | | BN | | 80 | 8 | 1 | 5 | 4 | 0.1 | 110 | 0.5 | 1 | 0.90 | 60 | 31.8 | 0.2 | 60 | | | | 24 | 6.5.005 |
| 13L | 783128 | 20 | 476130 | 6068689 | QZMZ | LT 1 | 10 | 00 | M | | GY BN | | 164 | 26 | 1 | 13 | 14 | 0.1 | 340 | 0.5 | 7 | 3.60 | 70 | 22.0 | 1.1 | 250 | | | | 26 | 6.6.010 |
| 13L | 783129 | 20 | 473354 | 6069001 | QZMZ | LT 1 | 7 | 00 | M | | BN | | 100 | 16 | 1 | 10 | 4 | 0.2 | 90 | 0.5 | 2 | 0.95 | 60 | 26.2 | 0.7 | 130 | | | | 22 | 6.5.005 |
| 13L | 783130 | 20 | 470508 | 6071322 | QZMZ | LT 1 | 6 | 00 | M | | BN | | 130 | 12 | 1 | 8 | 5 | 0.1 | 120 | 0.5 | 3 | 0.95 | 60 | 36.4 | 0.7 | 110 | | | | 32 | 6.6.005 |
| 13L | 783131 | 20 | 468067 | 6073210 | GRNL | LT 1 | 6 | 00 | M | | BN | | 58 | 12 | 1 | 11 | 4 | 0.1 | 60 | 0.5 | 2 | 0.80 | 50 | 31.6 | 1.1 | 85 | | | | 34 | 6.7.060 |
| 13L | 783132 | 20 | 467377 | 6075383 | GRNL | POND | 5 | 00 | M | | BN | | 62 | 16 | 1 | 7 | 4 | 0.1 | 60 | 0.5 | 4 | 0.90 | 40 | 34.0 | 2.3 | 70 | | | | 24 | 6.5.005 |
| 13L | 783133 | 20 | 466434 | 6076881 | GRNL | LT 1 | 15 | 00 | M | | BN | | 98 | 16 | 1 | 8 | 4 | 0.1 | 95 | 0.5 | 3 | 1.10 | 80 | 36.8 | 0.9 | 45 | | | | 20 | 6.2.030 |
| 13L | 783134 | 20 | 465909 | 6080429 | GRNL | POND | 5 | 00 | M | | BN | | 60 | 14 | 1 | 8 | 6 | 0.1 | 70 | 0.5 | 3 | 1.10 | 50 | 27.8 | 1.6 | 95 | | | | 26 | 6.7.005 |
| 13L | 783135 | 20 | 467247 | 6083053 | GRNL | LT 1 | 7 | 00 | L | | BN | | 108 | 12 | 1 | 10 | 7 | 0.2 | 270 | 0.5 | 3 | 1.90 | 40 | 12.2 | 0.9 | 280 | | | | 44 | 6.6.020 |
| 13L | 783136 | 20 | 466881 | 6088275 | GRNL | LT 1 | 7 | 00 | M | | BN | | 90 | 16 | 1 | 9 | 9 | 0.1 | 420 | 0.5 | 4 | 1.90 | 30 | 25.6 | 2.2 | 255 | | | | 140 | 6.5.050 |
| 13L | 783137 | 20 | 468667 | 6089366 | QZMZ | 1-5 | 7 | 00 | M | | BN | | 100 | 12 | 1 | 11 | 12 | 0.1 | 340 | 0.5 | 3 | 1.90 | 40 | 15.0 | 1.4 | 280 | | | | 94 | 6.4.030 |
| 13L | 783138 | 20 | 468819 | 6092437 | QZMZ | 1-5 | 5 | 00 | M | | BN | | 86 | 18 | 1 | 12 | 9 | 0.1 | 240 | 0.5 | 2 | 3.20 | 40 | 25.0 | 0.8 | 315 | | | | 56 | 6.5.005 |
| 13L | 783139 | 20 | 544472 | 6077007 | ANRS | LT 1 | 35 | 00 | M | | BN | | 94 | 18 | 1 | 13 | 7 | 0.2 | 540 | 0.5 | 1 | 3.10 | 50 | 22.0 | 0.6 | 110 | | | | 10 | 6.5.010 |
| 13L | 783140 | 20 | 549010 | 6075600 | ANRS | POND | 15 | 00 | M | | BN | | 58 | 26 | 2 | 24 | 11 | 0.2 | 120 | 0.5 | 1 | 1.60 | 60 | 26.2 | 0.5 | 175 | | | | 10 | 6.8.005 |
| 13L | 783142 | 20 | 547774 | 6073953 | ANRS | POND | 7 | 70 | M | | BN | | 64 | 18 | 1 | 22 | 8 | 0.1 | 120 | 0.5 | 1 | 1.15 | 60 | 23.6 | 0.7 | 160 | | | | 10 | 6.8.020 |
| 13L | 783143 | 20 | 548541 | 6072535 | ANRS | POND | 5 | 10 | M | | BN | L | 62 | 16 | 1 | 13 | 7 | 0.2 | 95 | 0.5 | 1 | 0.60 | 50 | 20.0 | 0.2 | 45 | | | | 10 | 6.9.030 |
| 13L | 783144 | 20 | 548541 | 6072535 | ANRS | POND | 5 | 20 | M | | BN | L | 66 | 14 | 1 | 14 | 6 | 0.1 | 100 | 0.5 | 1 | 0.70 | 70 | 22.2 | 0.2 | 45 | | | | 10 | 6.9.020 |
| 13L | 783145 | 20 | 552235 | 6072752 | ANRS | POND | 20 | 00 | M | | BN | | 86 | 24 | 2 | 26 | 13 | 0.1 | 210 | 0.5 | 2 | 2.60 | 60 | 17.4 | 0.7 | 260 | | | | 10 | 6.9.005 |
| 13L | 783146 | 20 | 551776 | 6071655 | ANRS | LT 1 | 20 | 00 | M | | BN | | 158 | 28 | 1 | 26 | 23 | | | | | | | | | | | | | | |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

| MAP | ID | UTM COORDINATS | | | ROCK TYPE | LAKE AREA | SMP DTH | RP ST | R E O | | SMPL COLOR | S U S P | ZN | CU | PB | NI | CO | AG | MN | AS | MO | FE | HG | LOI | U | F | V | CD | F-W | PH | U-W |
|-----|--------|----------------|--------|---------|-----------|-----------|---------|-------|-------|--|------------|---------|-----|----|----|----|-----|-----|------|-----|--------|------|------|------|------|-----|---|----|-----|---------|---------|
| | | L | N | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13L | 783155 | 20 | 563422 | 6054952 | ANRS | POND | 15 | 00 | M | | BN | | 62 | 20 | 1 | 10 | 5 | 0.1 | 160 | 0.5 | 2 | 0.95 | 100 | 40.4 | 0.6 | 70 | | | | 20 | 6.7.005 |
| 13L | 783156 | 20 | 564194 | 6050720 | ANRS | POND | 5 | 00 | M | | BN | | 46 | 8 | 1 | 8 | 6 | 0.1 | 130 | 0.5 | 2 | 0.90 | 40 | 24.4 | 3.7 | 160 | | | | 20 | 6.7.100 |
| 13L | 783157 | 20 | 564504 | 6047278 | SMRK | 1-5 | 7 | 00 | M | | BN | L | 46 | 50 | 2 | 17 | 9 | 0.1 | 160 | 0.5 | 1 | 1.45 | 30 | 8.4 | 14.3 | 305 | | | | 20 | 6.6.060 |
| 13L | 783158 | 20 | 563133 | 6043562 | SMRK | LT 1 | 55 | 00 | M | | BN | | 150 | 44 | 1 | 14 | 42 | 0.2 | 4700 | 0.5 | 510.80 | 140 | 32.8 | 2.4 | 185 | | | | 10 | 6.4.010 | |
| 13L | 783159 | 20 | 562231 | 6042835 | SMRK | POND | 30 | 00 | M | | BN | | 74 | 24 | 2 | 10 | 10 | 0.2 | 610 | 0.5 | 2 | 1.80 | 90 | 29.8 | 0.9 | 95 | | | | 10 | 6.3.010 |
| 13L | 783160 | 20 | 560663 | 6041874 | SMRK | LT 1 | 35 | 00 | M | | BN | | 88 | 22 | 3 | 13 | 8 | 0.2 | 210 | 0.5 | 1 | 2.00 | 90 | 19.6 | 1.4 | 240 | | | | 10 | 6.7.040 |
| 13L | 783162 | 20 | 559034 | 6043689 | SMRK | LT 1 | 15 | 70 | H | | BN | | 152 | 42 | 1 | 14 | 11 | 0.1 | 330 | 0.5 | 3 | 3.80 | 80 | 34.0 | 0.9 | 65 | | | | 10 | 6.5.040 |
| 13L | 783163 | 20 | 559077 | 6044324 | SMRK | LT 1 | 65 | 10 | H | | BN | | 200 | 56 | 1 | 24 | 104 | 0.5 | 6200 | 0.5 | 411.80 | 200 | 40.0 | 1.7 | 80 | | | | 10 | 6.5.005 | |
| 13L | 783164 | 20 | 559077 | 6044324 | SMRK | LT 1 | 65 | 20 | H | | BN | | 144 | 68 | 1 | 12 | 24 | 0.5 | 1500 | 0.5 | 3 | 8.10 | 220 | 40.8 | 2.2 | 110 | | | | 10 | 6.4.005 |
| 13L | 783165 | 20 | 557109 | 6043662 | SMRK | LT 1 | 35 | 00 | H | | BN | | 56 | 44 | 1 | 8 | 4 | 0.2 | 24 | 0.5 | 1 | 0.80 | 130 | 36.0 | 0.7 | 50 | | | | 10 | 6.3.005 |
| 13L | 783166 | 20 | 557024 | 6042482 | SMRK | LT 1 | 17 | 00 | H | | BN | | 102 | 22 | 1 | 11 | 11 | 0.1 | 320 | 0.5 | 2 | 3.40 | 90 | 34.2 | 0.8 | 95 | | | | 10 | 6.2.010 |
| 13L | 783167 | 20 | 552647 | 6042437 | SMRK | LT 1 | 60 | 00 | H | | BN | | 148 | 64 | 1 | 20 | 26 | 0.4 | 3100 | 0.5 | 2 | 6.20 | 70 | 33.6 | 1.7 | 120 | | | | 10 | 6.3.005 |
| 13L | 783168 | 20 | 549325 | 6042728 | SMRK | GT 5 | 85 | 00 | H | | BN | | 124 | 42 | 1 | 14 | 10 | 0.2 | 460 | 0.5 | 2 | 5.30 | 80 | 29.8 | 1.0 | 120 | | | | 10 | 6.5.005 |
| 13L | 783169 | 20 | 550233 | 6044762 | SMRK | LT 1 | 40 | 00 | M | | BN | | 80 | 32 | 1 | 10 | 8 | 0.2 | 240 | 0.5 | 2 | 2.80 | 90 | 33.8 | 0.7 | 100 | | | | 10 | 6.3.005 |
| 13L | 783170 | 20 | 553312 | 6045035 | SMRK | LT 1 | 17 | 00 | M | | BN | | 152 | 32 | 1 | 14 | 16 | 0.2 | 1600 | 0.5 | 2 | 3.10 | 100 | 31.4 | 0.6 | 60 | | | | 10 | 6.3.005 |
| 13L | 783171 | 20 | 552566 | 6047920 | SMRK | POND | 60 | 00 | M | | BN | | 116 | 24 | 6 | 12 | 12 | 0.5 | 420 | 0.5 | 3 | 3.15 | 230 | 64.4 | 1.3 | 145 | | | | 10 | 6.4.005 |
| 13L | 783172 | 20 | 555508 | 6048412 | SMRK | POND | 60 | 00 | M | | BN | | 96 | 50 | 1 | 10 | 10 | 0.5 | 370 | 0.5 | 5 | 2.70 | 250 | 47.4 | 1.4 | 75 | | | | 10 | 6.4.040 |
| 13L | 783173 | 20 | 559631 | 6047826 | SMRK | POND | 20 | 00 | M | | BN | | 108 | 62 | 1 | 8 | 23 | 0.1 | 2300 | 0.5 | 4 | 5.70 | 130 | 30.0 | 1.1 | 70 | | | | 10 | 6.5.005 |
| 13L | 783174 | 20 | 557833 | 6053177 | ANRS | LT 1 | 5 | 00 | M | | BN | | 52 | 20 | 2 | 14 | 13 | 0.1 | 160 | 0.5 | 2 | 1.60 | 40 | 8.2 | 2.0 | 280 | | | | 36 | 6.9.005 |
| 13L | 783175 | 20 | 554374 | 6050250 | SMRK | POND | 10 | 00 | H | | BN | | 64 | 24 | 3 | 16 | 10 | 0.1 | 250 | 0.5 | 2 | 1.60 | 70 | 14.6 | 4.0 | 220 | | | | 30 | 7.0.010 |
| 13L | 783176 | 20 | 553714 | 6050923 | SMRK | POND | 5 | 00 | H | | BN | | 62 | 18 | 4 | 16 | 10 | 0.1 | 180 | 3.0 | 1 | 2.00 | 60 | 10.0 | 1.9 | 250 | | | | 84 | 7.0.070 |
| 13L | 783177 | 20 | 549672 | 6052472 | GRNL | GT 5 | 90 | 00 | H | | BN | | 88 | 30 | 4 | 27 | 18 | 0.2 | 1900 | 7.0 | 3 | 4.45 | 70 | 8.8 | 4.6 | 380 | | | | 20 | 6.8.005 |
| 13L | 783178 | 20 | 550567 | 6056521 | GRNL | POND | 5 | 00 | H | | BN | | 108 | 32 | 2 | 14 | 7 | 0.1 | 110 | 0.5 | 3 | 1.30 | 90 | 27.0 | 2.4 | 200 | | | | 26 | 6.5.050 |
| 13L | 783180 | 20 | 553263 | 6057417 | GRNL | POND | 5 | 00 | H | | BN | | 52 | 14 | 1 | 10 | 4 | 0.1 | 90 | 0.5 | 2 | 0.60 | 80 | 35.0 | 0.6 | 40 | | | | 10 | 6.6.005 |
| 13L | 783182 | 20 | 555951 | 6054432 | ANRS | POND | 5 | 00 | M | | BN | | 38 | 24 | 1 | 8 | 2 | 0.1 | 10 | 0.5 | 6 | 0.35 | 80 | 23.8 | 0.9 | 45 | | | | 82 | 6.4.005 |
| 13L | 783183 | 20 | 560357 | 6055054 | ANRS | POND | 5 | 00 | M | | BN | | 40 | 14 | 1 | 9 | 2 | 0.1 | 30 | 0.5 | 2 | 0.30 | 70 | 45.8 | 0.2 | 20 | | | | 28 | 6.4.020 |
| 13L | 783184 | 20 | 561043 | 6058846 | ANRS | POND | 5 | 00 | M | | BN | | 58 | 12 | 1 | 9 | 3 | 0.1 | 70 | 0.5 | 1 | 0.45 | 70 | 31.2 | 0.4 | 50 | | | | 10 | 6.5.005 |
| 13L | 783185 | 20 | 557386 | 6059213 | ANRS | POND | 35 | 70 | M | | BN | | 108 | 38 | 1 | 22 | 8 | 0.1 | 320 | 0.5 | 5 | 2.95 | 190 | 30.4 | 1.6 | 135 | | | | 10 | 6.7.010 |
| 13L | 783186 | 20 | 555964 | 6059246 | ANRS | POND | 10 | 10 | M | | BN | | 68 | 22 | 1 | 13 | 4 | 0.1 | 50 | 0.5 | 5 | 0.35 | 100 | 36.2 | 0.9 | 50 | | | | 10 | 6.4.030 |
| 13L | 783187 | 20 | 555964 | 6059246 | ANRS | POND | 10 | 20 | M | | BN | | 68 | 22 | 1 | 14 | 4 | 0.1 | 50 | 0.5 | 8 | 0.40 | 90 | 34.0 | 1.2 | 45 | | | | 10 | 6.5.005 |
| 13L | 783188 | 20 | 553385 | 6059517 | ANRS | POND | 6 | 00 | M | | BN | | 56 | 14 | 1 | 10 | 2 | 0.1 | 45 | 0.5 | 4 | 0.45 | 80 | 31.0 | 2.1 | 50 | | | | 20 | 6.6.005 |
| 13L | 783189 | 20 | 553096 | 6063080 | ANRS | POND | 4 | 00 | M | | BN | | 116 | 12 | 1 | 14 | 10 | 0.1 | 220 | 0.5 | 2 | 1.90 | 90 | 25.6 | 1.9 | 145 | | | | 20 | 6.6.005 |
| 13L | 783190 | 20 | 549874 | 6065687 | ANRS | POND | 4 | 00 | M | | BN | | 92 | 12 | 1 | 12 | 7 | 0.1 | 220 | 0.5 | 1 | 1.20 | 60 | 27.0 | 1.2 | 75 | | | | 10 | 6.7.010 |
| 13L | 783191 | 20 | 544112 | 6072700 | ANRS | 1-5 | 7 | 00 | M | | BN | | 80 | 18 | 1 | 18 | 5 | 0.1 | 115 | 0.5 | 1 | 0.95 | 80 | 30.6 | 1.6 | 130 | | | | 10 | 6.5.005 |
| 13L | 783192 | 20 | 544680 | 6070111 | ANRS | POND | 5 | 00 | M | | BN | | 88 | 22 | 4 | 18 | 6 | 0.1 | 100 | 0.5 | 1 | 1.20 | 80 | 45.0 | 0.5 | 110 | | | | 10 | 6.0.005 |
| 13L | 783194 | 20 | 545851 | 6067897 | ANRS | POND | 5 | 00 | M | | BN | | 88 | 12 | 2 | 13 | 7 | 0.1 | 220 | 0.5 | 1 | 1.45 | 70 | 28.8 | 0.3 | 95 | | | | 10 | 6.8.030 |
| 13L | 783195 | 20 | 549094 | 6064387 | ANRS | POND | 5 | 00 | M | | BN | | 80 | 14 | 4 | 15 | 4 | 0.1 | 100 | 0.5 | 1 | 0.60 | 80 | 48.4 | 0.8 | 60 | | | | 10 | 6.6.060 |
| 13L | 783196 | 20 | 546384 | 6060372 | GRNL | POND | 3 | 00 | H | | BN | | 82 | 16 | 2 | 22 | 9 | 0.1 | 220 | 0.5 | 1 | 1.30 | 80 | 31.0 | 2.0 | 200 | | | | 34 | 6.9.005 |
| 13L | 783197 | 20 | 548643 | 6048038 | SMRK | POND | 7 | 00 | H | | BN | | 72 | 36 | 4 | 24 | 14 | 0.1 | 270 | 2.0 | 1 | 2.45 | 40 | 11.4 | 2.3 | 350 | | | | 10 | 6.7.005 |
| 13L | 783198 | 20 | 545837 | 6042240 | SMRK | 1-5 | 140 | 00 | M | | BN | | 110 | 48 | 2 | 20 | 18 | 0.1 | 2400 | 1.0 | 1 | 3.20 | 90 | 11.2 | 2.7 | 320 | | | | 10 | 6.4.005 |
| 13L | 783199 | 20 | 544800 | 6043200 | SMRK | LT 1 | 6 | 00 | M | | BN | | 154 | 34 | 1 | 17 | 50 | 0.1 | 3600 | 2.0 | 513.40 | 150 | 29.8 | 2.3 | 200 | | | | 10 | 6.3.020 | |
| 13L | 783200 | 20 | 543587 | 6047288 | SMRK | LT 1 | 15 | 00 | M | | BN | | 134 | 56 | 2 | 15 | 10 | 0.1 | 195 | 6.0 | 8 | 1.75 | 90 | 49.8 | 7.4 | 225 | | | | 20 | 7.3.130 |
| 13L | 783202 | 20 | 541439 | 6057384 | GRNL | GT 5 | 160 | 00 | H | | BN | | 86 | 2 | | | | | | | | | | | | | | | | | |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

| MAP | ID | UTM COORDINATS | | | ROCK TYPE | LAKE AREA | SMP DTH | RP ST | R C | | SMPL | S U | | | | | | | | | | | | | | | U | F | V | CD | F-W | PH | U-W |
|-----|--------|----------------|--------|---------|-----------|-----------|---------|-------|-----|---|------|-----|-----|----|----|----|----|-----|-----|------|----|------|-----|------|------|-----|---|---|---|----|-----|---------|-----|
| | | ZN | EAST | NORTH | | | | | L | N | | | ZN | CU | PB | NI | CO | AG | MN | AS | MO | FE | HG | LOI | | | | | | | | | |
| 13L | 783210 | 20 | 545252 | 6084463 | ANRS | POND | 10 | 00 | M | | BN | | 60 | 14 | 1 | 16 | 6 | 0.1 | 50 | 0.5 | 1 | 0.60 | 60 | 31.6 | 0.4 | 60 | | | | | 10 | 6.8.005 | |
| 13L | 783211 | 20 | 548819 | 6084688 | ANRS | POND | 12 | 00 | H | | BN | | 52 | 24 | 5 | 36 | 9 | 0.1 | 65 | 0.5 | 1 | 1.10 | 90 | 29.8 | 0.5 | 80 | | | | | 10 | 6.8.010 | |
| 13L | 783212 | 20 | 553851 | 6086201 | ANRS | POND | 4 | 00 | H | | BN | | 74 | 34 | 1 | 48 | 14 | 0.1 | 140 | 0.5 | 1 | 1.90 | 60 | 20.0 | 1.1 | 110 | | | | | 10 | 7.2.040 | |
| 13L | 783213 | 20 | 557415 | 6085251 | ANRS | POND | 5 | 00 | H | | BN | | 64 | 12 | 1 | 20 | 10 | 0.1 | 95 | 0.5 | 1 | 1.60 | 40 | 10.2 | 1.1 | 150 | | | | | 10 | 7.0.010 | |
| 13L | 783215 | 20 | 557152 | 6087155 | ANRS | POND | 20 | 00 | H | | BN | | 70 | 28 | 2 | 19 | 9 | 0.2 | 90 | 0.5 | 1 | 0.80 | 70 | 27.2 | 0.9 | 95 | | | | | 10 | 7.1.010 | |
| 13L | 783216 | 20 | 556358 | 6090925 | ANRS | POND | 10 | 00 | H | | BN | | 34 | 8 | 1 | 7 | 2 | 0.1 | 30 | 0.5 | 1 | 0.60 | 60 | 23.4 | 0.2 | 40 | | | | | 10 | 6.8.005 | |
| 13L | 783217 | 20 | 536513 | 6081329 | ANRS | POND | 5 | 00 | M | | BN | | 44 | 8 | 1 | 12 | 7 | 0.1 | 130 | 0.5 | 1 | 1.00 | 20 | 2.8 | 0.4 | 125 | | | | | 10 | 6.7.005 | |
| 13L | 783218 | 20 | 533349 | 6081554 | ANRS | POND | 5 | 00 | M | | BN | | 50 | 18 | 1 | 34 | 12 | 0.1 | 140 | 0.5 | 2 | 1.50 | 40 | 15.0 | 0.9 | 155 | | | | | 10 | 6.9.005 | |
| 13L | 783219 | 20 | 530007 | 6079743 | ANRS | POND | 5 | 00 | M | | BN | | 76 | 20 | 1 | 28 | 10 | 0.1 | 225 | 0.5 | 1 | 1.50 | 70 | 32.4 | 0.7 | 145 | | | | | 10 | 6.9.010 | |
| 13L | 783220 | 20 | 523358 | 6076011 | SMRK | POND | 5 | 00 | M | | BN | | 60 | 14 | 1 | 12 | 4 | 0.1 | 60 | 0.5 | 1 | 0.40 | 80 | 36.8 | 0.6 | 40 | | | | | 10 | 6.6.040 | |
| 13L | 783222 | 20 | 518817 | 6076312 | SMRK | LT 1 | 5 | 00 | M | | BN | | 48 | 8 | 1 | 7 | 3 | 0.1 | 40 | 0.5 | 2 | 0.40 | 70 | 33.8 | 1.7 | 55 | | | | | 10 | 6.8.070 | |
| 13L | 783223 | 20 | 517721 | 6075424 | SMRK | POND | 10 | 70 | M | | BN | | 52 | 18 | 1 | 17 | 2 | 0.2 | 30 | 0.5 | 1 | 0.30 | 80 | 59.4 | 0.3 | 55 | | | | | 10 | 5.5.040 | |
| 13L | 783224 | 20 | 517431 | 6073816 | SMRK | POND | 5 | 10 | M | | BN | | 88 | 6 | 2 | 8 | 9 | 0.1 | 380 | 0.5 | 1 | 0.85 | 70 | 26.4 | 1.7 | 125 | | | | | 10 | 6.8.050 | |
| 13L | 783225 | 20 | 517431 | 6073816 | SMRK | POND | 5 | 20 | M | | BN | | 98 | 8 | 2 | 8 | 8 | 0.1 | 360 | 0.5 | 1 | 0.90 | 70 | 28.4 | 2.1 | 135 | | | | | 10 | 6.8.060 | |
| 13L | 783226 | 20 | 516994 | 6071862 | SMRK | POND | 10 | 00 | M | | BN | | 38 | 20 | 2 | 12 | 1 | 0.2 | 20 | 0.5 | 1 | 0.30 | 50 | 61.0 | 0.3 | 60 | | | | | 10 | 5.5.030 | |
| 13L | 783228 | 20 | 518519 | 6070868 | SMRK | LT 1 | 7 | 00 | M | | BN | | 42 | 14 | 1 | 6 | 3 | 0.1 | 40 | 0.5 | 1 | 0.60 | 70 | 29.8 | 0.3 | 55 | | | | | 28 | 6.8.030 | |
| 13L | 783229 | 20 | 514627 | 6065109 | SMRK | POND | 7 | 00 | M | | BN | | 66 | 32 | 2 | 18 | 4 | 0.1 | 60 | 0.5 | 1 | 0.75 | 70 | 46.8 | 1.1 | 165 | | | | | 10 | 5.5.005 | |
| 13L | 783230 | 20 | 514517 | 6064647 | SMRK | POND | 35 | 00 | M | | BN | | 58 | 36 | 2 | 16 | 2 | 0.1 | 35 | 0.5 | 1 | 0.50 | 150 | 74.2 | 1.0 | 60 | | | | | 10 | 5.4.010 | |
| 13L | 783231 | 20 | 515481 | 6060513 | SMRK | POND | 55 | 00 | H | | BN | | 70 | 14 | 2 | 9 | 8 | 0.1 | 200 | 17.0 | 3 | 2.10 | 130 | 28.8 | 10.2 | 120 | | | | | 64 | 7.5.470 | |
| 13L | 783232 | 20 | 517765 | 6053946 | SMRK | POND | 5 | 00 | M | | BN | | 92 | 14 | 1 | 14 | 6 | 0.1 | 60 | 0.5 | 1 | 0.65 | 110 | 42.2 | 0.7 | 55 | | | | | 20 | 6.6.020 | |
| 13L | 783233 | 20 | 512924 | 6052430 | SMRK | LT 1 | 5 | 00 | M | | BN | | 58 | 16 | 2 | 12 | 3 | 0.1 | 35 | 0.5 | 1 | 0.40 | 80 | 51.0 | 1.0 | 50 | | | | | 10 | 6.4.130 | |
| 13L | 783234 | 20 | 503806 | 6050758 | ANRS | LT 1 | 5 | 00 | M | | BN | | 32 | 6 | 1 | 3 | 2 | 0.1 | 50 | 0.5 | 1 | 0.30 | 40 | 28.4 | 0.1 | 40 | | | | | 28 | 6.5.020 | |
| 13L | 783235 | 20 | 505816 | 6047881 | ANRS | POND | 5 | 00 | M | | BN | | 52 | 10 | 1 | 7 | 3 | 0.1 | 50 | 0.5 | 1 | 0.30 | 70 | 39.6 | 0.1 | 40 | | | | | 10 | 6.1.050 | |
| 13L | 783236 | 20 | 508021 | 6041145 | SMRK | LT 1 | 25 | 00 | M | | BN | | 76 | 14 | 1 | 12 | 9 | 0.1 | 120 | 0.5 | 7 | 1.50 | 80 | 32.8 | 1.4 | 110 | | | | | 28 | 6.8.160 | |
| 13L | 783237 | 20 | 505834 | 6042380 | SMRK | LT 1 | 5 | 00 | M | | BN | | 68 | 12 | 2 | 12 | 8 | 0.1 | 50 | 0.5 | 4 | 0.70 | 70 | 38.6 | 1.2 | 80 | | | | | 24 | 6.2.180 | |
| 13L | 783238 | 20 | 504263 | 6043642 | SMRK | POND | 6 | 00 | M | | BN | | 52 | 16 | 1 | 8 | 3 | 0.1 | 30 | 0.5 | 2 | 0.30 | 70 | 47.6 | 1.0 | 55 | | | | | 10 | 6.4.100 | |
| 13L | 783239 | 20 | 502682 | 6042274 | SMRK | LT 1 | 5 | 00 | M | | BN | | 84 | 26 | 1 | 16 | 8 | 0.1 | 60 | 0.5 | 4 | 1.40 | 110 | 50.0 | 1.7 | 95 | | | | | 36 | 6.8.250 | |
| 13L | 783240 | 20 | 499552 | 6040611 | SMRK | POND | 4 | 00 | M | | BN | | 38 | 14 | 1 | 7 | 2 | 0.1 | 35 | 0.5 | 1 | 0.45 | 80 | 23.0 | 0.7 | 60 | | | | | 36 | 7.0.260 | |
| 13L | 783242 | 20 | 499770 | 6045123 | SMRK | POND | 5 | 00 | M | | BN | | 32 | 12 | 1 | 8 | 1 | 0.2 | 20 | 0.5 | 1 | 0.65 | 90 | 39.8 | 0.4 | 40 | | | | | 10 | 5.5.140 | |
| 13L | 783243 | 20 | 493618 | 6043511 | SMRK | POND | 4 | 00 | M | | BN | | 46 | 14 | 4 | 15 | 2 | 0.1 | 30 | 0.5 | 1 | 0.30 | 90 | 52.2 | 0.5 | 45 | | | | | 10 | 5.5.150 | |
| 13L | 783244 | 20 | 487724 | 6043081 | GRNL | LT 1 | 4 | 00 | M | | BN | | 38 | 16 | 2 | 11 | 3 | 0.1 | 20 | 0.5 | 1 | 0.60 | 70 | 26.2 | 3.1 | 50 | | | | | 52 | 6.8.210 | |
| 13L | 783245 | 20 | 489500 | 6044331 | GRNL | LT 1 | 5 | 00 | M | | BN | | 68 | 8 | 1 | 8 | 3 | 0.1 | 130 | 0.5 | 2 | 0.80 | 60 | 26.4 | 0.1 | 40 | | | | | 10 | 6.6.070 | |
| 13L | 783246 | 20 | 488440 | 6044726 | GRNL | POND | 6 | 70 | M | | BN | L | 52 | 10 | 1 | 8 | 2 | 0.1 | 40 | 0.5 | 1 | 0.20 | 40 | 24.8 | 0.2 | 55 | | | | | 20 | 6.6.070 | |
| 13L | 783247 | 20 | 487435 | 6045640 | GRNL | POND | 12 | 10 | M | | BN | | 44 | 12 | 1 | 11 | 2 | 0.2 | 40 | 0.5 | 1 | 0.70 | 70 | 40.8 | 0.3 | 55 | | | | | 20 | 6.1.050 | |
| 13L | 783248 | 20 | 487435 | 6045640 | GRNL | POND | 12 | 20 | M | | BN | | 40 | 12 | 1 | 11 | 2 | 0.1 | 40 | 0.5 | 1 | 0.60 | 70 | 40.2 | 0.3 | 50 | | | | | 10 | 6.1.060 | |
| 13L | 783249 | 20 | 491694 | 6052669 | QZMZ | POND | 35 | 00 | M | | BN | | 82 | 14 | 1 | 8 | 6 | 0.1 | 420 | 0.5 | 1 | 2.60 | 70 | 17.2 | 0.8 | 240 | | | | | 20 | 6.7.050 | |
| 13L | 783250 | 20 | 496768 | 6049671 | SMRK | POND | 5 | 00 | M | | BN | | 24 | 4 | 1 | 4 | 2 | 0.1 | 30 | 0.5 | 1 | 0.30 | 50 | 23.2 | 0.4 | 50 | | | | | 28 | 6.7.130 | |
| 13L | 783251 | 20 | 499232 | 6055119 | ANRS | POND | 6 | 00 | M | | BN | | 38 | 8 | 1 | 6 | 2 | 0.1 | 50 | 0.5 | 1 | 0.60 | 50 | 22.0 | 0.4 | 175 | | | | | 38 | 5.8.050 | |
| 13L | 783252 | 20 | 500789 | 6053470 | QZMZ | LT 1 | 7 | 00 | M | | BN | | 38 | 4 | 1 | 3 | 2 | 0.1 | 60 | 0.5 | 1 | 0.40 | 50 | 29.0 | 0.3 | 50 | | | | | 42 | 6.7.090 | |
| 13L | 783253 | 20 | 501381 | 6054215 | QZMZ | LT 1 | 35 | 00 | M | | BN | L | 110 | 12 | 1 | 8 | 11 | 0.1 | 980 | 2.0 | 1 | 5.10 | 90 | 21.6 | 2.2 | 125 | | | | | 28 | 6.9.160 | |
| 13L | 783254 | 20 | 503945 | 6055831 | ANRS | POND | 10 | 00 | M | | BN | L | 54 | 12 | 1 | 8 | 5 | 0.1 | 120 | 0.5 | 1 | 0.50 | 50 | 37.4 | 0.2 | 40 | | | | | 26 | 6.3.120 | |
| 13L | 783255 | 20 | 507554 | 6056329 | ANRS | POND | 7 | 00 | M | | BN | | 46 | 6 | 1 | 6 | 3 | 0.1 | 115 | 0.5 | 1 | 0.65 | 50 | 23.8 | 0.2 | 55 | | | | | 30 | 6.8.100 | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

| MAP | ID | UTM COORDINATS | | | ROCK TYPE | LAKE AREA | SMP DTH | RP ST | R C | | SMPL | S U | P | ZN | CU | PB | NI | CO | AG | MN | AS | MO | FE | HG | LOI | U | F | V | CD | F-W | PH | U-W |
|-----|--------|----------------|--------|---------|-----------|-----------|---------|-------|-------|--|------|-----|---|-----|----|----|----|----|-----|------|-----|----|------|-----|------|-----|-----|---|----|-----|----|---------|
| | | L | N | T | | | | | COLOR | | | | | | | | | | | | | | | | | | | | | | | |
| 13L | 783266 | 20 | 521587 | 6079780 | ANRS | POND | 5 | 00 | M | | BN | | | 42 | 8 | 1 | 9 | 4 | 0.1 | 90 | 0.5 | 1 | 0.60 | 50 | 28.6 | 0.7 | 60 | | | | 22 | 6.8.050 |
| 13L | 783267 | 20 | 525105 | 6082483 | ANRS | LT 1 | 35 | 00 | M | | BN | | | 108 | 14 | 1 | 12 | 12 | 0.1 | 440 | 0.5 | 2 | 2.65 | 110 | 31.8 | 2.5 | 95 | | | | 20 | 6.8.120 |
| 13L | 783268 | 20 | 528536 | 6081606 | ANRS | POND | 5 | 00 | M | | BN | | | 76 | 14 | 1 | 16 | 8 | 0.1 | 120 | 0.5 | 1 | 1.05 | 80 | 31.2 | 0.7 | 85 | | | | 20 | 6.9.110 |
| 13L | 783269 | 20 | 534825 | 6083400 | ANRS | LT 1 | 60 | 00 | M | | BN | | | 86 | 18 | 1 | 28 | 20 | 0.1 | 1400 | 0.5 | 1 | 4.85 | 80 | 18.2 | 0.8 | 130 | | | | 10 | 6.8.140 |
| 13L | 783271 | 20 | 529038 | 6085668 | ANRS | LT 1 | 5 | 00 | M | | BN | | | 50 | 10 | 1 | 12 | 5 | 0.1 | 80 | 0.5 | 1 | 0.70 | 60 | 28.8 | 0.4 | 65 | | | | 20 | 7.0.040 |
| 13L | 783272 | 20 | 526944 | 6084075 | ANRS | POND | 7 | 00 | M | | BN | L | | 52 | 14 | 1 | 14 | 5 | 0.1 | 85 | 0.5 | 1 | 0.60 | 70 | 32.0 | 0.5 | 75 | | | | 10 | 6.8.100 |
| 13L | 783273 | 20 | 523769 | 6085430 | ANRS | LT 1 | 7 | 00 | M | | BN | | | 118 | 14 | 1 | 20 | 13 | 0.1 | 160 | 0.5 | 1 | 1.70 | 50 | 22.8 | 0.5 | 145 | | | | 20 | 6.8.020 |
| 13L | 783274 | 20 | 520744 | 6085627 | ANRS | POND | 7 | 00 | M | | BN | L | | 46 | 12 | 1 | 10 | 6 | 0.1 | 70 | 0.5 | 1 | 0.75 | 70 | 37.8 | 0.2 | 40 | | | | 10 | 6.7.040 |
| 13L | 783275 | 20 | 517608 | 6084688 | ANRS | LT 1 | 25 | 00 | M | | BN | L | | 72 | 14 | 1 | 13 | 8 | 0.1 | 140 | 0.5 | 1 | 2.00 | 70 | 63.6 | 0.7 | 105 | | | | 30 | 6.7.050 |
| 13L | 783276 | 20 | 514751 | 6079939 | ANRS | POND | 7 | 00 | M | | BN | L | | 36 | 10 | 1 | 6 | 3 | 0.1 | 45 | 0.5 | 1 | 0.65 | 80 | 32.2 | 0.6 | 70 | | | | 36 | 6.4.060 |
| 13L | 783277 | 20 | 513979 | 6077349 | SMRK | POND | 12 | 00 | M | | BN | | | 46 | 20 | 2 | 16 | 2 | 0.1 | 45 | 0.5 | 1 | 0.40 | 60 | 58.8 | 0.7 | 65 | | | | 24 | 5.5.010 |
| 13L | 783278 | 20 | 509563 | 6072808 | SMRK | POND | 7 | 00 | M | | BN | | | 42 | 30 | 2 | 20 | 2 | 0.1 | 40 | 0.5 | 1 | 0.35 | 110 | 64.4 | 0.9 | 60 | | | | 10 | 5.3.030 |
| 13L | 783279 | 20 | 509161 | 6069944 | SMRK | 1-5 | 10 | 00 | M | | BN | | | 42 | 12 | 1 | 9 | 2 | 0.1 | 60 | 0.5 | 2 | 0.40 | 50 | 39.6 | 1.0 | 55 | | | | 22 | 6.4.080 |
| 13L | 783280 | 20 | 510012 | 6061765 | SMRK | POND | 50 | 00 | H | | BN | | | 62 | 14 | 2 | 7 | 5 | 0.1 | 100 | 0.5 | 5 | 0.85 | 80 | 41.4 | 0.6 | 115 | | | | 22 | 6.7.120 |
| 13L | 783282 | 20 | 509720 | 6060754 | SMRK | POND | 7 | 00 | H | | BN | | | 18 | 28 | 1 | 4 | 1 | 0.1 | 25 | 0.5 | 1 | 0.25 | 60 | 31.8 | 0.6 | 45 | | | | 24 | 7.0.040 |
| 13L | 783284 | 20 | 502544 | 6063468 | ANRS | POND | 25 | 70 | M | | BN | | | 102 | 14 | 1 | 8 | 8 | 0.1 | 310 | 0.5 | 2 | 2.70 | 50 | 27.0 | 0.2 | 60 | | | | 10 | 6.5.120 |
| 13L | 783285 | 20 | 500514 | 6062216 | ANRS | POND | 10 | 10 | M | | BN | | | 70 | 8 | 1 | 8 | 7 | 0.1 | 85 | 0.5 | 1 | 1.50 | 40 | 26.6 | 0.2 | 85 | | | | 10 | 6.7.080 |
| 13L | 783286 | 20 | 500514 | 6062216 | ANRS | POND | 10 | 20 | M | | BN | | | 62 | 8 | 1 | 8 | 6 | 0.1 | 80 | 0.5 | 1 | 1.25 | 40 | 28.2 | 0.2 | 60 | | | | 22 | 6.7.080 |
| 13L | 783287 | 20 | 501072 | 6059474 | ANRS | POND | 7 | 00 | M | | BN | | | 40 | 8 | 1 | 6 | 4 | 0.1 | 20 | 0.5 | 1 | 0.60 | 40 | 36.2 | 0.1 | 40 | | | | 20 | 6.8.040 |
| 13L | 783288 | 20 | 505436 | 6059520 | ANRS | POND | 5 | 00 | M | | BN | | | 104 | 8 | 1 | 6 | 10 | 0.1 | 350 | 0.5 | 1 | 4.25 | 50 | 27.6 | 0.2 | 65 | | | | 34 | 6.8.090 |
| 13L | 783289 | 20 | 507044 | 6063714 | SMRK | LT 1 | 15 | 00 | H | | BN | | | 68 | 12 | 4 | 12 | 10 | 0.1 | 190 | 3.0 | 1 | 1.80 | 40 | 12.4 | 3.7 | 275 | | | | 36 | 6.9.130 |
| 13L | 783290 | 20 | 504567 | 6068448 | SMRK | POND | 40 | 00 | H | | BN | | | 52 | 12 | 2 | 6 | 5 | 0.1 | 110 | 0.5 | 2 | 0.70 | 40 | 35.2 | 0.4 | 110 | | | | 20 | 6.7.040 |
| 13L | 783291 | 20 | 506569 | 6068207 | SMRK | POND | 5 | 00 | M | | BN | | | 32 | 20 | 2 | 14 | 1 | 0.2 | 30 | 0.5 | 1 | 0.20 | 90 | 65.6 | 0.2 | 40 | | | | 10 | 5.3.100 |
| 13L | 783292 | 20 | 505748 | 6074219 | SMRK | POND | 7 | 00 | M | | BN | | | 42 | 8 | 2 | 6 | 4 | 0.1 | 80 | 0.5 | 2 | 0.40 | 40 | 50.0 | 4.6 | 50 | | | | 32 | 6.5.100 |
| 13L | 783293 | 20 | 505764 | 6076805 | SMRK | POND | 5 | 00 | M | | BN | | | 52 | 8 | 1 | 8 | 4 | 0.1 | 100 | 0.5 | 1 | 0.70 | 20 | 29.0 | 1.0 | 125 | | | | 32 | 6.8.060 |
| 13L | 783294 | 20 | 509888 | 6075597 | SMRK | LT 1 | 6 | 00 | M | | BN | | | 56 | 12 | 1 | 8 | 3 | 0.1 | 50 | 0.5 | 1 | 0.35 | 40 | 43.8 | 1.0 | 80 | | | | 28 | 6.5.020 |
| 13L | 783295 | 20 | 511752 | 6079475 | SMRK | 1-5 | 7 | 00 | M | | BN | | | 84 | 18 | 2 | 12 | 5 | 0.1 | 100 | 0.5 | 1 | 0.75 | 30 | 34.0 | 0.9 | 110 | | | | 26 | 6.6.040 |
| 13L | 783296 | 20 | 512811 | 6084194 | ANRS | POND | 10 | 00 | M | | BN | | | 62 | 16 | 2 | 12 | 7 | 0.1 | 70 | 0.5 | 2 | 0.70 | 30 | 40.6 | 0.6 | 65 | | | | 24 | 6.4.080 |
| 13L | 783297 | 20 | 517084 | 6087233 | ANRS | 1-5 | 7 | 00 | M | | BN | L | | 66 | 12 | 2 | 11 | 6 | 0.1 | 90 | 0.5 | 1 | 1.10 | 30 | 28.0 | 1.8 | 140 | | | | 24 | 6.7.060 |
| 13L | 783298 | 20 | 520162 | 6088128 | ANRS | LT 1 | 7 | 00 | M | | BN | | | 100 | 12 | 4 | 12 | 8 | 0.1 | 260 | 0.5 | 1 | 1.60 | 30 | 22.0 | 0.8 | 145 | | | | 10 | 6.8.010 |
| 13L | 783299 | 20 | 523529 | 6088217 | ANRS | 1-5 | 25 | 00 | M | | BN | | | 82 | 18 | 1 | 13 | 6 | 0.1 | 200 | 0.5 | 1 | 1.50 | 40 | 31.6 | 0.6 | 75 | | | | 10 | 6.7.010 |
| 13L | 783300 | 20 | 527356 | 6087777 | ANRS | POND | 4 | 00 | M | | BN | | | 84 | 12 | 1 | 16 | 8 | 0.1 | 110 | 0.5 | 1 | 0.85 | 30 | 32.6 | 0.5 | 90 | | | | 10 | 6.8.010 |
| 13L | 783302 | 20 | 530300 | 6088600 | ANRS | 1-5 | 10 | 70 | M | | BN | | | 56 | 18 | 1 | 17 | 9 | 0.1 | 100 | 0.5 | 1 | 0.90 | 50 | 22.6 | 0.6 | 125 | | | | 10 | 6.6.070 |
| 13L | 783303 | 20 | 530200 | 6089800 | ANRS | 1-5 | 40 | 10 | M | | BN | | | 78 | 12 | 1 | 12 | 10 | 0.1 | 190 | 0.5 | 1 | 1.90 | 50 | 24.0 | 0.4 | 100 | | | | 10 | 6.6.070 |
| 13L | 783304 | 20 | 530200 | 6089800 | ANRS | 1-5 | 40 | 20 | M | | BN | | | 74 | 14 | 1 | 14 | 9 | 0.1 | 180 | 0.5 | 1 | 1.80 | 60 | 27.6 | 0.5 | 100 | | | | 10 | 6.7.010 |
| 13L | 783305 | 20 | 534000 | 6088300 | ANRS | POND | 15 | 00 | M | | BN | | | 76 | 14 | 1 | 16 | 9 | 0.1 | 80 | 0.5 | 1 | 0.80 | 90 | 38.6 | 0.4 | 80 | | | | 10 | 6.8.040 |
| 13L | 783306 | 20 | 549184 | 6088283 | ANRS | POND | 2 | 00 | H | | BN | | | 22 | 8 | 2 | 18 | 6 | 0.1 | 80 | 0.5 | 1 | 1.10 | 40 | 14.0 | 0.3 | 100 | | | | 10 | 6.7.220 |
| 13L | 783308 | 20 | 547165 | 6092050 | ANRS | POND | 2 | 00 | H | | BN | | | 30 | 10 | 4 | 14 | 6 | 0.1 | 70 | 0.5 | 1 | 1.20 | 50 | 22.4 | 0.4 | 95 | | | | 10 | 7.0.050 |
| 13L | 783309 | 20 | 548656 | 6094353 | ANRS | POND | 20 | 00 | H | | BN | | | 20 | 12 | 1 | 9 | 2 | 0.1 | 30 | 0.5 | 1 | 0.40 | 50 | 35.2 | 0.1 | 40 | | | | 10 | 6.4.005 |
| 13L | 783310 | 20 | 455786 | 6052096 | GRNL | LT 1 | 14 | 00 | M | | BN | | | 310 | 12 | 1 | 8 | 4 | 0.1 | 40 | 0.5 | 2 | 0.45 | 40 | 48.0 | 0.6 | 70 | | | | 22 | 6.7.110 |
| 13L | 783311 | 20 | 455219 | 6054400 | GRNL | 1-5 | 8 | 00 | M | | BN | | | 210 | 6 | 1 | 4 | 2 | 0.1 | 45 | 0.5 | 1 | 0.30 | 30 | 33.8 | 0.1 | 40 | | | | 32 | 6.7.030 |
| 13L | 783312 | 20 | 453987 | 6059130 | GRNL | GT 5 | 12 | 00 | M | | BN | | | 250 | 10 | 1 | 9 | 8 | 0.1 | 160 | 0.5 | 1 | 1.70 | 30 | 23.0 | 0.6 | | | | | | |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

| MAP | ID | UTM COORDINATS | | | ROCK TYPE | LAKE AREA | SMP DTH | RP ST | R C | | SMPL S | P | ZN | CU | PB | NI | CO | AG | MN | AS | MO | FE | HG | LOI | U | F | V | CD | F-W | PH | U-W |
|-----|--------|----------------|--------|---------|-----------|-----------|---------|-------|-----|--|--------|---|-----|----|----|----|----|-----|-----|-----|----|------|-----|------|-----|-----|---|----|-----|---------|-----|
| | | L | N | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13L | 783322 | 20 | 459007 | 6052538 | GRNL | LT 1 | 14 | 00 | M | | BN | | 34 | 8 | 1 | 5 | 4 | 0.1 | 55 | 0.5 | 2 | 0.60 | 30 | 31.8 | 0.4 | 55 | | | 26 | 6.7.060 | |
| 13L | 783323 | 20 | 459018 | 6049355 | GRNL | POND | 7 | 00 | M | | BN | | 40 | 12 | 1 | 9 | 2 | 0.1 | 30 | 0.5 | 1 | 0.30 | 40 | 44.6 | 0.3 | 55 | | | 20 | 5.8.050 | |
| 13L | 783324 | 20 | 462111 | 6049399 | GRNL | POND | 7 | 00 | M | | BN | | 40 | 10 | 2 | 7 | 2 | 0.1 | 40 | 0.5 | 1 | 0.50 | 40 | 44.4 | 0.1 | 60 | | | 22 | 6.6.060 | |
| 13L | 783325 | 20 | 461654 | 6051459 | GRNL | GT 5 | 17 | 00 | M | | GY | | 58 | 10 | 1 | 5 | 2 | 0.1 | 40 | 0.5 | 3 | 0.85 | 50 | 19.6 | 1.7 | 90 | | | 20 | 6.8.070 | |
| 13L | 783326 | 20 | 462311 | 6054655 | GRNL | POND | 5 | 00 | M | | BN | | 34 | 16 | 1 | 10 | 4 | 0.1 | 75 | 0.5 | 1 | 0.85 | 40 | 30.0 | 0.2 | 60 | | | 30 | 6.6.090 | |
| 13L | 783327 | 20 | 462504 | 6058571 | GRNL | POND | 5 | 00 | M | | BN | | 28 | 6 | 1 | 4 | 4 | 0.1 | 50 | 0.5 | 2 | 1.10 | 40 | 34.0 | 0.3 | 45 | | | 36 | 6.4.100 | |
| 13L | 783328 | 20 | 464908 | 6059065 | GRNL | POND | 7 | 00 | M | | BN | | 50 | 14 | 1 | 11 | 6 | 0.1 | 75 | 0.5 | 2 | 1.20 | 40 | 27.2 | 0.3 | 85 | | | 50 | 6.3.050 | |
| 13L | 783329 | 20 | 480369 | 6057334 | QZMZ | POND | 20 | 00 | M | | BN | | 52 | 12 | 1 | 8 | 6 | 0.1 | 180 | 0.5 | 1 | 1.90 | 30 | 11.2 | 0.7 | 235 | | | 10 | 6.5.040 | |
| 13L | 783330 | 20 | 477264 | 6053549 | QZMZ | POND | 12 | 00 | M | | BN | | 26 | 12 | 1 | 11 | 4 | 0.1 | 20 | 0.5 | 1 | 0.30 | 30 | 25.4 | 0.3 | 50 | | | 36 | 6.9.110 | |
| 13L | 783331 | 20 | 475733 | 6054899 | QZMZ | POND | 7 | 00 | M | | BN | | 30 | 8 | 1 | 6 | 4 | 0.1 | 100 | 0.5 | 1 | 2.50 | 40 | 32.4 | 0.2 | 45 | | | 20 | 6.5.030 | |
| 13L | 783332 | 20 | 470473 | 6053073 | GRNL | 1-5 | 16 | 70 | M | | BN | | 68 | 26 | 1 | 10 | 4 | 0.1 | 50 | 0.5 | 1 | 1.20 | 40 | 61.8 | 2.1 | 45 | | | 10 | 6.2.030 | |
| 13L | 783333 | 20 | 469340 | 6052941 | GRNL | POND | 7 | 10 | M | | BN | | 46 | 12 | 1 | 7 | 3 | 0.1 | 30 | 0.5 | 1 | 0.40 | 40 | 44.6 | 0.2 | 55 | | | 20 | 5.8.070 | |
| 13L | 783334 | 20 | 469340 | 6052941 | GRNL | POND | 7 | 20 | M | | BN | | 46 | 12 | 1 | 7 | 3 | 0.1 | 30 | 0.5 | 1 | 0.40 | 30 | 43.0 | 0.2 | 55 | | | 20 | 5.9.040 | |
| 13L | 783335 | 20 | 466583 | 6052904 | GRNL | POND | 7 | 00 | M | | BN | | 26 | 4 | 1 | 6 | 2 | 0.1 | 20 | 0.5 | 2 | 0.60 | 20 | 24.0 | 0.6 | 40 | | | 34 | 6.6.070 | |
| 13L | 783337 | 20 | 466350 | 6056752 | GRNL | POND | 10 | 00 | M | | BN | | 30 | 8 | 1 | 8 | 3 | 0.1 | 30 | 0.5 | 1 | 0.30 | 30 | 25.0 | 1.1 | 75 | | | 140 | 6.8.050 | |
| 13L | 783338 | 20 | 490117 | 6060753 | QZMZ | POND | 8 | 00 | M | | BN | | 46 | 10 | 1 | 4 | 2 | 0.1 | 85 | 0.5 | 1 | 0.50 | 50 | 23.4 | 0.3 | 50 | | | 20 | 6.6.080 | |
| 13L | 783339 | 20 | 493853 | 6062551 | ANRS | 1-5 | 28 | 00 | M | | BN | | 90 | 14 | 1 | 6 | 6 | 0.1 | 340 | 0.5 | 1 | 2.85 | 80 | 32.8 | 0.4 | 60 | | | 10 | 6.8.040 | |
| 13L | 783340 | 20 | 498381 | 6067020 | ANRS | POND | 7 | 00 | M | | BN | | 42 | 8 | 1 | 6 | 4 | 0.1 | 30 | 0.5 | 1 | 0.70 | 50 | 28.6 | 0.4 | 40 | | | 20 | 6.7.100 | |
| 13L | 783342 | 20 | 497389 | 6069351 | ANRS | 1-5 | 16 | 00 | M | | BN | | 114 | 16 | 1 | 10 | 8 | 0.1 | 320 | 0.5 | 3 | 3.30 | 60 | 25.8 | 0.5 | 125 | | | 20 | 6.7.080 | |
| 13L | 783343 | 20 | 494123 | 6067519 | ANRS | POND | 8 | 00 | M | | BN | | 52 | 8 | 1 | 7 | 6 | 0.1 | 100 | 0.5 | 1 | 0.90 | 50 | 34.6 | 0.6 | 70 | | | 20 | 6.9.040 | |
| 13L | 783344 | 20 | 492246 | 6067307 | ANRS | POND | 5 | 00 | M | | BN | | 64 | 10 | 1 | 8 | 6 | 0.1 | 80 | 0.5 | 1 | 0.80 | 50 | 34.0 | 0.4 | 100 | | | 20 | 6.7.070 | |
| 13L | 783345 | 20 | 492239 | 6068959 | ANRS | POND | 11 | 00 | M | | BN | | 72 | 14 | 1 | 8 | 8 | 0.1 | 210 | 0.5 | 3 | 1.70 | 40 | 18.6 | 0.6 | 170 | | | 22 | 6.9.030 | |
| 13L | 783346 | 20 | 493749 | 6070963 | ANRS | LT 1 | 10 | 00 | M | | BN | | 62 | 14 | 2 | 12 | 5 | 0.1 | 90 | 0.5 | 1 | 0.70 | 60 | 44.0 | 0.6 | 115 | | | 20 | 6.8.050 | |
| 13L | 783347 | 20 | 492435 | 6072671 | ANRS | LT 1 | 15 | 00 | M | | BN | | 76 | 18 | 1 | 12 | 9 | 0.1 | 80 | 0.5 | 1 | 1.00 | 70 | 57.2 | 0.5 | 50 | | | 20 | 6.7.040 | |
| 13L | 783348 | 20 | 493498 | 6074887 | ANRS | POND | 22 | 00 | M | | BN | | 86 | 16 | 1 | 10 | 9 | 0.1 | 210 | 0.5 | 2 | 2.00 | 60 | 23.2 | 1.0 | 170 | | | 42 | 6.8.040 | |
| 13L | 783349 | 20 | 496669 | 6077013 | ANRS | POND | 15 | 00 | M | | BN | | 62 | 16 | 1 | 10 | 5 | 0.1 | 45 | 0.5 | 1 | 1.20 | 80 | 36.0 | 0.9 | 95 | | | 30 | 6.7.040 | |
| 13L | 783350 | 20 | 495402 | 6081941 | ANRS | POND | 11 | 00 | M | | BN | | 82 | 26 | 1 | 12 | 11 | 0.1 | 50 | 0.5 | 1 | 2.30 | 100 | 29.2 | 2.1 | 280 | | | 30 | 6.7.050 | |
| 13L | 783351 | 20 | 493594 | 6083429 | ANRS | POND | 15 | 00 | M | | BN | | 70 | 16 | 1 | 8 | 6 | 0.1 | 70 | 0.5 | 2 | 1.20 | 40 | 25.0 | 1.0 | 145 | | | 60 | 6.7.030 | |
| 13L | 783352 | 20 | 497061 | 6085105 | ANRS | POND | 7 | 00 | M | | BN | | 28 | 10 | 1 | 6 | 4 | 0.1 | 30 | 0.5 | 1 | 0.40 | 40 | 27.8 | 1.1 | 95 | | | 68 | 6.7.040 | |
| 13L | 783353 | 20 | 502583 | 6085319 | ANRS | POND | 7 | 00 | M | | BN | | 22 | 14 | 1 | 7 | 2 | 0.1 | 20 | 0.5 | 1 | 0.30 | 50 | 25.6 | 0.9 | 60 | | | 42 | 6.7.030 | |
| 13L | 783354 | 20 | 505897 | 6084584 | ANRS | POND | 5 | 00 | M | | BN | | 54 | 10 | 1 | 6 | 4 | 0.1 | 80 | 0.5 | 1 | 0.80 | 50 | 21.6 | 0.8 | 100 | | | 44 | 7.0.010 | |
| 13L | 783355 | 20 | 514930 | 6093613 | ANRS | POND | 16 | 00 | M | | BN | | 42 | 10 | 1 | 6 | 4 | 0.1 | 50 | 0.5 | 1 | 0.45 | 40 | 38.6 | 0.8 | 70 | | | 20 | 6.9.020 | |
| 13L | 783356 | 20 | 511745 | 6093069 | ANRS | GT 5 | 20 | 00 | M | | BN | | 66 | 14 | 2 | 10 | 9 | 0.1 | 190 | 0.5 | 2 | 1.60 | 50 | 25.8 | 0.9 | 120 | | | 20 | 6.9.040 | |
| 13L | 783357 | 20 | 509095 | 6088881 | ANRS | POND | 10 | 70 | M | | BN | | 70 | 18 | 1 | 8 | 6 | 0.1 | 90 | 0.5 | 2 | 3.95 | 80 | 59.0 | 0.3 | 80 | | | 20 | 6.4.010 | |
| 13L | 783359 | 20 | 508244 | 6088904 | ANRS | POND | 8 | 10 | M | | BN | | 52 | 16 | 2 | 12 | 4 | 0.1 | 60 | 0.5 | 1 | 0.60 | 70 | 42.4 | 0.5 | 95 | | | 10 | 6.6.040 | |
| 13L | 783360 | 20 | 508244 | 6088904 | ANRS | POND | 8 | 20 | M | | BN | | 60 | 18 | 1 | 13 | 6 | 0.1 | 60 | 0.5 | 1 | 0.50 | 60 | 80.0 | 0.6 | 65 | | | 22 | 6.6.050 | |
| 13L | 783362 | 20 | 508970 | 6091736 | ANRS | POND | 8 | 00 | M | | BN | | 68 | 20 | 2 | 12 | 4 | 0.1 | 55 | 0.5 | 1 | 0.50 | 70 | 63.2 | 0.5 | 75 | | | 20 | 6.5.070 | |
| 13L | 783363 | 20 | 506119 | 6089350 | ANRS | POND | 24 | 70 | M | | BN | | 78 | 12 | 1 | 9 | 6 | 0.1 | 145 | 0.5 | 1 | 1.10 | 50 | 32.4 | 0.7 | 85 | | | 24 | 6.8.050 | |
| 13L | 783364 | 20 | 504831 | 6088714 | ANRS | POND | 9 | 10 | M | | BN | | 50 | 12 | 1 | 6 | 4 | 0.1 | 30 | 0.5 | 2 | 0.30 | 40 | 34.0 | 0.6 | 40 | | | 24 | 6.8.050 | |
| 13L | 783365 | 20 | 504831 | 6088714 | ANRS | POND | 9 | 20 | M | | BN | | 52 | 12 | 1 | 6 | 4 | 0.1 | 20 | 0.5 | 2 | 0.30 | 40 | 35.2 | 0.6 | 55 | | | 20 | 6.9.040 | |
| 13L | 783366 | 20 | 503014 | 6087318 | ANRS | POND | 23 | 00 | M | | BN | | 88 | 16 | 1 | 6 | 7 | 0.1 | 165 | 0.5 | 3 | 1.65 | 50 | 33.0 | 0.7 | 95 | | | 26 | 6.6.040 | |
| 13L | 783367 | 20 | 504197 | 6091146 | ANRS | LT 1 | 12 | 00 | M | | BN | | 56 | 10 | 1 | 7 | 4 | 0.1 | 105 | 0.5 | 1 | 0.50 | 40 | 29.6 | 0.8 | 85 | | | 40 | 6.9.020 | |
| 13L | 783368 | 20 | 501350 | 6091034 | ANRS | 1-5 | 55 | 00 | M | | BN | | 100 | 14 | 1 | 8 | 10 | 0.1 | 280 | 1.0 | 2 | 2.60 | 60 | 30.6 | 1.3 | 125 | | | 20 | 6.8.050 | |
| 13L | 783370 | 20 | 498423 | 6089011 | ANRS | POND | 5 | 00 | M | | BN | | 70 | 14 | 5 | 10 | 9 | 0.1 | 350 | 0.5 | 1 | 1.70 | 30 | 141 | | | | | | | |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

| MAP | ID | UTM COORDINATS | | | ROCK TYPE | LAKE AREA | SMP DTH | RP ST | R C E O | | SMPL COLOR | S U S P | ZN | CU | PB | NI | CO | AG | MN | AS | MO | FE | HG | LOI | U | F | V | CD | F-W | PH | U-W | |
|-----|--------|----------------|--------|---------|-----------|-----------|---------|-------|---------|---|------------|---------|-----|----|----|----|----|-----|------|-----|----|-------|-----|------|------|-----|-----|-----|-----|-----|-----|------|
| | | ZN | EAST | NORTH | | | | | L | N | | | | | | | | | | | | | | | | | | | | | | |
| 13L | 783377 | 20 | 473811 | 6088024 | QZMZ | GT 5 | 12 | 00 | M | | BN | | 76 | 28 | 2 | 14 | 6 | 0.1 | 165 | 0.5 | 8 | 1.80 | 70 | 45.0 | 2.1 | 275 | | | | 130 | 6.6 | .070 |
| 13L | 783378 | 20 | 474400 | 6085606 | QZMZ | GT 5 | 15 | 00 | M | | BN | | 52 | 20 | 2 | 12 | 4 | 0.1 | 120 | 0.5 | 3 | 1.00 | 60 | 48.8 | 1.5 | 135 | | | | 110 | 6.4 | .070 |
| 13L | 783379 | 20 | 469900 | 6085100 | QZMZ | 1-5 | 5 | 00 | L | | BN | | 76 | 22 | 1 | 12 | 10 | 0.1 | 170 | 0.5 | 2 | 1.20 | 50 | 27.6 | 2.4 | 125 | | | | 200 | 6.7 | .120 |
| 13L | 783380 | 20 | 473310 | 6081592 | QZMZ | LT 1 | 7 | 00 | M | | BN | | 56 | 22 | 1 | 12 | 6 | 0.1 | 110 | 0.5 | 2 | 0.80 | 50 | 31.6 | 0.9 | 140 | | | | 46 | 6.5 | .060 |
| 13L | 783382 | 20 | 470641 | 6081166 | QZMZ | GT 5 | 10 | 00 | M | | BN | | 118 | 30 | 1 | 18 | 20 | 0.1 | 380 | 0.5 | 4 | 2.40 | 60 | 33.4 | 1.5 | 300 | | | | 48 | 6.6 | .090 |
| 13L | 783383 | 20 | 470572 | 6077826 | QZMZ | POND | 1 | 00 | L | | BN | | 60 | 16 | 1 | 8 | 5 | 0.1 | 330 | 0.5 | 2 | 1.40 | 90 | 52.6 | 0.8 | 130 | | | | 22 | 6.6 | .030 |
| 13L | 783384 | 20 | 471356 | 6074203 | QZMZ | LT 1 | 8 | 00 | M | | BN | | 40 | 14 | 1 | 6 | 4 | 0.1 | 40 | 0.5 | 2 | 0.70 | 50 | 33.4 | 1.0 | 60 | | | | 24 | 6.5 | .060 |
| 13L | 783385 | 20 | 476119 | 6073224 | QZMZ | POND | 5 | 00 | M | | BN | | 30 | 10 | 1 | 8 | 2 | 0.1 | 10 | 0.5 | 1 | 0.30 | 50 | 21.2 | 0.6 | 70 | | | | 30 | 6.6 | .040 |
| 13L | 783386 | 20 | 482351 | 6069976 | ANRS | LT 1 | 12 | 00 | M | | BN | | 62 | 16 | 1 | 10 | 8 | 0.1 | 90 | 0.5 | 3 | 1.25 | 70 | 43.6 | 0.5 | 130 | | | | 20 | 6.6 | .040 |
| 13L | 783387 | 20 | 479432 | 6071409 | QZMZ | POND | 7 | 00 | M | | BN | | 100 | 8 | 1 | 6 | 5 | 0.1 | 85 | 0.5 | 12 | 2.20 | 60 | 39.0 | 0.8 | 100 | | | | 24 | 6.6 | .040 |
| 13L | 783389 | 20 | 474163 | 6077625 | QZMZ | POND | 5 | 00 | M | | BN | | 60 | 12 | 2 | 8 | 4 | 0.1 | 125 | 0.5 | 4 | 0.85 | 60 | 32.2 | 0.4 | 100 | | | | 22 | 6.6 | .010 |
| 13L | 783390 | 20 | 475707 | 6078028 | QZMZ | POND | 5 | 00 | M | | BN | | 70 | 14 | 1 | 8 | 6 | 0.2 | 150 | 0.5 | 2 | 1.10 | 60 | 31.2 | 0.4 | 135 | | | | 30 | 6.6 | .010 |
| 13L | 783391 | 20 | 475892 | 6081493 | QZMZ | GT 5 | 8 | 00 | M | | BN | | 138 | 14 | 1 | 9 | 11 | 0.1 | 310 | 0.5 | 5 | 2.20 | 50 | 20.0 | 1.1 | 350 | | | | 36 | 6.7 | .050 |
| 13L | 783392 | 20 | 477843 | 6085643 | ANRS | 1-5 | 90 | 00 | M | | BN | | 70 | 22 | 1 | 10 | 6 | 0.1 | 250 | 0.5 | 5 | 1.35 | 50 | 31.0 | 2.1 | 280 | | | | 82 | 6.7 | .020 |
| 13L | 783393 | 20 | 479186 | 6087542 | ANRS | GT 5 | 11 | 00 | M | | BN | | 62 | 42 | 2 | 17 | 8 | 0.1 | 150 | 0.5 | 3 | 1.30 | 20 | 15.0 | 0.3 | 410 | | | | 52 | 6.6 | .010 |
| 13L | 783394 | 20 | 476679 | 6091699 | ANRS | POND | 10 | 00 | M | | BN | | 64 | 32 | 1 | 19 | 7 | 0.1 | 90 | 0.5 | 2 | 0.95 | 60 | 39.4 | 3.3 | 175 | | | | 26 | 6.3 | .050 |
| 13L | 783395 | 20 | 477246 | 6089059 | ANRS | POND | 16 | 70 | M | | BN | | 42 | 22 | 2 | 12 | 3 | 0.1 | 35 | 0.5 | 1 | 1.20 | 60 | 43.4 | 1.0 | 150 | | | | 76 | 6.1 | .005 |
| 13L | 783396 | 20 | 477969 | 6088327 | ANRS | POND | 15 | 10 | M | | BN | | 56 | 24 | 2 | 13 | 8 | 0.1 | 75 | 0.5 | 5 | 0.95 | 70 | 47.6 | 1.5 | 230 | | | | 160 | 6.7 | .070 |
| 13L | 783397 | 20 | 477969 | 6088327 | ANRS | POND | 15 | 20 | M | | BN | | 58 | 22 | 2 | 13 | 8 | 0.1 | 80 | 0.5 | 5 | 1.05 | 70 | 48.0 | 3.4 | 210 | | | | 150 | 6.7 | .090 |
| 13L | 783398 | 20 | 480624 | 6093144 | ANRS | GT 5 | 26 | 00 | M | | BN | | 64 | 20 | 1 | 8 | 6 | 0.1 | 165 | 0.5 | 3 | 1.40 | 60 | 27.2 | 3.5 | 170 | | | | 52 | 6.5 | .050 |
| 13L | 821002 | 20 | 498757 | 6002098 | AUWR | 1-5 | 20 | 00 | M | | BN | | 130 | 17 | 1 | 10 | 10 | 0.1 | 885 | 5.5 | 14 | 5.00 | 70 | 24.2 | 9.8 | 200 | 110 | 0.2 | | 44 | 7.0 | .04 |
| 13L | 821003 | 20 | 501593 | 6002887 | AUWR | 1-5 | 10 | 10 | M | | TN | | 112 | 25 | 3 | 14 | 2 | 0.1 | 73 | 1.0 | 3 | 0.80 | 100 | 49.2 | 5.7 | 80 | 15 | 0.1 | | 58 | 7.0 | .03 |
| 13L | 821004 | 20 | 501593 | 6002887 | AUWR | 1-5 | 10 | 20 | M | | TN | | 100 | 18 | 2 | 11 | 2 | 0.1 | 70 | 0.5 | 2 | 0.40 | 70 | 45.8 | 5.0 | 80 | 10 | 0.3 | | 58 | 7.0 | .04 |
| 13L | 821005 | 20 | 505093 | 6003210 | NHWS | LT 1 | 10 | 00 | M | | BN | | 72 | 14 | 1 | 8 | 1 | 0.1 | 30 | 0.5 | 3 | 0.25 | 80 | 38.2 | 4.8 | 70 | 15 | 0.2 | | 56 | 7.2 | .03 |
| 13L | 821006 | 20 | 510283 | 6002207 | NHWS | LT 1 | 60 | 00 | H | | BN | | 142 | 50 | 1 | 10 | 6 | 0.2 | 495 | 8.0 | 13 | 3.60 | 130 | 27.4 | 14.3 | 220 | 170 | 0.2 | | 60 | 6.9 | .05 |
| 13L | 821007 | 20 | 509638 | 5998825 | NHWS | LT 1 | 10 | 00 | H | | TN | | 88 | 21 | 1 | 10 | 9 | 0.1 | 78 | 3.5 | 11 | 1.70 | 90 | 33.8 | 14.5 | 150 | 90 | 0.2 | | 140 | 7.3 | .24 |
| 13L | 821008 | 20 | 513112 | 5999007 | NHWS | LT 1 | 40 | 00 | H | | BN | | 83 | 51 | 1 | 10 | 7 | 0.2 | 338 | 8.0 | 3 | 0.95 | 80 | 24.6 | 20.3 | 140 | 100 | 0.2 | | 140 | 7.1 | .08 |
| 13L | 821009 | 20 | 512567 | 5996438 | NHWS | 1-5 | 70 | 00 | H | | TN | | 108 | 19 | 2 | 9 | 10 | 0.1 | 1680 | 5.0 | 4 | 3.20 | 100 | 16.8 | 11.3 | 300 | 100 | 0.1 | | 110 | 7.0 | .04 |
| 13L | 821010 | 20 | 516735 | 5991515 | NHWS | LT 1 | 21 | 00 | H | | BN | | 175 | 25 | 1 | 10 | 14 | 0.1 | 830 | 4.5 | 22 | 10.00 | 110 | 29.4 | 12.7 | 370 | 105 | 0.4 | | 86 | 6.6 | .05 |
| 13L | 821011 | 20 | 516940 | 5987995 | NHWS | LT 1 | 25 | 00 | H | | TN | | 68 | 12 | 2 | 7 | 5 | 0.1 | 115 | 1.5 | 3 | 0.60 | 70 | 30.0 | 6.4 | 140 | 35 | 0.2 | | 160 | 7.0 | .03 |
| 13L | 821012 | 20 | 516322 | 5986144 | NHWS | 1-5 | 30 | 00 | H | | BN | | 100 | 21 | 2 | 8 | 9 | 0.1 | 440 | 4.5 | 6 | 2.50 | 90 | 27.4 | 6.6 | 170 | 60 | 0.1 | | 120 | 7.0 | .03 |
| 13L | 821013 | 20 | 521136 | 5984971 | HUGB | 1-5 | 12 | 00 | H | | BN | | 400 | 22 | 32 | 9 | 11 | 0.1 | 725 | 2.0 | 20 | 7.90 | 80 | 30.2 | 10.2 | 500 | 60 | 0.6 | | 100 | 6.5 | .01 |
| 13L | 821014 | 20 | 524416 | 5984285 | HUGB | LT 1 | 19 | 00 | H | | BN | | 190 | 12 | 8 | 5 | 2 | 0.1 | 100 | 0.5 | 5 | 0.80 | 80 | 28.8 | 2.4 | 140 | 20 | 0.5 | | 130 | 6.5 | .01 |
| 13L | 821015 | 20 | 528199 | 5984071 | HUGB | 1-5 | 13 | 00 | H | | BN | | 128 | 12 | 1 | 7 | 5 | 0.1 | 250 | 0.5 | 7 | 3.35 | 80 | 25.4 | 3.2 | 180 | 35 | 0.2 | | 100 | 6.6 | .01 |
| 13L | 821016 | 20 | 532022 | 5985351 | HUGB | 1-5 | 5 | 00 | H | | TN | | 83 | 8 | 2 | 5 | 3 | 0.1 | 58 | 0.5 | 4 | 0.40 | 50 | 31.6 | 3.4 | 110 | 20 | 0.1 | | 140 | 6.8 | .01 |
| 13L | 821017 | 20 | 534889 | 5984648 | HUGB | GT 5 | 25 | 00 | H | | TN BN | | 100 | 18 | 5 | 9 | 11 | 0.1 | 1500 | 2.0 | 6 | 3.10 | 20 | 1.4 | 6.1 | 340 | 30 | 0.2 | | 88 | 6.5 | .01 |
| 13L | 821018 | 20 | 534240 | 5987046 | HUGP | 1-5 | 10 | 00 | H | | BN | | 165 | 15 | 6 | 8 | 18 | 0.1 | 123 | 1.0 | 14 | 3.10 | 90 | 26.2 | 5.4 | 450 | 50 | 0.2 | | 110 | 6.6 | .01 |
| 13L | 821019 | 20 | 529302 | 5989013 | HUGP | LT 1 | 6 | 00 | M | | TN | | 100 | 5 | 10 | 6 | 2 | 0.1 | 98 | 1.0 | 3 | 0.90 | 40 | 8.6 | 2.7 | 240 | 20 | 0.1 | | 220 | 6.8 | .01 |
| 13L | 821022 | 20 | 527071 | 5987210 | HUGP | GT 5 | 40 | 00 | H | | BN | | 335 | 23 | 46 | 7 | 8 | 0.2 | 598 | 0.5 | 8 | 3.40 | 110 | 30.4 | 7.8 | 330 | 35 | 0.6 | | 94 | 6.8 | .03 |
| 13L | 821023 | 20 | 523016 | 5987647 | HUGP | LT 1 | 20 | 10 | H | | BN | | 115 | 16 | 87 | 8 | 1 | 0.1 | 60 | 0.5 | 3 | 0.85 | 100 | 34.6 | 6.7 | 320 | 20 | 0.3 | | 170 | 6.3 | .03 |
| 13L | 821024 | 20 | 523016 | 5987647 | HUGP | LT 1 | 20 | 20 | H | | BN | | 92 | 16 | 83 | 8 | 2 | 0.1 | 63 | 0.5 | 2 | 0.70 | 90 | 33.8 | 6.9 | 280 | 15 | 0 | | | | |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

| MAP | ID | UTM COORDINATS | | | ROCK TYPE | LAKE AREA | SMP DTH | RP ST | R E O L N F T | S M P L C O L O R | S U S P | ZN | CU | PB | NI | CO | AG | MN | AS | MO | FE | HG | LOI | U | F | V | CD | F-W | PH | U-W |
|-----|--------|----------------|--------|---------|-----------|-----------|---------|-------|---------------|-------------------|---------|-----|----|----|----|----|-----|--------|------|----|------|-----|------|------|-----|-----|-----|-----|-----|-----|
| | | ZN | EAST | NORTH | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13L | 821035 | 20 | 518623 | 5996166 | NH17 | LT 1 | 60 | 00 | H | BN | | 42 | 10 | 1 | 6 | 9 | 0.1 | 1800 | 8.5 | 2 | 2.00 | 40 | 3.2 | 4.5 | 230 | 40 | 0.1 | 84 | 7.0 | .01 |
| 13L | 821036 | 20 | 515523 | 5995817 | NHWS | LT 1 | 15 | 00 | H | BN | | 44 | 10 | 1 | 7 | 5 | 0.1 | 185 | 1.5 | 2 | 1.00 | 20 | 4.0 | 5.4 | 280 | 25 | 0.1 | 98 | 6.9 | .03 |
| 13L | 821037 | 20 | 515123 | 5998493 | NH17 | 1-5 | 46 | 00 | H | BN | | 102 | 17 | 1 | 8 | 9 | 0.1 | 755 | 3.5 | 6 | 2.30 | 70 | 14.4 | 10.3 | 280 | 65 | 0.2 | 84 | 6.9 | .01 |
| 13L | 821038 | 20 | 515591 | 6002156 | NHWS | 1-5 | 40 | 00 | H | BN | | 175 | 64 | 1 | 17 | 14 | 0.2 | 1500 | 15.0 | 14 | 5.90 | 70 | 23.8 | 11.9 | 180 | 110 | 0.4 | 76 | 7.0 | .04 |
| 13L | 821039 | 20 | 514324 | 6004196 | NHWS | LT 1 | 27 | 00 | H | BN | | 95 | 31 | 1 | 10 | 6 | 0.2 | 288 | 2.5 | 9 | 2.80 | 60 | 23.8 | 5.2 | 270 | 60 | 0.2 | 74 | 7.0 | .01 |
| 13L | 821040 | 20 | 511762 | 6004777 | NHWS | 1-5 | 20 | 00 | H | TN | | 113 | 27 | 1 | 9 | 6 | 0.1 | 357 | 2.5 | 4 | 1.80 | 50 | 25.8 | 12.6 | 210 | 75 | 0.2 | 72 | 6.9 | .04 |
| 13L | 821042 | 20 | 507972 | 6007772 | NHWS | LT 1 | 10 | 10 | M | BN | | 55 | 9 | 2 | 10 | 5 | 0.1 | 97 | 0.5 | 2 | 0.70 | 50 | 34.8 | 3.5 | 120 | 20 | 0.1 | 48 | 6.9 | .01 |
| 13L | 821043 | 20 | 507972 | 6007772 | NHWS | LT 1 | 10 | 20 | M | BN | | 65 | 11 | 2 | 11 | 6 | 0.1 | 98 | 0.5 | 3 | 0.75 | 50 | 35.0 | 3.2 | 110 | 20 | 0.1 | 52 | 7.0 | .01 |
| 13L | 821044 | 20 | 506875 | 6008128 | NHWS | LT 1 | 8 | 00 | M | BN | | 70 | 16 | 1 | 14 | 4 | 0.1 | 75 | 0.5 | 3 | 0.50 | 60 | 44.4 | 2.2 | 80 | 15 | 0.1 | 44 | 6.5 | .01 |
| 13L | 821046 | 20 | 497449 | 6004907 | AUWR | 1-5 | 42 | 00 | M | BN | | 78 | 15 | 1 | 9 | 3 | 0.1 | 260 | 1.0 | 7 | 1.50 | 30 | 27.2 | 2.4 | 180 | 35 | 0.2 | 48 | 6.8 | .01 |
| 13L | 821047 | 20 | 495643 | 5992207 | PH14 | LT 1 | 12 | 00 | M | 1 TN | | 93 | 13 | 1 | 5 | 3 | 0.1 | 50 | 1.0 | 4 | 0.30 | 50 | 43.6 | 13.8 | 80 | 30 | 0.1 | 96 | 6.6 | .03 |
| 13L | 821048 | 20 | 495586 | 5989495 | AUWR | 1-5 | 10 | 00 | M | TN | | 82 | 11 | 1 | 5 | 1 | 0.1 | 40 | 0.5 | 3 | 0.30 | 70 | 41.4 | 7.6 | 60 | 20 | 0.1 | 92 | 6.7 | .03 |
| 13L | 821049 | 20 | 497600 | 5988365 | AUWR | LT 1 | 6 | 00 | M | TN | | 53 | 12 | 1 | 7 | 2 | 0.1 | 65 | 1.0 | 2 | 0.45 | 60 | 30.2 | 7.0 | 90 | 15 | 0.2 | 150 | 6.9 | .05 |
| 13L | 821050 | 20 | 499897 | 5985391 | AUWR | LT 1 | 7 | 00 | M | BN | | 90 | 12 | 2 | 5 | 3 | 0.1 | 62 | 0.5 | 3 | 0.70 | 70 | 40.0 | 9.3 | 100 | 25 | 0.2 | 120 | 6.6 | .03 |
| 13L | 821051 | 20 | 502179 | 5984374 | AUWR | LT 1 | 27 | 00 | M | BN | | 130 | 15 | 5 | 8 | 4 | 0.2 | 188 | 1.5 | 5 | 3.10 | 80 | 28.2 | 6.8 | 230 | 50 | 0.3 | 110 | 6.7 | .03 |
| 13L | 821052 | 20 | 513471 | 6015826 | AUWR | LT 1 | 25 | 00 | H | BN | | 78 | 14 | 1 | 11 | 5 | 0.1 | 175 | 0.5 | 3 | 0.80 | 50 | 36.4 | 9.7 | 80 | 35 | 0.3 | 56 | 6.6 | .01 |
| 13L | 821053 | 20 | 518058 | 6016376 | PH11 | LT 1 | 30 | 00 | H | BN | | 75 | 56 | 4 | 9 | 3 | 0.3 | 105 | 0.5 | 3 | 0.65 | 150 | 48.8 | 2.4 | 120 | 35 | 0.1 | 34 | 6.4 | .01 |
| 13L | 821054 | 20 | 521390 | 6018732 | NHWK | 1-5 | 32 | 00 | H | BN | | 100 | 26 | 2 | 9 | 6 | 0.1 | 300 | 1.5 | 4 | 2.10 | 70 | 33.2 | 7.0 | 130 | 55 | 0.1 | 46 | 7.0 | .01 |
| 13L | 821055 | 20 | 524826 | 6017543 | NHWK | LT 1 | 10 | 00 | H | TN | | 95 | 25 | 5 | 15 | 7 | 0.2 | 110 | 0.5 | 3 | 0.70 | 80 | 32.6 | 4.2 | 180 | 20 | 0.2 | 36 | 6.9 | .03 |
| 13L | 821056 | 20 | 527325 | 6018163 | VNHW | 1-5 | 6 | 00 | H | BN | | 58 | 20 | 1 | 14 | 4 | 0.1 | 54 | 0.5 | 1 | 0.45 | 80 | 31.2 | 1.6 | 100 | 10 | 0.2 | 32 | 6.8 | .01 |
| 13L | 821057 | 20 | 531923 | 6017043 | NHWS | 1-5 | 12 | 00 | H | BN | | 135 | 20 | 1 | 11 | 9 | 0.1 | 510 | 0.5 | 7 | 2.30 | 70 | 34.4 | 2.6 | 100 | 40 | 0.4 | 32 | 7.0 | .01 |
| 13L | 821058 | 20 | 534689 | 6017807 | NHWS | 1-5 | 35 | 00 | H | BN | | 175 | 55 | 3 | 24 | 23 | 0.3 | 530 | 2.5 | 13 | 3.70 | 120 | 37.2 | 6.7 | 160 | 45 | 0.5 | 30 | 7.1 | .01 |
| 13L | 821059 | 20 | 535517 | 6019556 | NHWS | LT 1 | 24 | 00 | H | BN | | 168 | 39 | 1 | 23 | 29 | 0.1 | 5400 | 1.5 | 16 | 4.40 | 100 | 32.4 | 6.4 | 120 | 40 | 0.3 | 32 | 7.0 | .01 |
| 13L | 821060 | 20 | 535131 | 6023909 | NHWS | GT 5 | 72 | 00 | H | BN | | 165 | 66 | 1 | 13 | 19 | 0.3 | 3500 | 3.0 | 3 | 5.00 | 90 | 26.0 | 4.2 | 180 | 45 | 0.4 | 24 | 6.9 | .01 |
| 13L | 821062 | 20 | 534477 | 6029351 | VNHW | LT 1 | 31 | 00 | H | BN | | 150 | 28 | 1 | 13 | 15 | 0.2 | 763 | 2.5 | 6 | 4.20 | 80 | 37.6 | 18.3 | 100 | 75 | 0.2 | 22 | 7.1 | .03 |
| 13L | 821063 | 20 | 535609 | 6031008 | VNHW | 1-5 | 53 | 00 | H | TN | | 165 | 43 | 3 | 22 | 15 | 0.3 | 1030 | 2.0 | 3 | 4.30 | 80 | 27.6 | 5.8 | 250 | 55 | 0.2 | 10 | 7.1 | .01 |
| 13L | 821064 | 20 | 535745 | 6034393 | VNHW | 1-5 | 40 | 00 | H | BN | | 150 | 47 | 1 | 14 | 14 | 0.2 | 1830 | 1.0 | 3 | 2.95 | 120 | 45.6 | 2.5 | 110 | 40 | 0.3 | 10 | 6.9 | .01 |
| 13L | 821065 | 20 | 530849 | 6035604 | NHWK | GT 5 | 21 | 00 | M | BN | | 178 | 19 | 1 | 16 | 18 | 0.1 | 4500 | 5.0 | 8 | 6.10 | 40 | 31.8 | 3.9 | 170 | 105 | 0.2 | 10 | 6.8 | .01 |
| 13L | 821066 | 20 | 530623 | 6037625 | NHWK | LT 1 | 6 | 10 | M | TN | | 95 | 14 | 1 | 15 | 6 | 0.1 | 93 | 1.0 | 3 | 0.60 | 40 | 29.6 | 4.3 | 120 | 40 | 0.1 | 20 | 6.9 | .03 |
| 13L | 821067 | 20 | 530623 | 6037625 | NHWK | LT 1 | 6 | 20 | M | TN | | 100 | 15 | 1 | 14 | 5 | 0.1 | 80 | 1.0 | 2 | 0.65 | 50 | 30.6 | 4.8 | 110 | 40 | 0.1 | 22 | 7.1 | .01 |
| 13L | 821069 | 20 | 527789 | 6038462 | NHWK | LT 1 | 17 | 00 | M | TN BN | | 68 | 8 | 1 | 7 | 3 | 0.1 | 72 | 2.5 | 1 | 0.30 | 40 | 30.4 | 4.9 | 80 | 50 | 0.1 | 32 | 7.2 | .04 |
| 13L | 821070 | 20 | 525272 | 6038007 | NHWK | LT 1 | 8 | 00 | M | TN BN | | 58 | 8 | 1 | 7 | 2 | 0.1 | 43 | 0.5 | 2 | 0.70 | 30 | 29.0 | 1.9 | 60 | 40 | 0.1 | 34 | 7.0 | .01 |
| 13L | 821071 | 20 | 519781 | 6038351 | NHWK | LT 1 | 5 | 00 | M | BN | | 93 | 22 | 1 | 21 | 6 | 0.1 | 130 | 0.5 | 3 | 0.95 | 40 | 25.6 | 2.0 | 170 | 20 | 0.1 | 34 | 6.9 | .01 |
| 13L | 821072 | 20 | 521486 | 6035012 | NHWK | 1-5 | 7 | 00 | M | BN | | 56 | 8 | 1 | 12 | 6 | 0.1 | 100 | 1.0 | 2 | 1.20 | 20 | 19.2 | 4.6 | 240 | 50 | 0.1 | 38 | 7.0 | .03 |
| 13L | 821073 | 20 | 524045 | 6034927 | NHWK | LT 1 | 21 | 00 | H | BN | | 60 | 13 | 1 | 11 | 5 | 0.1 | 100 | 1.0 | 2 | 0.55 | 60 | 27.6 | 2.1 | 100 | 75 | 0.1 | 32 | 7.3 | .03 |
| 13L | 821074 | 20 | 527657 | 6034766 | NHWK | LT 1 | 13 | 00 | M | BN | | 85 | 11 | 1 | 12 | 5 | 0.2 | 123 | 0.5 | 2 | 0.65 | 70 | 30.6 | 4.6 | 110 | 70 | 0.1 | 26 | 7.3 | .03 |
| 13L | 821075 | 20 | 525308 | 6032251 | NHWK | 1-5 | 9 | 00 | M | BN | | 80 | 42 | 1 | 15 | 6 | 0.3 | 185 | 6.0 | 5 | 0.70 | 70 | 39.8 | 33.3 | 130 | 370 | 0.2 | 48 | 7.3 | .11 |
| 13L | 821076 | 20 | 526349 | 6028002 | NHWK | 1-5 | 22 | 00 | M | BN | | 200 | 34 | 1 | 22 | 10 | 0.2 | 370 | 2.0 | 4 | 1.60 | 80 | 50.2 | 8.8 | 130 | 220 | 0.1 | 36 | 7.2 | .01 |
| 13L | 821077 | 20 | 523231 | 6027906 | NHWS | LT 1 | 10 | 00 | H | TN | | 70 | 13 | 3 | 17 | 5 | 0.1 | 180 | 0.5 | 2 | 0.75 | 70 | 41.8 | 1.1 | 90 | 40 | 0.1 | 32 | 7.0 | .01 |
| 13L | 821078 | 20 | 520488 | 6026678 | NHWS | 1-5 | 29 | 00 | H | BN | | 80 | 24 | 1 | 12 | 5 | 0.2 | 320 | 2.5 | 3 | 0.90 | 60 | 29.2 | 14.9 | 180 | 150 | 0.2 | 32 | 7.2 | .05 |
| 13L | 821079 | 20 | 519520 | 6024733 | NHWS | LT 1 | 16 | 00 | H | BN | | 57 | 25 | 1 | 8 | 5 | 0.1 | 100 | 1.0 | 3 | 0.50 | 80 | 39.8 | 4.8 | 90 | 25 | 0.1 | 28 | 7.4 | .04 |
| 13L | 821080 | 20 | 523172 | 6024883 | NHWS | 1-5 | 20 | 00 | H | BN BK | | 150 | 22 | 1 | 13 | 16 | 0.1 | 130500 | 50.0 | 13 | 8.40 | | | | | | | | | |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

| MAP | ID | UTM COORDINATS | | | ROCK TYPE | LAKE AREA | SMP DTH | RP ST | R C | | SMPL COLOR | S U | P | ZN | CU | PB | NI | CO | AG | MN | AS | MO | FE | HG | LOI | U | F | V | CD | F-W | PH | U-W |
|-----|--------|----------------|--------|---------|-----------|-----------|---------|-------|-----|--|------------|-----|---|-----|----|----|----|----|-----|-----|-----|----|-------|----|------|------|-----|-------|-----|-----|-----|-----|
| | | E | O | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13L | 821091 | 20 | 512300 | 6019300 | AUWR LT 1 | | 6 00 | H | | | BN | | | 44 | 12 | 1 | 8 | 5 | 0.1 | 70 | 0.5 | 10 | 1.35 | 50 | 17.2 | 12.3 | 200 | 30 | 0.1 | 110 | 6.7 | .13 |
| 13L | 821092 | 20 | 510633 | 6018600 | PH11 LT 1 | | 14 00 | M | | | BN | | | 63 | 9 | 1 | 7 | 4 | 0.1 | 233 | 1.5 | 3 | 1.55 | 50 | 27.8 | 22.5 | 150 | 80 | 0.1 | 78 | 6.8 | .13 |
| 13L | 821093 | 20 | 499449 | 6014245 | NHWS LT 1 | | 3 00 | M | | | GY BN | | | 60 | 7 | 1 | 11 | 10 | 0.1 | 153 | 1.0 | 3 | 1.20 | 40 | 13.8 | 24.6 | 250 | 40 | 0.1 | 46 | 6.8 | .05 |
| 13L | 821094 | 20 | 495249 | 6013572 | AUWR POND | | 5 00 | M | | | GY BN | | | 52 | 7 | 1 | 11 | 5 | 0.1 | 95 | 0.5 | 4 | 1.30 | 30 | 10.0 | 4.7 | 370 | 40 | 0.1 | 54 | 6.8 | .03 |
| 13L | 821095 | 20 | 491530 | 6008608 | AUWR LT 1 | | 3 00 | H | | | BN | | | 33 | 16 | 1 | 10 | 3 | 0.1 | 45 | 0.5 | 2 | 0.30 | 50 | 26.8 | 1.1 | 80 | 20 | 0.1 | 28 | 6.6 | .01 |
| 13L | 821096 | 20 | 485602 | 6014671 | PH14 1-5 | | 9 00 | M | | | BN | | | 58 | 8 | 1 | 13 | 7 | 0.1 | 100 | 0.5 | 4 | 1.35 | 30 | 16.2 | 5.0 | 250 | 30 | 0.1 | 54 | 6.7 | .05 |
| 13L | 821097 | 20 | 485249 | 6017843 | PH14 LT 1 | | 6 00 | H | | | TN BN | | | 44 | 8 | 1 | 12 | 4 | 0.1 | 52 | 0.5 | 3 | 0.40 | 60 | 27.0 | 3.2 | 60 | 10 | 0.1 | 62 | 6.6 | .01 |
| 13L | 821098 | 20 | 485242 | 6021864 | PH14 LT 1 | | 13 00 | M | | | BN | | | 47 | 12 | 1 | 15 | 4 | 0.1 | 40 | 0.5 | 3 | 0.50 | 60 | 49.8 | 1.4 | 60 | 20 | 0.1 | 32 | 6.4 | .01 |
| 13L | 821099 | 20 | 481954 | 6023402 | AUWR LT 1 | | 17 00 | M | | | BN | | | 88 | 20 | 1 | 24 | 9 | 0.1 | 100 | 0.5 | 3 | 1.45 | 70 | 52.0 | 2.8 | 70 | 20 | 0.1 | 44 | 6.6 | .01 |
| 13L | 821100 | 20 | 483915 | 6025836 | AUWR LT 1 | | 4 00 | M | | | BN | | | 100 | 19 | 1 | 22 | 8 | 0.1 | 72 | 0.5 | 2 | 1.90 | 60 | 54.4 | 1.6 | 60 | 15 | 0.1 | 38 | 6.4 | .01 |
| 13L | 821102 | 20 | 485746 | 6029154 | AUWR 1-5 | | 5 10 | M | 1 | | BN | | | 83 | 23 | 1 | 23 | 10 | 0.1 | 130 | 0.5 | 2 | 1.80 | 60 | 49.4 | 2.0 | 110 | 35 | 0.1 | 34 | 6.7 | .03 |
| 13L | 821103 | 20 | 485746 | 6029154 | AUWR 1-5 | | 5 20 | M | 1 | | BN | | | 88 | 18 | 1 | 24 | 10 | 0.1 | 133 | 0.5 | 2 | 1.85 | 70 | 49.0 | 2.2 | 120 | 40 | 0.1 | 30 | 6.8 | .04 |
| 13L | 821104 | 20 | 472652 | 6027727 | AUWR LT 1 | | 5 00 | L | | | BN | | | 53 | 9 | 1 | 19 | 11 | 0.1 | 53 | 0.5 | 1 | 1.60 | 40 | 29.8 | 5.2 | 60 | 20 | 0.1 | 54 | 6.8 | .03 |
| 13L | 821105 | 20 | 467829 | 6022839 | AUWR LT 1 | | 9 00 | L | | | BN BK | | | 120 | 17 | 1 | 23 | 10 | 0.1 | 175 | 0.5 | 5 | 13.60 | 70 | 46.4 | 2.6 | 130 | 90 | 0.1 | 64 | 6.7 | .01 |
| 13L | 821106 | 20 | 468473 | 6022066 | AUWR LT 1 | | 8 00 | L | | | BN | | | 78 | 14 | 1 | 25 | 11 | 0.1 | 100 | 0.5 | 3 | 3.10 | 60 | 43.6 | 2.2 | 140 | 45 | 0.2 | 52 | 6.4 | .01 |
| 13L | 821107 | 20 | 465754 | 6021873 | AUWR LT 1 | | 6 00 | M | | | BN | | | 88 | 15 | 1 | 20 | 9 | 0.1 | 105 | 0.5 | 4 | 6.80 | 60 | 40.0 | 2.6 | 120 | 105 | 0.1 | 54 | 6.6 | .03 |
| 13L | 821108 | 20 | 462464 | 6020445 | AUWR LT 1 | | 5 00 | L | | | BN | | | 65 | 8 | 1 | 17 | 12 | 0.1 | 178 | 0.5 | 2 | 1.90 | 50 | 47.6 | 2.1 | 150 | 25 | 0.1 | 68 | 6.9 | .01 |
| 13L | 821109 | 20 | 458787 | 6018885 | AUWR 1-5 | | 6 00 | L | | | BN | | | 60 | 9 | 1 | 17 | 8 | 0.1 | 123 | 0.5 | 1 | 1.20 | 60 | 43.8 | 9.3 | 130 | 30 | 0.1 | 48 | 6.9 | .05 |
| 13L | 821110 | 20 | 450426 | 6013974 | PH14 LT 1 | | 5 00 | M | | | BN | | | 125 | 10 | 1 | 13 | 8 | 0.1 | 163 | 0.5 | 7 | 3.50 | 70 | 34.2 | 16.0 | 190 | 40 | 0.1 | 120 | 7.3 | .13 |
| 13L | 821111 | 20 | 450638 | 6009024 | PAWP GT 5 | | 16 00 | M | | | BN | | | 103 | 13 | 2 | 18 | 5 | 0.1 | 198 | 0.5 | 2 | 1.90 | 70 | 44.2 | 3.0 | 130 | 30 | 0.2 | 38 | 6.8 | .01 |
| 13L | 821112 | 20 | 453061 | 6005808 | PH14 LT 1 | | 7 00 | M | | | BN | | | 78 | 11 | 2 | 15 | 3 | 0.1 | 190 | 0.5 | 1 | 2.30 | 50 | 44.6 | 1.0 | 90 | 15 | 0.2 | 40 | 7.3 | .06 |
| 13L | 821113 | 20 | 456866 | 6006122 | PH14 LT 1 | | 6 00 | H | | | BN | | | 163 | 12 | 1 | 15 | 9 | 0.1 | 365 | 0.5 | 2 | 6.30 | 60 | 35.2 | 1.7 | 220 | 30 | 0.1 | 46 | 7.2 | .01 |
| 13L | 821114 | 20 | 459488 | 6005973 | PH14 LT 1 | | 5 00 | M | | | BN | | | 65 | 6 | 1 | 11 | 5 | 0.1 | 150 | 0.5 | 1 | 1.90 | 30 | 11.4 | 1.2 | 310 | 25 | 0.1 | 50 | 7.1 | .01 |
| 13L | 821115 | 20 | 460818 | 6006600 | PH14 LT 1 | | 6 00 | M | | | BN | | | 68 | 24 | 1 | 27 | 6 | 0.1 | 80 | 0.5 | 9 | 2.20 | 70 | 33.6 | 1.5 | 220 | 20 | 0.2 | 52 | 7.0 | .03 |
| 13L | 821116 | 20 | 452865 | 6001915 | PH14 LT 1 | | 16 00 | M | | | BN | | | 160 | 14 | 1 | 12 | 7 | 0.1 | 605 | 2.0 | 5 | 4.20 | 80 | 30.6 | 3.0 | 250 | 60 | 0.1 | 56 | 7.2 | .01 |
| 13L | 821117 | 20 | 455917 | 6000074 | PH14 LT 1 | | 3 00 | M | | | BN | | | 55 | 11 | 1 | 11 | 1 | 0.1 | 68 | 2.5 | 9 | 0.90 | 70 | 49.0 | 3.5 | 90 | 10 | 0.1 | 74 | 7.0 | .01 |
| 13L | 821118 | 20 | 451886 | 5994940 | PH14 LT 1 | | 6 00 | H | | | BN | | | 58 | 12 | 1 | 8 | 2 | 0.1 | 58 | 0.5 | 3 | 0.60 | 60 | 43.8 | 6.9 | 70 | 10 | 0.1 | 60 | 7.2 | .05 |
| 13L | 821119 | 20 | 451035 | 5993611 | PHAW LT 1 | | 40 00 | H | | | BN | | | 72 | 17 | 1 | 7 | 5 | 0.1 | 302 | 5.5 | 11 | 1.30 | 80 | 42.0 | 10.1 | 110 | 90 | 0.1 | 54 | 7.2 | .04 |
| 13L | 821122 | 20 | 462867 | 6033140 | AUWR LT 1 | | 8 10 | M | | | BN | | | 63 | 9 | 1 | 13 | 4 | 0.1 | 23 | 0.5 | 8 | 1.10 | 50 | 37.2 | 2.3 | 50 | 15 | 0.2 | 36 | 7.0 | .01 |
| 13L | 821123 | 20 | 462867 | 6033140 | AUWR LT 1 | | 8 20 | M | | | BN | | | 55 | 8 | 1 | 15 | 6 | 0.1 | 28 | 0.5 | 5 | 0.90 | 40 | 33.0 | 1.6 | 50 | 15 | 0.1 | 36 | 7.0 | .01 |
| 13L | 821124 | 20 | 462126 | 6034930 | AUWR GT 5 | | 13 00 | M | | | TN | | | 73 | 6 | 1 | 10 | 2 | 0.1 | 35 | 0.5 | 2 | 0.35 | 40 | 36.2 | 3.0 | 60 | 25 | 0.2 | 38 | 7.0 | .03 |
| 13L | 821125 | 20 | 465628 | 6035468 | AUWR LT 1 | | 5 00 | M | | | BN | | | 68 | 7 | 1 | 14 | 5 | 0.1 | 85 | 0.5 | 1 | 0.90 | 30 | 41.4 | 0.4 | 70 | 15 | 0.1 | 64 | 6.9 | .01 |
| 13L | 821126 | 20 | 467113 | 6038108 | AUWR LT 1 | | 6 00 | M | | | BN | | | 103 | 11 | 1 | 18 | 1 | 0.2 | 44 | 0.5 | 2 | 0.45 | 50 | 50.0 | 0.8 | 140 | 10 | 0.1 | 52 | 6.4 | .01 |
| 13L | 821127 | 20 | 470820 | 6037717 | AUWR POND | | 9 00 | M | | | BN | | | 105 | 6 | 1 | 13 | 3 | 0.1 | 100 | 0.5 | 6 | 2.00 | 40 | 37.4 | 0.8 | 100 | 30 | 0.1 | 44 | 6.6 | .01 |
| 13L | 821128 | 20 | 473565 | 6035471 | AUWR LT 1 | | 7 00 | M | | | BN | | | 107 | 8 | 1 | 12 | 3 | 0.1 | 30 | 0.5 | 7 | 1.00 | 50 | 63.8 | 0.6 | 90 | 30 | 0.1 | 40 | 6.6 | .01 |
| 13L | 821129 | 20 | 475715 | 6034810 | AUWR LT 1 | | 8 00 | M | | | TN | | | 78 | 9 | 1 | 22 | 5 | 0.1 | 40 | 0.5 | 2 | 0.55 | 40 | 31.2 | 2.0 | 60 | 20 | 0.1 | 78 | 7.0 | .04 |
| 13L | 821130 | 20 | 481469 | 6032330 | AUWR LT 1 | | 6 00 | M | | | TN BN | | | 80 | 14 | 1 | 19 | 6 | 0.1 | 57 | 0.5 | 1 | 1.00 | 50 | 37.8 | 1.1 | 60 | 20 | 0.1 | 34 | 6.8 | .05 |
| 13L | 821131 | 20 | 485241 | 6032396 | AUWR LT 1 | | 10 00 | M | | | BN | | | 188 | 15 | 1 | 21 | 7 | 0.1 | 83 | 0.5 | 1 | 5.40 | 60 | 52.8 | 0.8 | 90 | 20 | 0.1 | 34 | 6.8 | .01 |
| 13L | 821132 | 20 | 487461 | 6030611 | AUWR LT 1 | | 5 00 | M | | | BN | | | 95 | 14 | 1 | 21 | 5 | 0.1 | 48 | 0.5 | 2 | 1.35 | 50 | 55.2 | 1.1 | 50 | 20 | 0.1 | 26 | 6.7 | .03 |
| 13L | 821133 | 20 | 492389 | 6030600 | AUWR LT 1 | | 12 00 | H | | | BN | | | 100 | 24 | 1 | 22 | 5 | 0.2 | 45 | 0.5 | 7 | 0.40 | 70 | 45.2 | 5.4 | 70 | 20 | 0.2 | 28 | 6.7 | .01 |
| 13L | 821134 | 20 | 495978 | 6029588 | NHWK LT 1 | | 18 00 | M | | | BN | | | 83 | 11 | 1 | 14 | 3 | 0.1 | 130 | 3.5 | 2 | 1.20 | 50 | 26.6 | 10.1 | 190 | 190</ | | | | |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

| MAP | ID | UTM COORDINATS | | | ROCK TYPE | LAKE AREA | SMP DTH | RP ST | R E O L N F T | S U S P | SMPL COLOR | ZN | CU | PB | NI | CO | AG | MN | AS | MO | FE | HG | LOI | U | F | V | CD | F-W | PH | U-W |
|-----|--------|----------------|--------|---------|-----------|-----------|---------|-------|---------------|---------|------------|-----|----|----|----|----|-----|-----|-----|----|------|-----|------|------|-----|----|-----|-----|-----|-----|
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13L | 821146 | 20 | 476771 | 6032549 | AUWR LT 1 | 10 | 00 | M | | | TN | 40 | 4 | 1 | 8 | 1 | 0.1 | 17 | 0.5 | 2 | 0.15 | 20 | 28.8 | 5.1 | 50 | 20 | 0.1 | 52 | 7.1 | .03 |
| 13L | 821147 | 20 | 469277 | 6035179 | AUWR 1-5 | 11 | 00 | M | | | BN | 88 | 9 | 1 | 15 | 1 | 0.1 | 33 | 0.5 | 1 | 0.20 | 40 | 62.4 | 0.1 | 50 | 10 | 0.1 | 30 | 6.3 | .01 |
| 13L | 821148 | 20 | 469606 | 6030692 | AUWR LT 1 | 5 | 00 | L | | | BN | 62 | 7 | 1 | 17 | 5 | 0.1 | 88 | 0.5 | 2 | 1.45 | 50 | 32.8 | 1.3 | 50 | 20 | 0.1 | 150 | 6.8 | .01 |
| 13L | 821149 | 20 | 471241 | 6028739 | AUWR 1-5 | 10 | 00 | L | | | BN | 100 | 11 | 1 | 26 | 5 | 0.1 | 110 | 0.5 | 5 | 1.55 | 80 | 46.2 | 16.0 | 80 | 45 | 0.1 | 96 | 6.9 | .05 |
| 13L | 821150 | 20 | 467104 | 6029405 | AUWR LT 1 | 5 | 00 | M | | | BN | 130 | 10 | 1 | 22 | 4 | 0.1 | 200 | 0.5 | 2 | 6.30 | 70 | 55.8 | 0.4 | 80 | 5 | 0.1 | 92 | 7.2 | .03 |
| 13L | 821151 | 20 | 466813 | 6030919 | AUWR LT 1 | 6 | 00 | M | | | BN | 90 | 9 | 1 | 19 | 19 | 0.1 | 116 | 0.5 | 1 | 1.70 | 50 | 37.4 | 1.4 | 90 | 25 | 0.1 | 160 | 7.3 | .01 |
| 13L | 821152 | 20 | 463818 | 6028860 | AUWR LT 1 | 4 | 00 | M | | | BN | 70 | 10 | 1 | 24 | 16 | 0.1 | 100 | 0.5 | 3 | 2.00 | 50 | 44.6 | 0.4 | 110 | 35 | 0.1 | 44 | 6.8 | .03 |
| 13L | 821154 | 20 | 461955 | 6024278 | AUWR GT 5 | 5 | 00 | M | | | BN | 88 | 10 | 1 | 16 | 11 | 0.1 | 186 | 0.5 | 1 | 1.70 | 50 | 18.8 | 2.8 | 270 | 55 | 0.1 | 40 | 6.7 | .05 |
| 13L | 821155 | 20 | 460223 | 6020394 | AUWR POND | 3 | 00 | L | | | BN | 50 | 10 | 1 | 15 | 10 | 0.1 | 98 | 0.5 | 3 | 1.00 | 50 | 39.4 | 2.9 | 190 | 40 | 0.1 | 84 | 7.2 | .03 |
| 13L | 821156 | 20 | 455964 | 6020808 | AUWR LT 1 | 6 | 00 | M | | | BN | 53 | 8 | 1 | 15 | 9 | 0.1 | 285 | 0.5 | 1 | 1.25 | 60 | 47.2 | 2.3 | 160 | 30 | 0.1 | 58 | 7.2 | .01 |
| 13L | 821157 | 20 | 457671 | 6024647 | AUWR LT 1 | 7 | 00 | M | | | TN | 45 | 5 | 2 | 12 | 5 | 0.1 | 40 | 0.5 | 1 | 0.50 | 40 | 29.6 | 6.3 | 90 | 25 | 0.1 | 64 | 7.0 | .10 |
| 13L | 821158 | 20 | 455885 | 6024353 | AUWR LT 1 | 4 | 00 | M | | | BN | 70 | 8 | 1 | 16 | 13 | 0.1 | 90 | 1.0 | 18 | 3.70 | 40 | 33.2 | 4.6 | 160 | 45 | 0.1 | 58 | 6.9 | .03 |
| 13L | 821159 | 20 | 452121 | 6022025 | AUWR 1-5 | 5 | 00 | M | | | GY BN | 35 | 3 | 1 | 7 | 5 | 0.1 | 50 | 1.0 | 1 | 1.05 | 10 | 5.6 | 2.4 | 160 | 20 | 0.2 | 48 | 7.0 | .01 |
| 13L | 821160 | 20 | 450350 | 6024837 | PH11 LT 1 | 5 | 00 | M | | | BN | 72 | 6 | 1 | 14 | 10 | 0.1 | 75 | 0.5 | 2 | 1.05 | 50 | 46.8 | 1.0 | 60 | 25 | 0.1 | 44 | 6.7 | .01 |
| 13L | 821162 | 20 | 450667 | 6027458 | PH11 GT 5 | 33 | 00 | H | | | BN | 150 | 15 | 1 | 19 | 17 | 0.1 | 550 | 0.5 | 5 | 6.20 | 70 | 27.6 | 1.6 | 120 | 80 | 0.3 | 32 | 6.7 | .03 |
| 13L | 821163 | 20 | 451135 | 6031083 | PH11 1-5 | 40 | 00 | H | | | BN | 85 | 15 | 1 | 24 | 8 | 0.1 | 135 | 0.5 | 1 | 1.60 | 60 | 33.4 | 0.6 | 140 | 30 | 0.1 | 10 | 6.8 | .03 |
| 13L | 821164 | 20 | 461098 | 6037724 | AUWR 1-5 | 30 | 00 | M | | | BN | 45 | 4 | 1 | 8 | 4 | 0.1 | 60 | 0.5 | 4 | 0.85 | 30 | 13.2 | 1.5 | 240 | 20 | 0.1 | 24 | 6.7 | .01 |
| 13L | 821165 | 20 | 460083 | 6036644 | AUWR 1-5 | 11 | 10 | M | | | TN | 115 | 10 | 1 | 20 | 9 | 0.1 | 135 | 0.5 | 3 | 1.10 | 70 | 38.0 | 1.2 | 90 | 45 | 0.2 | 28 | 7.0 | .01 |
| 13L | 821166 | 20 | 460083 | 6036644 | AUWR 1-5 | 11 | 20 | M | | | TN | 103 | 9 | 1 | 18 | 10 | 0.1 | 132 | 0.5 | 3 | 1.10 | 70 | 38.2 | 1.2 | 80 | 45 | 0.2 | 28 | 7.3 | .01 |
| 13L | 821167 | 20 | 458910 | 6038309 | AUWR LT 1 | 6 | 00 | M | | | GN BN | 34 | 7 | 1 | 9 | 2 | 0.1 | 20 | 0.5 | 3 | 0.35 | 30 | 25.2 | 1.3 | 60 | 5 | 0.1 | 32 | 6.8 | .01 |
| 13L | 821168 | 20 | 456712 | 6036849 | AUWR GT 5 | 20 | 00 | M | | | TN | 52 | 8 | 1 | 15 | 7 | 0.1 | 90 | 0.5 | 1 | 0.60 | 40 | 15.8 | 0.6 | 130 | 20 | 0.1 | 24 | 6.9 | .03 |
| 13L | 821169 | 20 | 456173 | 6038218 | AUWR GT 5 | 13 | 00 | M | | | TN | 68 | 18 | 1 | 24 | 6 | 0.1 | 47 | 0.5 | 2 | 0.45 | 50 | 34.0 | 0.9 | 90 | 15 | 0.3 | 24 | 7.1 | .03 |
| 13L | 821170 | 20 | 451713 | 6037768 | PH11 1-5 | 22 | 00 | H | | | BN | 90 | 8 | 1 | 10 | 6 | 0.1 | 120 | 0.5 | 2 | 1.30 | 50 | 26.8 | 1.2 | 90 | 55 | 0.2 | 22 | 6.9 | .01 |
| 13L | 821171 | 20 | 449343 | 6037420 | PH11 1-5 | 15 | 00 | H | | | BN | 75 | 9 | 1 | 14 | 7 | 0.1 | 130 | 0.5 | 2 | 1.10 | 70 | 37.4 | 1.1 | 80 | 30 | 0.3 | 24 | 6.9 | .03 |
| 13L | 821172 | 20 | 449519 | 6034338 | PH11 LT 1 | 30 | 00 | H | | | BN | 90 | 12 | 1 | 8 | 7 | 0.1 | 120 | 0.5 | 2 | 1.05 | 90 | 26.8 | 3.1 | 90 | 40 | 0.1 | 24 | 7.2 | .01 |
| 13L | 821173 | 20 | 451508 | 6034707 | PH11 LT 1 | 23 | 00 | H | | | BN | 100 | 11 | 1 | 8 | 8 | 0.2 | 170 | 0.5 | 1 | 0.85 | 120 | 32.6 | 0.6 | 80 | 20 | 0.3 | 20 | 6.4 | .01 |
| 13L | 821174 | 20 | 446855 | 6030911 | PH11 LT 1 | 14 | 00 | H | | | BN | 153 | 9 | 1 | 14 | 11 | 0.1 | 250 | 0.5 | 1 | 1.45 | 70 | 26.6 | 1.2 | 180 | 35 | 0.6 | 22 | 6.7 | .01 |
| 13L | 821175 | 20 | 447338 | 6028361 | PH11 1-5 | 20 | 00 | H | | | BN | 165 | 12 | 1 | 16 | 11 | 0.1 | 240 | 0.5 | 3 | 2.00 | 60 | 17.8 | 1.4 | 180 | 50 | 0.2 | 24 | 6.6 | .03 |
| 13L | 821177 | 20 | 446928 | 6024902 | PH11 GT 5 | 6 | 00 | H | | | TN GY | 68 | 7 | 7 | 12 | 6 | 0.1 | 85 | 1.0 | 2 | 1.00 | 60 | 33.8 | 1.4 | 190 | 35 | 0.1 | 80 | 6.7 | .01 |
| 13L | 821178 | 20 | 447439 | 6021507 | PAWP LT 1 | 9 | 00 | H | | | TN | 58 | 7 | 1 | 12 | 7 | 0.1 | 55 | 1.0 | 2 | 0.60 | 70 | 43.0 | 2.2 | 70 | 20 | 0.2 | 34 | 6.5 | .01 |
| 13L | 821179 | 20 | 448233 | 6017449 | PAWP GT 5 | 7 | 00 | M | | | BN | 68 | 12 | 1 | 26 | 8 | 0.1 | 98 | 0.5 | 2 | 1.40 | 60 | 31.4 | 2.0 | 160 | 25 | 0.1 | 38 | 7.0 | .01 |
| 13L | 821180 | 20 | 451167 | 6017527 | PAWP LT 1 | 4 | 00 | M | | | GY BN | 80 | 17 | 1 | 23 | 14 | 0.1 | 200 | 0.5 | 1 | 2.10 | 30 | 17.6 | 1.8 | 450 | 60 | 0.2 | 28 | 6.5 | .01 |
| 13L | 821182 | 20 | 447520 | 6014455 | PAWP LT 1 | 8 | 10 | H | | | BN | 315 | 22 | 2 | 20 | 10 | 0.1 | 135 | 0.5 | 3 | 1.15 | 80 | 28.0 | 3.7 | 220 | 30 | 0.6 | 48 | 7.0 | .03 |
| 13L | 821183 | 20 | 447520 | 6014455 | PAWP LT 1 | 8 | 20 | H | | | BN | 240 | 14 | 1 | 17 | 8 | 0.1 | 115 | 0.5 | 3 | 1.05 | 80 | 25.6 | 2.9 | 190 | 30 | 0.5 | 50 | 6.9 | .01 |
| 13L | 821184 | 20 | 447084 | 6009579 | PH11 LT 1 | 41 | 00 | H | | | BN | 155 | 26 | 2 | 17 | 12 | 0.3 | 465 | 1.0 | 3 | 2.25 | 220 | 47.2 | 1.3 | 260 | 55 | 0.8 | 28 | 6.7 | .01 |
| 13L | 821185 | 20 | 448554 | 6006007 | PAWP LT 1 | 3 | 00 | H | | | BN | 185 | 17 | 1 | 24 | 13 | 0.1 | 350 | 0.5 | 3 | 2.25 | 110 | 63.6 | 2.0 | 120 | 30 | 0.6 | 36 | 7.2 | .01 |
| 13L | 821187 | 20 | 448103 | 6003424 | PH14 LT 1 | 10 | 00 | H | | | BN | 100 | 16 | 1 | 18 | 8 | 0.1 | 185 | 1.0 | 4 | 1.10 | 110 | 38.4 | 2.5 | 120 | 20 | 0.1 | 44 | 7.0 | .01 |
| 13L | 821188 | 20 | 449000 | 5999600 | PH14 LT 1 | 5 | 00 | M | | | BN | 60 | 10 | 2 | 11 | 4 | 0.1 | 80 | 1.5 | 3 | 0.55 | 80 | 53.6 | 2.7 | 90 | 10 | 0.2 | 56 | 7.1 | .01 |
| 13L | 823002 | 20 | 506807 | 5985591 | AUWR LT 1 | 9 | 10 | M | | | BN | 55 | 19 | 2 | 14 | 5 | 0.1 | 100 | 1.0 | 2 | 0.55 | 70 | 34.2 | 6.4 | 160 | 20 | 0.1 | 120 | 6.5 | .08 |
| 13L | 823003 | 20 | 506807 | 5985591 | AUWR LT 1 | 9 | 20 | M | | | BN | 62 | 18 | 2 | 14 | 5 | 0.1 | 98 | 0.5 | 3 | 0.55 | 80 | 34.2 | 7.1 | 150 | 20 | 0.2 | 130 | 6.8 | .04 |
| 13L | 823004 | 20 | 505701 | 5989333 | NHWS LT 1 | 6 | 00 | M | | | BN | 73 | 11 | 2 | 8 | 3 | 0.1 | 65 | 0.5 | 2 | 0.60 | 60 | 30.6 | 6.4 | 100 | 15 | 0.3 | 130 | 6.7 | .01 |
| 13L | 823005 | 20 | 506247 | 5993395 | NHWS LT 1 | 6 | 00 | M | | | BN | 145 | 16 | 1 | 10 | 2 | 0.1 | 55 | 1.0 | 5 | 0.20 | 100 | | | | | | | | |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

| MAP | ID | UTM COORDINATS | | | ROCK TYPE | LAKE AREA | SMP DTH | RP ST | R E O L N F T | SMPL COLOR | S U P | ZN | CU | PB | NI | CO | AG | MN | AS | MO | FE | HG | LOI | U | F | V | CD | F-W | PH | U-W |
|-----|--------|----------------|--------|---------|-----------|-----------|---------|-------|---------------|------------|-------|------|-----|----|----|----|----------|-------------|-------|------|------|------|------|------|-----|-----|-----|-----|-----|-----|
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13L | 823014 | 20 | 509380 | 5984502 | NHWS | LT 1 | 4 | 00 | M | BN | | 50 | 13 | 3 | 8 | 4 | 0.1 | 100 | 2.5 | 7 | 1.60 | 50 | 14.4 | 10.5 | 310 | 25 | 0.1 | 200 | 6.9 | .05 |
| 13L | 823015 | 20 | 511968 | 5985128 | NH17 | 1-5 | 30 | 00 | H | BN | | 80 | 11 | 1 | 6 | 7 | 0.1 | 183 | 6.0 | 6 | 2.05 | 80 | 26.8 | 12.3 | 200 | 85 | 0.1 | 140 | 7.1 | .03 |
| 13L | 823017 | 20 | 512323 | 5987756 | NHWS | LT 1 | 18 | 00 | H | BN | | 90 | 16 | 2 | 9 | 7 | 0.1 | 168 | 1.5 | 6 | 1.10 | 80 | 32.4 | 7.2 | 240 | 55 | 0.1 | 120 | 6.7 | .06 |
| 13L | 823018 | 20 | 512338 | 5991033 | NH17 | LT 1 | 90 | 00 | H | BN | | 85 | 21 | 1 | 8 | 4 | 0.3 | 110 | 1.5 | 4 | 0.75 | 100 | 31.2 | 10.2 | 200 | 50 | 0.2 | 96 | 6.7 | .05 |
| 13L | 823019 | 20 | 508834 | 5996606 | NHWS | LT 1 | 50 | 00 | H | BN | | 120 | 19 | 1 | 9 | 14 | 0.4 | 628 | 6.0 | 7 | 3.35 | 180 | 30.8 | 9.8 | 320 | 85 | 0.1 | 140 | 6.9 | .04 |
| 13L | 823020 | 20 | 506888 | 5998625 | NHWS | LT 1 | 6 | 00 | H | BN | | 48 | 36 | 1 | 9 | 4 | 0.1 | 85 | 2.5 | 3 | 0.90 | 100 | 28.8 | 5.0 | 110 | 30 | 0.1 | 120 | 7.0 | .05 |
| 13L | 823022 | 20 | 503505 | 5998938 | NHWS | GT 5 | 5 | 00 | M | BN | | 86 | 21 | 6 | 18 | 7 | 0.1 | 463 | 2.5 | 4 | 2.90 | 40 | 11.2 | 5.6 | 420 | 40 | 0.1 | 98 | 6.9 | .05 |
| 13L | 823023 | 20 | 497457 | 5999781 | AUWR | 1-5 | 40 | 00 | M | BN | | 85 | 17 | 1 | 9 | 10 | 0.1 | 305039.511 | 3.90 | | | 60 | 6.4 | 51.7 | 330 | 235 | 0.1 | 70 | 6.8 | .01 |
| 13L | 823024 | 20 | 492016 | 5989262 | PHAW | LT 1 | 5 | 00 | L | BN | | 45 | 12 | 3 | 11 | 5 | 0.1 | 133 | 1.5 | 2 | 1.00 | 40 | 14.8 | 7.1 | 330 | 25 | 0.1 | 150 | 6.8 | .03 |
| 13L | 823025 | 20 | 492918 | 5990591 | PHAW | LT 1 | 9 | 10 | M | BN | | 68 | 12 | 1 | 8 | 4 | 0.1 | 75 | 1.0 | 3 | 1.00 | 80 | 41.6 | 6.9 | 150 | 40 | 0.2 | 100 | 6.5 | .03 |
| 13L | 823026 | 20 | 492918 | 5990591 | PHAW | LT 1 | 9 | 20 | M | BN | | 70 | 12 | 1 | 9 | 5 | 0.1 | 77 | 0.5 | 3 | 1.10 | 50 | 41.8 | 6.5 | 140 | 45 | 0.2 | 98 | 6.8 | .03 |
| 13L | 823027 | 20 | 490703 | 5998856 | AUWR | 1-5 | 15 | 00 | M | BN | | 52 | 11 | 1 | 8 | 5 | 0.1 | 130 | 1.5 | 3 | 0.55 | 90 | 31.6 | 5.1 | 100 | 40 | 0.1 | 110 | 7.0 | .05 |
| 13L | 823028 | 20 | 490704 | 6001860 | PHAW | 1-5 | 8 | 00 | M | GN | | 70 | 62 | 1 | 16 | 8 | 0.1 | 125 | 1.0 | 7 | 1.60 | 80 | 15.8 | 8.2 | 300 | 50 | 0.1 | 58 | 6.8 | .01 |
| 13L | 823029 | 20 | 495098 | 6001802 | PHAW | LT 1 | 9 | 00 | M | BN | | 58 | 53 | 1 | 14 | 3 | 0.1 | 28 | 0.5 | 2 | 0.25 | 80 | 33.4 | 1.2 | 40 | 10 | 0.1 | 28 | 6.6 | .01 |
| 13L | 823031 | 20 | 490285 | 6005985 | PHAW | LT 1 | 8 | 00 | M | BN | | 68 | 16 | 1 | 7 | 2 | 0.1 | 32 | 1.0 | 4 | 0.20 | 60 | 48.4 | 18.5 | 70 | 20 | 0.1 | 48 | 6.7 | .08 |
| 13L | 823032 | 20 | 489025 | 6004062 | AUWR | LT 1 | 12 | 00 | M | GN | BN | 80 | 102 | 1 | 10 | 7 | 0.1 | 65 | 1.050 | 1.25 | | 90 | 39.6 | 20.5 | 100 | 45 | 0.1 | 74 | 6.8 | .08 |
| 13L | 823033 | 20 | 488055 | 6000288 | AUWR | LT 1 | 20 | 00 | M | BN | | 100 | 20 | 1 | 9 | 7 | 0.1 | 128 | 1.010 | 3.90 | | 60 | 45.6 | 3.2 | 190 | 30 | 0.1 | 46 | 6.4 | .01 |
| 13L | 823034 | 20 | 495193 | 6007226 | PHAW | LT 1 | 6 | 00 | M | GN | BN | 53 | 7 | 1 | 7 | 2 | 0.1 | 33 | 1.5 | 5 | 0.45 | 60 | 40.4 | 8.7 | 60 | 30 | 0.1 | 70 | 6.9 | .04 |
| 13L | 823035 | 20 | 496167 | 6010346 | AUWR | LT 1 | 4 | 00 | L | GY | BN | 73 | 21 | 3 | 20 | 11 | 0.1 | 193 | 1.0 | 2 | 2.30 | 30 | 14.2 | 3.4 | 470 | 50 | 0.1 | 38 | 7.1 | .01 |
| 13L | 823036 | 20 | 497466 | 6009855 | AUWR | LT 1 | 8 | 00 | M | BN | | 60 | 10 | 1 | 8 | 2 | 0.1 | 57 | 0.5 | 2 | 0.45 | 60 | 35.2 | 3.1 | 120 | 20 | 0.1 | 38 | 6.8 | .01 |
| 13L | 823037 | 20 | 500988 | 6009389 | NHWS | GT 5 | 50 | 00 | H | BN | | 83 | 20 | 1 | 8 | 6 | 0.1 | 305 | 1.0 | 7 | 2.25 | 70 | 22.6 | 5.8 | 210 | 100 | 0.2 | 44 | 6.8 | .01 |
| 13L | 823038 | 20 | 505697 | 6010028 | NHWS | LT 1 | 30 | 00 | M | BN | | 93 | 12 | 1 | 11 | 12 | 0.1 | 173034.516 | 3.80 | | | 80 | 17.8 | 17.7 | 300 | 330 | 0.1 | 68 | 7.1 | .06 |
| 13L | 823039 | 20 | 508340 | 6010305 | NHWS | GT 5 | 15 | 00 | M | BN | | 58 | 18 | 1 | 9 | 5 | 0.1 | 115 | 1.0 | 3 | 1.00 | 40 | 12.8 | 4.0 | 300 | 50 | 0.1 | 46 | 7.0 | .01 |
| 13L | 823040 | 20 | 511815 | 6009471 | VNHW | LT 1 | 20 | 00 | M | BN | | 45 | 12 | 2 | 5 | 2 | 0.1 | 40 | 0.5 | 3 | 0.20 | 80 | 35.2 | 5.2 | 50 | 10 | 0.1 | 38 | 7.2 | .03 |
| 13L | 823042 | 20 | 515940 | 6011529 | PH11 | LT 1 | 5 | 00 | M | BN | | 33 | 7 | 1 | 5 | 1 | 0.1 | 35 | 1.0 | 2 | 0.20 | 50 | 29.6 | 6.8 | 50 | 20 | 0.1 | 52 | 7.1 | .10 |
| 13L | 823043 | 20 | 516940 | 6006785 | NHWS | LT 1 | 45 | 00 | H | BN | | 128 | 57 | 1 | 11 | 11 | 0.1 | 740 | 8.512 | 4.70 | | 70 | 25.8 | 8.8 | 170 | 80 | 0.2 | 60 | 7.1 | .03 |
| 13L | 823044 | 20 | 521336 | 6007095 | NH17 | LT 1 | 12 | 10 | H | BN | | 100 | 56 | 1 | 12 | 6 | 0.3 | 200 | 2.5 | 4 | 1.05 | 90 | 24.6 | 19.5 | 170 | 60 | 0.1 | 60 | 6.9 | .05 |
| 13L | 823045 | 20 | 521336 | 6007095 | NH17 | LT 1 | 12 | 20 | H | BN | | 75 | 33 | 1 | 10 | 4 | 0.1 | 100 | 2.5 | 5 | 1.05 | 80 | 30.8 | 10.1 | 90 | 60 | 0.1 | 58 | 7.0 | .05 |
| 13L | 823046 | 20 | 520444 | 6003784 | NH17 | 1-5 | 48 | 00 | H | BN | | 165 | 36 | 1 | 13 | 21 | 0.320500 | 6.013 | 4.80 | | 130 | 32.8 | 9.7 | 150 | 75 | 0.5 | 60 | 7.1 | .04 | |
| 13L | 823047 | 20 | 520061 | 5999480 | NHWS | GT 5 | 22 | 00 | H | BN | | 70 | 21 | 2 | 11 | 5 | 0.1 | 230 | 1.5 | 4 | 0.90 | 70 | 29.2 | 5.0 | 210 | 20 | 0.2 | 74 | 6.9 | .10 |
| 13L | 823048 | 20 | 524091 | 5998878 | NH17 | LT 1 | 35 | 00 | H | BN | | 132 | 39 | 1 | 33 | 22 | 0.1 | 2300 | 8.019 | 4.30 | | 120 | 32.2 | 6.8 | 200 | 50 | 0.3 | 46 | 7.0 | .03 |
| 13L | 823049 | 20 | 528116 | 6000067 | UPHW | LT 1 | 3 | 00 | H | GN | | 495 | 7 | 14 | 8 | 5 | 0.1 | 203 | 1.5 | 1 | 0.90 | 70 | 12.6 | 4.2 | 490 | 5 | 1.6 | 480 | 7.0 | .06 |
| 13L | 823050 | 20 | 532087 | 5997947 | HUGP | LT 1 | 12 | 00 | H | GN | BN | 1200 | 9 | 17 | 4 | 2 | 0.1 | 130 | 2.5 | 9 | 0.30 | 80 | 29.8 | 9.2 | 160 | 2 | 4.8 | 600 | 7.2 | .08 |
| 13L | 823051 | 20 | 535676 | 5998065 | HUGP | LT 1 | 10 | 00 | M | BN | | 108 | 21 | 5 | 7 | 3 | 0.1 | 60 | 1.0 | 3 | 0.35 | 60 | 35.6 | 1.8 | 80 | 10 | 0.2 | 76 | 6.5 | .03 |
| 13L | 823052 | 20 | 534807 | 6002320 | HUGP | 1-5 | 10 | 00 | H | BN | | 650 | 21 | 30 | 10 | 4 | 0.1 | 140 | 0.5 | 5 | 0.85 | 70 | 33.2 | 4.3 | 260 | 25 | 1.3 | 140 | 6.2 | .01 |
| 13L | 823053 | 20 | 530388 | 6002543 | UPHW | LT 1 | 12 | 00 | H | TN | | 475 | 10 | 17 | 4 | 2 | 0.1 | 130 | 2.5 | 6 | 0.40 | 80 | 23.2 | 7.5 | 220 | 5 | 2.2 | 940 | 7.2 | .08 |
| 13L | 823054 | 20 | 526377 | 6004289 | NH17 | LT 1 | 20 | 00 | H | BN | | 100 | 37 | 6 | 25 | 26 | 0.2 | 355 | 1.5 | 8 | 2.60 | 90 | 33.8 | 3.4 | 110 | 25 | 0.5 | 42 | 6.9 | .01 |
| 13L | 823055 | 20 | 523031 | 6003058 | NH17 | 1-5 | 40 | 00 | H | BN | | 220 | 37 | 8 | 16 | 31 | 0.320000 | 12.51710.60 | | | | 140 | 28.2 | 10.3 | 210 | 115 | 0.8 | 110 | 6.9 | .01 |
| 13L | 823056 | 20 | 524183 | 6006278 | NHWS | LT 1 | 28 | 00 | H | GN | BN | 90 | 30 | 1 | 10 | 7 | 0.1 | 550 | 2.0 | 6 | 1.60 | 50 | 29.2 | 6.7 | 180 | 65 | 0.2 | 68 | 7.0 | .01 |
| 13L | 823057 | 20 | 527443 | 6006881 | NH17 | LT 1 | 35 | 00 | H | BN | | 110 | 41 | 1 | 18 | 8 | 0.2 | 265 | 1.0 | 6 | 2.40 | 130 | 50.0 | 2.2 | 110 | 40 | 0.2 | 30 | 6.3 | .01 |
| 13L | 823058 | 20 | 531828 | 6007585 | UPHW | GT 5 | 20 | 00 | H | BN | | 780 | 11 | 19 | 11 | 15 | 0.1 | 3330 | 4.542 | 4.50 | | 40 | 5.8 | 3.9 | 350 | 30 | 1.3 | 320 | 6.7 | .04 |
| 13L | 823059 | 20 | 533560 | 6005885 | UPHW | LT 1 | 8 | 00 | H | BN | | 195 | 9 | 8 | 4 | 3 | 0.1 | 115 | 1.5 | 5 | 0.75 | | | | | | | | | |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

| MAP | ID | UTM COORDINATS | | | ROCK TYPE | LAKE AREA | SMP DTH | RP ST | R E O L N F T | S M P L S P | S U S P | ZN | CU | PB | NI | CO | AG | MN | AS | MO | FE | HG | LOI | U | F | V | CD | F-W | PH | U-W |
|-----|----------|----------------|--------|---------|-----------|-----------|---------|-------|---------------|-------------|---------|-----|----|----|----|----|-----|-----|-----|----|------|-----|------|------|-----|-----|-----|-----|-----|-----|
| | | ZN | EAST | NORTH | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13L | 823071 | 20 | 519062 | 6011003 | NHWS | LT 1 | 40 | 00 | H | BN | | 78 | 15 | 1 | 8 | 5 | 0.1 | 270 | 1.5 | 4 | 1.20 | 60 | 37.2 | 7.8 | 170 | 60 | 0.1 | 52 | 7.3 | .08 |
| 13L | 823072 | 20 | 513403 | 6013438 | PH11 | LT 1 | 5 | 10 | M | GN | BN | 53 | 8 | 1 | 9 | 5 | 0.1 | 58 | 0.5 | 3 | 0.70 | 40 | 32.0 | 4.7 | 140 | 20 | 0.1 | 50 | 6.9 | .01 |
| 13L | 823073 | 20 | 513403 | 6013438 | PH11 | LT 1 | 5 | 20 | M | GN | BN | 55 | 8 | 1 | 8 | 5 | 0.1 | 60 | 1.0 | 2 | 0.80 | 50 | 32.4 | 4.6 | 150 | 20 | 0.1 | 50 | 6.9 | .03 |
| 13L | 823074 | 20 | 510492 | 6012864 | PH11 | GT 5 | 15 | 00 | M | GN | | 63 | 12 | 1 | 11 | 5 | 0.1 | 90 | 0.5 | 3 | 1.05 | 30 | 29.8 | 3.4 | 180 | 35 | 0.2 | 38 | 6.7 | .01 |
| 13L | 823075 | 20 | 505424 | 6012730 | NHWS | GT 5 | 20 | 00 | M | GN | | 33 | 3 | 1 | 5 | 2 | 0.1 | 53 | 0.5 | 1 | 0.50 | 10 | 3.4 | 1.0 | 160 | 10 | 0.1 | 44 | 6.9 | .03 |
| 13L | 823076 | 20 | 490909 | 6014303 | PH14 | LT 1 | 12 | 00 | H | BN | | 75 | 12 | 1 | 15 | 5 | 0.1 | 85 | 0.5 | 6 | 1.15 | 60 | 30.4 | 11.0 | 150 | 40 | 0.3 | 82 | 7.1 | .06 |
| 13L | 823077 | 20 | 488159 | 6014199 | PH14 | LT 1 | 4 | 00 | M | BN | | 95 | 10 | 1 | 15 | 10 | 0.1 | 93 | 1.5 | 12 | 1.70 | 50 | 25.2 | 23.9 | 240 | 45 | 0.2 | 78 | 7.1 | .04 |
| 13L | 823078 | 20 | 488376 | 6015811 | PH14 | LT 1 | 13 | 00 | H | BN | | 93 | 18 | 2 | 17 | 4 | 0.1 | 50 | 0.5 | 6 | 0.75 | 60 | 36.2 | 6.9 | 130 | 50 | 0.2 | 64 | 7.0 | .01 |
| 13L | 823079 | 20 | 490007 | 6017097 | PH14 | LT 1 | 40 | 00 | H | BN | | 205 | 36 | 1 | 14 | 15 | 0.3 | 450 | 0.5 | 13 | 5.40 | 180 | 52.0 | 8.9 | 250 | 75 | 0.8 | 62 | 6.9 | .01 |
| 13L | 823080 | 20 | 493487 | 6017038 | PH14 | 1-5 | 30 | 00 | H | BN | | 55 | 11 | 1 | 9 | 5 | 0.1 | 105 | 0.5 | 7 | 1.05 | 50 | 34.4 | 3.4 | 120 | 40 | 0.2 | 62 | 7.1 | .01 |
| 13L | 823082 | 20 | 498270 | 6017340 | NHWS | LT 1 | 10 | 10 | M | BN | | 48 | 8 | 1 | 10 | 4 | 0.1 | 28 | 0.5 | 3 | 0.20 | 40 | 40.8 | 2.6 | 60 | 15 | 0.4 | 44 | 6.4 | .01 |
| 13L | 823083 | 20 | 498270 | 6017340 | NHWS | LT 1 | 10 | 20 | M | BN | | 50 | 8 | 1 | 10 | 3 | 0.1 | 24 | 0.5 | 1 | 0.20 | 70 | 40.6 | 2.1 | 60 | 15 | 0.3 | 38 | 6.3 | .01 |
| 13L | 823084 | 20 | 502706 | 6016748 | NHWS | LT 1 | 5 | 00 | M | BN | | 78 | 9 | 1 | 12 | 9 | 0.1 | 95 | 0.5 | 3 | 1.10 | 60 | 45.0 | 2.1 | 90 | 20 | 0.1 | 44 | 6.6 | .01 |
| 13L | 823085 | 20 | 504313 | 6016992 | NHWS | LT 1 | 7 | 00 | L | BN | | 48 | 9 | 1 | 11 | 4 | 0.1 | 50 | 0.5 | 3 | 0.40 | 60 | 37.8 | 2.3 | 70 | 15 | 0.3 | 42 | 6.7 | .03 |
| 13L | 823086 | 20 | 507536 | 6020365 | NHWS | LT 1 | 13 | 00 | M | BN | | 52 | 6 | 1 | 9 | 5 | 0.1 | 163 | 1.0 | 2 | 0.50 | 70 | 40.4 | 14.7 | 60 | 45 | 0.1 | 36 | 7.0 | .18 |
| 13L | 823087 | 20 | 509562 | 6021668 | NHWS | LT 1 | 8 | 00 | M | BN | | 55 | 26 | 1 | 13 | 5 | 0.1 | 73 | 1.0 | 2 | 0.65 | 60 | 25.8 | 3.2 | 90 | 25 | 0.2 | 36 | 7.0 | .01 |
| 13L | 823088 | 20 | 508368 | 6025702 | NHWS | LT 1 | 5 | 00 | M | BN | | 50 | 7 | 1 | 8 | 5 | 0.1 | 335 | 0.5 | 1 | 0.70 | 70 | 31.2 | 6.1 | 70 | 50 | 0.1 | 38 | 7.1 | .03 |
| 13L | 823089 | 20 | 508611 | 6028788 | NHWS | LT 1 | 5 | 00 | M | BN | | 32 | 8 | 1 | 7 | 1 | 0.1 | 60 | 0.5 | 1 | 0.20 | 50 | 23.8 | 2.4 | 110 | 10 | 0.2 | 38 | 7.0 | .03 |
| 13L | 823090 | 20 | 513940 | 6029124 | NHWS | LT 1 | 15 | 00 | M | BN | | 58 | 17 | 1 | 11 | 2 | 0.1 | 23 | 0.5 | 1 | 0.10 | 70 | 77.4 | 0.7 | 50 | 10 | 0.3 | 22 | 6.0 | .01 |
| 13L | 823091 | 20 | 516117 | 6024811 | NHWS | LT 1 | 12 | 00 | H | BN | | 90 | 26 | 1 | 15 | 8 | 0.1 | 340 | 1.0 | 8 | 1.40 | 100 | 38.2 | 5.7 | 110 | 50 | 0.2 | 34 | 7.1 | .01 |
| 13L | 823092 | 20 | 516787 | 6028167 | NHWS | LT 1 | 25 | 00 | H | BN | | 73 | 16 | 1 | 11 | 5 | 0.1 | 85 | 1.0 | 3 | 0.50 | 60 | 52.6 | 5.2 | 90 | 50 | 0.1 | 28 | 7.2 | .01 |
| 13L | 823093 | 20 | 518107 | 6034721 | NHWS | LT 1 | 8 | 00 | M | BN | | 75 | 32 | 1 | 26 | 10 | 0.1 | 215 | 1.0 | 4 | 2.10 | 50 | 9.0 | 5.6 | 440 | 50 | 0.1 | 26 | 7.0 | .01 |
| 13L | 823094 | 20 | 515876 | 6038355 | NHWS | 1-5 | 28 | 00 | M | GN | BN | 140 | 19 | 1 | 17 | 7 | 0.1 | 325 | 0.5 | 6 | 2.00 | 50 | 25.4 | 4.1 | 230 | 50 | 0.2 | 10 | 6.9 | .03 |
| 13L | 823095 | 20 | 511463 | 6038502 | NHWS | LT 1 | 14 | 00 | M | BN | | 80 | 13 | 1 | 16 | 7 | 0.1 | 118 | 7.0 | 5 | 1.00 | 70 | 34.4 | 1.8 | 100 | 65 | 0.1 | 22 | 7.1 | .01 |
| 13L | 823096 | 20 | 513461 | 6033885 | NHWS | LT 1 | 28 | 00 | H | GN | BN | 28 | 14 | 1 | 8 | 3 | 0.1 | 60 | 2.0 | 2 | 0.80 | 20 | 4.2 | 2.3 | 170 | 20 | 0.1 | 34 | 8.0 | .50 |
| 13L | 823097 | 20 | 509980 | 6033747 | NHWS | LT 1 | 7 | 00 | H | BN | | 135 | 35 | 4 | 12 | 4 | 0.2 | 198 | 1.0 | 6 | 1.30 | 50 | 70.8 | 7.0 | 140 | 25 | 0.3 | 24 | 7.2 | .03 |
| 13L | 823098 | 20 | 508636 | 6031405 | NHWS | LT 1 | 8 | 00 | M | BN | | 58 | 12 | 1 | 5 | 2 | 0.1 | 35 | 1.0 | 2 | 0.45 | 70 | 53.0 | 4.1 | 90 | 20 | 0.1 | 28 | 7.6 | .05 |
| 13L | 823099 | 20 | 506989 | 6030951 | NHWS | LT 1 | 8 | 00 | M | BN | | 45 | 29 | 2 | 19 | 2 | 0.2 | 25 | 0.5 | 2 | 0.20 | 110 | 66.8 | 4.9 | 70 | 15 | 0.3 | 10 | 5.4 | .01 |
| 13L | 823102 | 20 | 503234 | 6031729 | NHWS | LT 1 | 30 | 00 | H | BN | | 70 | 14 | 1 | 14 | 9 | 0.1 | 268 | 5.5 | 2 | 1.65 | 60 | 17.4 | 8.7 | 170 | 110 | 0.1 | 44 | 7.1 | .13 |
| 13L | 823103 | 20 | 502083 | 6027385 | NHWS | 1-5 | 25 | 00 | H | BN | L | 43 | 18 | 1 | 8 | 3 | 0.1 | 110 | 0.5 | 1 | 0.35 | 60 | 30.4 | 2.6 | 80 | 30 | 0.1 | 36 | 6.8 | .03 |
| 13L | 823104 | 20 | 502519 | 6025686 | NHWS | 1-5 | 36 | 00 | H | GN | | 123 | 26 | 2 | 23 | 9 | 0.1 | 122 | 1.0 | 2 | 1.10 | 50 | 36.4 | 6.1 | 240 | 40 | 0.1 | 24 | 6.4 | .01 |
| 13L | 823105 | 20 | 501610 | 6020007 | NHWS | LT 1 | 8 | 10 | H | BN | | 45 | 10 | 1 | 15 | 4 | 0.1 | 10 | 0.5 | 3 | 0.25 | 80 | 38.8 | 3.3 | 80 | 10 | 0.1 | 36 | 6.8 | .04 |
| 13L | 823106 | 20 | 501610 | 6020007 | NHWS | LT 1 | 8 | 20 | H | BN | | 45 | 8 | 1 | 15 | 3 | 0.2 | 10 | 0.5 | 2 | 0.20 | 70 | 36.8 | 4.1 | 80 | 10 | 0.1 | 36 | 7.0 | .04 |
| 13L | 823108 | 20 | 498656 | 6022394 | NHWS | LT 1 | 5 | 00 | H | BN | | 40 | 6 | 1 | 7 | 2 | 0.1 | 9 | 3.0 | 1 | 0.40 | 50 | 29.4 | 10.2 | 60 | 20 | 0.1 | 62 | 7.3 | .31 |
| 13L | 823109 | 20 | 497834 | 6025886 | NHWS | LT 1 | 12 | 00 | H | BN | | 63 | 9 | 2 | 7 | 1 | 0.1 | 26 | 0.5 | 3 | 0.25 | 70 | 43.8 | 4.0 | 70 | 25 | 0.2 | 40 | 7.0 | .01 |
| 13L | 823110 | 20 | 498154 | 6027847 | NHWS | LT 1 | 12 | 00 | M | BN | | 74 | 23 | 1 | 18 | 3 | 0.1 | 52 | 0.5 | 1 | 0.50 | 80 | 33.4 | 3.1 | 90 | 15 | 0.1 | 36 | 6.7 | .03 |
| 13L | 823111 | 20 | 499771 | 6031325 | NHWS | 1-5 | 40 | 00 | M | BN | | 95 | 19 | 1 | 17 | 9 | 0.1 | 210 | 5.5 | 2 | 2.40 | 90 | 25.0 | 9.1 | 200 | 220 | 0.1 | 46 | 7.1 | .10 |
| 13L | 823112 | 20 | 494961 | 6035991 | NHWS | LT 1 | 10 | 00 | M | BN | | 67 | 20 | 1 | 29 | 3 | 0.2 | 36 | 0.5 | 2 | 0.30 | 60 | 53.0 | 1.2 | 70 | 30 | 0.1 | 34 | 6.7 | .01 |
| 13L | 823113 | 20 | 490506 | 6035388 | AUWR | LT 1 | 6 | 00 | M | GN | BN | 75 | 11 | 1 | 23 | 12 | 0.1 | 185 | 0.5 | 2 | 1.20 | 60 | 33.0 | 0.8 | 100 | 20 | 0.1 | 36 | 7.0 | .01 |
| 13L | 823114 | 20 | 486240 | 6035522 | AUWR | LT 1 | 8 | 00 | M | BN | | 56 | 15 | 1 | 22 | 6 | 0.1 | 70 | 0.5 | 4 | 1.00 | 50 | 25.8 | 2.2 | 140 | 30 | 0.1 | 34 | 6.5 | .01 |
| 13L | 823115 | 20 | 483852 | 6035422 | AUWR | LT 1 | 5 | 00 | M | GN | | 63 | 9 | 2 | 13 | 2 | 0.2 | 44 | 0.5 | 2 | 0.30 | 50 | 52.6 | 0.3 | 70 | 20 | 0.3 | 32 | 6.5 | .08 |
| 13L | 823116 | 20 | 481044 | 6036544 | AUWR | LT 1 | 10 | 00 | H | GN | BN | 82 | 22 | 1 | 19 | 10 | 0.1 | 87 | 3.5 | 6 | 1.75 | 50 | 12.4 | 8.7 | 190 | 60 | 0.1 | 94 | 6.7 | .07 |
| 13L | 823117</ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

| MAP | ID | UTM COORDINATS | | | ROCK TYPE | LAKE AREA | SMP DTH | RP ST | R E O L N F T | S M P L S P | S U S P | ZN | CU | PB | NI | CO | AG | MN | AS | MO | FE | HG | LOI | U | F | V | CD | F-W | PH | U-W |
|-----|--------|----------------|--------|---------|-----------|-----------|---------|-------|---------------|-------------|---------|-----|----|----|----|----|-----|------|-------|------|-------|------|------|------|-----|-----|-----|-----|-----|-----|
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13L | 823126 | 20 | 437428 | 6014020 | PH11 | LT 1 | 4 | 00 | H | BN | | 75 | 10 | 2 | 14 | 5 | 0.2 | 115 | 0.5 | 2 | 0.80 | 90 | 30.8 | 1.0 | 160 | 20 | 0.1 | 40 | 7.3 | .01 |
| 13L | 823127 | 20 | 441319 | 6009633 | PH11 | LT 1 | 15 | 00 | H | BN | | 100 | 16 | 1 | 16 | 5 | 0.3 | 245 | 0.5 | 2 | 1.20 | 110 | 37.0 | 1.2 | 120 | 35 | 0.2 | 34 | 6.9 | .01 |
| 13L | 823128 | 20 | 441491 | 6007091 | PH11 | LT 1 | 20 | 00 | H | BN | | 118 | 13 | 1 | 12 | 9 | 0.2 | 590 | 0.5 | 4 | 3.30 | 120 | 44.2 | 1.5 | 160 | 40 | 0.2 | 34 | 7.0 | .01 |
| 13L | 823129 | 20 | 444503 | 6003401 | PH11 | LT 1 | 6 | 00 | H | BN | | 65 | 13 | 1 | 16 | 3 | 0.3 | 37 | 0.5 | 1 | 0.15 | 80 | 70.6 | 0.9 | 50 | 20 | 0.4 | 24 | 6.1 | .01 |
| 13L | 823130 | 20 | 442959 | 6011459 | PH11 | LT 1 | 20 | 00 | H | BN | | 90 | 19 | 1 | 15 | 7 | 0.2 | 260 | 0.5 | 4 | 1.70 | 120 | 34.2 | 1.0 | 220 | 35 | 0.3 | 30 | 7.1 | .01 |
| 13L | 823132 | 20 | 443223 | 6012175 | PH11 | LT 1 | 20 | 00 | H | BN | | 168 | 32 | 1 | 19 | 20 | 0.7 | 1500 | 1.5 | 5 | 6.40 | 170 | 42.4 | 3.1 | 290 | 70 | 0.3 | 34 | 7.0 | .01 |
| 13L | 823133 | 20 | 442010 | 6014768 | PH11 | LT 1 | 40 | 00 | H | BN | | 135 | 23 | 1 | 15 | 13 | 0.3 | 575 | 1.0 | 3 | 4.40 | 170 | 38.8 | 2.1 | 130 | 40 | 0.2 | 26 | 6.9 | .01 |
| 13L | 823134 | 20 | 443396 | 6016519 | PH11 | 1-5 | 60 | 00 | H | BN | | 172 | 16 | 1 | 13 | 8 | 0.2 | 620 | 1.0 | 3 | 3.10 | 140 | 25.8 | 1.0 | 190 | 60 | 0.5 | 26 | 6.9 | .01 |
| 13L | 823135 | 20 | 441802 | 6017926 | PH11 | 1-5 | 30 | 00 | H | GN | | 220 | 20 | 1 | 22 | 41 | 0.2 | 4300 | 1.5 | 3 | 12.80 | 140 | 26.4 | 1.2 | 170 | 85 | 0.4 | 28 | 7.0 | .01 |
| 13L | 823136 | 20 | 443880 | 6019533 | PH11 | 1-5 | 8 | 00 | M | BN | | 90 | 45 | 1 | 48 | 8 | 0.1 | 305 | 0.5 | 5 | 1.35 | 80 | 38.6 | 1.8 | 100 | 25 | 0.3 | 24 | 7.0 | .01 |
| 13L | 823137 | 20 | 441265 | 6021105 | PH11 | LT 1 | 5 | 00 | M | BN | | 165 | 10 | 1 | 15 | 13 | 0.1 | 372 | 0.5 | 3 | 3.20 | 70 | 31.6 | 4.0 | 180 | 50 | 0.6 | 28 | 7.1 | .01 |
| 13L | 823138 | 20 | 444866 | 6023936 | PH11 | LT 1 | 5 | 00 | H | BN | | 150 | 13 | 1 | 19 | 9 | 0.2 | 185 | 0.5 | 4 | 2.55 | 60 | 44.6 | 1.4 | 90 | 50 | 0.2 | 28 | 7.4 | .01 |
| 13L | 823139 | 20 | 442548 | 6025277 | PH11 | LT 1 | 7 | 00 | M | BN | | 50 | 11 | 1 | 14 | 3 | 0.1 | 55 | 0.5 | 2 | 0.60 | 60 | 35.2 | 1.4 | 70 | 25 | 0.2 | 30 | 7.3 | .01 |
| 13L | 823140 | 20 | 445833 | 6026992 | PH11 | GT 5 | 6 | 00 | M | GN | | 30 | 3 | 1 | 6 | 4 | 0.1 | 50 | 0.5 | 1 | 0.60 | 20 | 2.2 | 0.7 | 200 | 15 | 0.1 | 28 | 7.1 | .01 |
| 13L | 823142 | 20 | 440748 | 6027213 | PH11 | GT 5 | 10 | 10 | M | GN | BN | 65 | 6 | 3 | 7 | 6 | 0.1 | 165 | 1.0 | 1 | 1.80 | 40 | 17.4 | 1.2 | 210 | 30 | 0.1 | 26 | 6.9 | .01 |
| 13L | 823144 | 20 | 440748 | 6027213 | PH11 | GT 5 | 10 | 20 | M | GN | BN | 67 | 7 | 2 | 8 | 6 | 0.1 | 153 | 0.5 | 2 | 1.80 | 40 | 17.2 | 1.1 | 200 | 30 | 0.1 | 32 | 7.1 | .01 |
| 13L | 823145 | 20 | 437862 | 6031982 | PH11 | 1-5 | 20 | 00 | M | BN | | 160 | 13 | 2 | 11 | 10 | 0.2 | 520 | 0.5 | 3 | 3.90 | 90 | 30.6 | 1.1 | 150 | 60 | 0.4 | 28 | 6.9 | .01 |
| 13L | 823146 | 20 | 437689 | 6034314 | PH11 | LT 1 | 7 | 00 | M | GN | | 37 | 8 | 1 | 9 | 2 | 0.1 | 610 | 0.5 | 2 | 0.25 | 50 | 31.0 | 1.5 | 50 | 20 | 0.1 | 34 | 7.1 | .01 |
| 13L | 823147 | 20 | 440429 | 6035015 | PH11 | LT 1 | 9 | 00 | H | BN | | 50 | 9 | 1 | 11 | 3 | 0.1 | 35 | 0.5 | 1 | 0.30 | 70 | 28.2 | 0.6 | 60 | 15 | 0.2 | 32 | 7.1 | .01 |
| 13L | 823148 | 20 | 438537 | 6037733 | PH11 | 1-5 | 8 | 00 | M | BN | | 48 | 6 | 1 | 6 | 2 | 0.2 | 36 | 0.5 | 1 | 0.20 | 50 | 40.6 | 1.2 | 60 | 20 | 0.2 | 30 | 7.0 | .01 |
| 13L | 823149 | 20 | 439744 | 6038011 | PH11 | LT 1 | 9 | 00 | M | BN | | 97 | 12 | 1 | 14 | 7 | 0.1 | 92 | 0.5 | 2 | 0.65 | 60 | 29.8 | 1.1 | 110 | 20 | 0.3 | 30 | 7.2 | .01 |
| 13L | 823150 | 20 | 445400 | 6037900 | PH11 | 1-5 | 20 | 00 | M | BN | | 158 | 15 | 1 | 12 | 17 | 0.2 | 525 | 0.5 | 3 | 5.00 | 90 | 26.6 | 1.3 | 120 | 60 | 0.2 | 28 | 6.8 | .01 |
| 13L | 823151 | 20 | 445200 | 6034600 | PH11 | LT 1 | 30 | 00 | H | BN | | 220 | 19 | 1 | 21 | 34 | 0.2 | 1900 | 0.5 | 5 | 6.20 | 130 | 27.6 | 1.5 | 190 | 70 | 0.5 | 26 | 6.8 | .01 |
| 13L | 823152 | 20 | 444916 | 6031742 | PH11 | LT 1 | 5 | 00 | H | BN | | 50 | 10 | 1 | 15 | 4 | 0.2 | 63 | 0.5 | 1 | 0.50 | 70 | 26.8 | 0.9 | 100 | 20 | 0.2 | 26 | 7.1 | .01 |
| 13L | 823153 | 20 | 442415 | 6032088 | PH11 | LT 1 | 20 | 00 | H | BN | | 65 | 11 | 1 | 10 | 4 | 0.1 | 88 | 0.5 | 2 | 0.65 | 80 | 33.8 | 0.5 | 80 | 20 | 0.3 | 24 | 7.0 | .01 |
| 13L | 831002 | 20 | 561000 | 6084000 | PH11 | LT 1 | 21 | 00 | M | TN | BN | 76 | 23 | 1 | 18 | 8 | 0.1 | 290 | 0.5 | 4 | 3.00 | 60 | 23.8 | 0.2 | 90 | 55 | 0.2 | 22 | 7.1 | .02 |
| 13L | 831003 | 20 | 563021 | 6036490 | NHWS | POND | 40 | 10 | L | BN | BK | 84 | 70 | 1 | 33 | 17 | 0.3 | 1860 | 8.527 | 3.35 | 110 | 32.6 | 13.4 | 120 | 40 | 0.5 | 28 | 7.3 | .02 | |
| 13L | 831004 | 20 | 563021 | 6036490 | NHWS | POND | 40 | 20 | L | BN | BK | 79 | 73 | 2 | 28 | 9 | 0.1 | 627 | 6.0 | 9 | 2.20 | 110 | 31.0 | 11.9 | 100 | 40 | 0.4 | 32 | 7.3 | .02 |
| 13L | 831006 | 20 | 562683 | 6040026 | NHWS | LT 1 | 42 | 00 | L | BN | | 64 | 31 | 4 | 29 | 11 | 0.1 | 576 | 2.0 | 2 | 2.25 | 30 | 2.8 | 3.7 | 350 | 45 | 0.1 | 30 | 7.0 | .01 |
| 13L | 831007 | 20 | 560438 | 6039675 | NHWS | 1-5 | 94 | 00 | L | BN | BK | 200 | 46 | 1 | 33 | 19 | 0.2 | 3780 | 3.012 | 3.40 | 100 | 35.0 | 3.1 | 120 | 60 | 0.9 | 24 | 6.8 | .02 | |
| 13L | 831008 | 20 | 557562 | 6040120 | NHWS | LT 1 | 60 | 00 | L | BN | | 115 | 50 | 3 | 18 | 17 | 0.4 | 717 | 1.0 | 6 | 5.00 | 120 | 30.0 | 2.8 | 180 | 60 | 0.3 | 24 | 6.8 | .01 |
| 13L | 831009 | 20 | 552773 | 6039892 | VNHW | POND | 20 | 00 | L | TN | | 96 | 41 | 2 | 17 | 6 | 0.1 | 377 | 1.5 | 2 | 3.60 | 90 | 29.2 | 1.7 | 120 | 40 | 0.3 | 28 | 6.7 | .01 |
| 13L | 831010 | 20 | 549420 | 6038426 | VNHW | LT 1 | 50 | 00 | L | TN | BN | 79 | 51 | 7 | 32 | 13 | 0.1 | 341 | 2.5 | 1 | 2.50 | 60 | 10.8 | 15.7 | 370 | 50 | 0.1 | 22 | 7.0 | .01 |
| 13L | 831011 | 20 | 544302 | 6039638 | VNHW | GT 5 | 35 | 00 | L | BN | | 130 | 58 | 3 | 22 | 13 | 0.1 | 1460 | 2.0 | 2 | 3.25 | 70 | 27.6 | 2.6 | 110 | 45 | 0.4 | 22 | 6.8 | .01 |
| 13L | 831012 | 20 | 540947 | 6038933 | VNHW | GT 5 | 85 | 00 | L | BN | | 67 | 32 | 3 | 19 | 16 | 0.1 | 1160 | 2.0 | 1 | 2.70 | 40 | 7.2 | 2.0 | 280 | 45 | 0.1 | 26 | 6.6 | .01 |
| 13L | 831013 | 20 | 538358 | 6036282 | VNHW | 1-5 | 90 | 00 | L | BN | BK | 156 | 71 | 1 | 15 | 11 | 0.3 | 578 | 2.5 | 3 | 5.15 | 140 | 43.4 | 1.9 | 130 | 55 | 0.5 | 22 | 6.6 | .01 |
| 13L | 831014 | 20 | 540546 | 6035191 | VNHW | GT 5 | 59 | 00 | L | BN | | 82 | 83 | 2 | 21 | 12 | 0.1 | 1630 | 2.5 | 3 | 2.40 | 50 | 15.4 | 12.6 | 220 | 40 | 0.2 | 22 | 6.5 | .01 |
| 13L | 831015 | 20 | 544432 | 6033945 | NHWS | POND | 22 | 00 | M | BN | | 81 | 26 | 1 | 13 | 7 | 0.1 | 604 | 8.0 | 7 | 1.45 | 70 | 41.2 | 27.0 | 180 | 90 | 0.3 | 30 | 7.1 | .06 |
| 13L | 831016 | 20 | 548516 | 6034576 | NHWS | LT 1 | 45 | 00 | L | GY | BN | 93 | 55 | 2 | 18 | 6 | 0.2 | 546 | 3.015 | 2.25 | 80 | 31.0 | 36.7 | 110 | 55 | 0.4 | 24 | 6.9 | .01 | |
| 13L | 831017 | 20 | 552856 | 6035813 | NHWS | LT 1 | 41 | 00 | L | BN | | 92 | 59 | 3 | 24 | 12 | 0.1 | 611 | 4.5 | 6 | 2.50 | 60 | 16.0 | 9.8 | 280 | 50 | 0.4 | 24 | 6.8 | .01 |
| 13L | 831018 | 20 | 557456 | 6036171 | NHWS | POND | 20 | 00 | L | TN | BN | 49 | 16 | 1 | 11 | 5 | 0.1 | 134 | 1.0 | 5 | 0.55 | 40 | 40.4 | 0.9 | 70 | 20 | 0.2 | 28 | 6.9 | .01 |
| 13L | 831019 | 20 | 559981 | 6035641 | NHWS | POND | 62 | 00 | M | BN | | 130 | 28 | 1 | 27 | 12 | 0.3 | 573 | 3.514 | 3.10 | 140 | 44.6 | | | | | | | | |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

| MAP | ID | UTM COORDINATS | | ROCK TYPE | LAKE AREA | SMP DTH | RP ST | R E O L N F T | SMPL COLOR | S U S P | ZN | CU | PB | NI | CO | AG | MN | AS | MO | FE | HG | LOI | U | F | V | CD | F-W | PH | U-W |
|-----|--------|----------------|--------|-----------|-----------|---------|-------|---------------|------------|---------|-----|-----|----|----|-----|-----|------|--------|-------|------|------|------|------|-----|-----|-----|-----|-----|-----|
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13L | 831029 | 20 | 544586 | 6031796 | NHWS | LT 1 | 14 | 00 | L | TN | 67 | 31 | 2 | 17 | 5 | 0.1 | 140 | 1.0 | 4 | 0.65 | 40 | 29.6 | 4.4 | 110 | 30 | 0.2 | 28 | 6.9 | .01 |
| 13L | 831030 | 20 | 540964 | 6032442 | NHWS | GT 5 | 95 | 00 | L | GY BN | 114 | 74 | 1 | 16 | 21 | 0.3 | 5000 | 5.5 | 9 | 4.60 | 40 | 30.2 | 5.5 | 110 | 30 | 0.4 | 24 | 6.8 | .01 |
| 13L | 831032 | 20 | 537556 | 6032011 | VNHW | LT 1 | 90 | 00 | M | BN BK | 70 | 45 | 3 | 12 | 5 | 0.2 | 400 | 2.0 | 5 | 1.90 | 120 | 42.8 | 3.0 | 100 | 40 | 0.6 | 28 | 7.1 | .01 |
| 13L | 831033 | 20 | 538673 | 6028414 | NHWS | POND | 10 | 00 | L | TN BN | 50 | 24 | 2 | 12 | 4 | 0.1 | 115 | 1.0 | 3 | 0.65 | 60 | 32.6 | 2.2 | 80 | 25 | 0.5 | 36 | 7.1 | .01 |
| 13L | 831034 | 20 | 541172 | 6028730 | NHWS | POND | 6 | 00 | M | TN BN | 47 | 26 | 2 | 15 | 3 | 0.1 | 86 | 1.0 | 2 | 0.45 | 70 | 34.4 | 3.8 | 70 | 15 | 0.3 | 32 | 6.9 | .01 |
| 13L | 831035 | 20 | 546364 | 6028666 | NHWS | LT 1 | 21 | 00 | L | BN | 53 | 13 | 1 | 9 | 18 | 0.1 | 451 | 1.0 | 6 | 2.15 | 50 | 31.6 | 4.5 | 80 | 60 | 0.1 | 44 | 7.0 | .01 |
| 13L | 831036 | 20 | 548648 | 6027715 | NHWS | LT 1 | 31 | 00 | M | BN | 120 | 170 | 4 | 26 | 15 | 0.2 | 786 | 4.515 | 2.90 | 100 | 28.2 | 14.3 | 210 | 50 | 0.4 | 36 | 7.0 | .01 | |
| 13L | 831037 | 20 | 552336 | 6028624 | NHWS | LT 1 | 52 | 00 | M | BN | 51 | 66 | 3 | 15 | 21 | 0.3 | 1150 | 16.547 | 5.00 | 140 | 39.4 | 14.3 | 190 | 65 | 0.2 | 40 | 7.0 | .01 | |
| 13L | 831038 | 20 | 556948 | 6028422 | NHWS | POND | 13 | 00 | L | GY BN | 46 | 25 | 6 | 14 | 13 | 0.1 | 423 | 3.0 | 5 | 2.05 | 40 | 8.6 | 3.5 | 260 | 50 | 0.1 | 46 | 7.2 | .01 |
| 13L | 831039 | 20 | 559159 | 6025877 | NHWS | POND | 30 | 00 | L | BN | 57 | 95 | 3 | 11 | 8 | 0.2 | 275 | 0.5 | 5 | 1.65 | 150 | 42.0 | 3.9 | 260 | 45 | 0.3 | 24 | 6.7 | .01 |
| 13L | 831040 | 20 | 563617 | 6026008 | NHWS | LT 1 | 65 | 00 | L | BN | 105 | 59 | 4 | 17 | 11 | 0.2 | 248 | 2.010 | 2.90 | 120 | 42.4 | 5.4 | 200 | 45 | 0.3 | 24 | 6.9 | .01 | |
| 13L | 831042 | 20 | 563787 | 6022264 | NH17 | GT 5 | 70 | 00 | L | TN | 85 | 66 | 5 | 25 | 12 | 0.2 | 306 | 2.010 | 2.95 | 60 | 22.6 | 3.7 | 270 | 45 | 0.3 | 28 | 6.7 | .01 | |
| 13L | 831043 | 20 | 558759 | 6021773 | NH17 | POND | 21 | 10 | L | TN BN | 49 | 51 | 1 | 24 | 7 | 0.1 | 121 | 1.0 | 6 | 0.80 | 50 | 38.8 | 2.6 | 110 | 30 | 0.2 | 24 | 6.5 | .01 |
| 13L | 831044 | 20 | 558759 | 6021773 | NH17 | POND | 21 | 20 | L | TN BN | 46 | 44 | 2 | 24 | 7 | 0.1 | 117 | 1.0 | 4 | 0.65 | 50 | 38.6 | 2.4 | 110 | 20 | 0.2 | 24 | 6.5 | .01 |
| 13L | 831045 | 20 | 557235 | 6021756 | NHWS | LT 1 | 80 | 00 | L | BN BK | 103 | 91 | 3 | 24 | 17 | 0.4 | 543 | 4.515 | 2.40 | 120 | 41.6 | 3.7 | 160 | 50 | 0.4 | 24 | 6.6 | .01 | |
| 13L | 831046 | 20 | 556071 | 6024274 | NHWS | LT 1 | 72 | 00 | L | BN BK | 27 | 58 | 2 | 19 | 11 | 0.2 | 320 | 1.0 | 9 | 1.65 | 70 | 43.8 | 2.0 | 150 | 30 | 0.3 | 28 | 6.5 | .01 |
| 13L | 831047 | 20 | 554269 | 6024774 | NHWS | POND | 20 | 00 | M | BN | 51 | 39 | 3 | 18 | 10 | 0.1 | 90 | 5.5 | 6 | 1.60 | 80 | 35.4 | 9.4 | 300 | 40 | 0.2 | 32 | 7.0 | .01 |
| 13L | 831048 | 20 | 547500 | 6024300 | NHWS | POND | 40 | 00 | L | GY BN | 68 | 33 | 6 | 17 | 14 | 0.1 | 5200 | 23.012 | 3.80 | 40 | 12.0 | 17.9 | 320 | 90 | 0.1 | 44 | 6.8 | .01 | |
| 13L | 831049 | 20 | 544875 | 6025244 | NHWS | LT 1 | 30 | 00 | M | BN | 64 | 33 | 3 | 12 | 10 | 0.1 | 211 | 5.5 | 4 | 2.10 | 80 | 36.2 | 6.5 | 210 | 50 | 0.2 | 44 | 7.0 | .01 |
| 13L | 831050 | 20 | 541774 | 6024987 | NHWS | 1-5 | 30 | 00 | M | BN | 86 | 26 | 3 | 12 | 13 | 0.1 | 524 | 3.5 | 4 | 1.50 | 60 | 32.0 | 6.6 | 160 | 40 | 0.3 | 36 | 6.9 | .01 |
| 13L | 831051 | 20 | 539341 | 6024874 | NH17 | LT 1 | 35 | 00 | L | GY BN | 27 | 63 | 3 | 15 | 12 | 0.1 | 579 | 2.0 | 5 | 1.95 | 50 | 16.0 | 8.0 | 260 | 45 | 0.3 | 36 | 6.9 | .01 |
| 13L | 831052 | 20 | 538271 | 6022786 | NH17 | POND | 32 | 00 | L | BN | 72 | 27 | 2 | 10 | 9 | 0.5 | 552 | 1.011 | 1.70 | 80 | 48.4 | 5.2 | 150 | 40 | 0.3 | 42 | 6.8 | .01 | |
| 13L | 831053 | 20 | 543295 | 6022121 | NHWS | POND | 20 | 00 | L | TN | 72 | 60 | 3 | 16 | 9 | 0.4 | 140 | 1.5 | 6 | 1.10 | 70 | 39.8 | 5.8 | 160 | 30 | 0.3 | 46 | 7.0 | .02 |
| 13L | 831054 | 20 | 545931 | 6020021 | NHWS | POND | 10 | 00 | L | TN BN | 38 | 23 | 2 | 14 | 5 | 0.3 | 78 | 0.5 | 3 | 0.55 | 60 | 35.0 | 1.6 | 110 | 20 | 0.1 | 34 | 6.5 | .01 |
| 13L | 831055 | 20 | 548900 | 6021252 | NHWS | LT 1 | 78 | 00 | L | BN | 75 | 60 | 4 | 15 | 9 | 0.1 | 244 | 1.5 | 7 | 1.80 | 50 | 21.6 | 6.3 | 320 | 45 | 0.3 | 30 | 6.8 | .01 |
| 13L | 831056 | 20 | 551184 | 6020217 | NH17 | POND | 65 | 00 | L | BN BK | 64 | 54 | 2 | 17 | 8 | 0.2 | 231 | 1.0 | 5 | 1.05 | 110 | 44.0 | 2.0 | 210 | 40 | 0.4 | 28 | 6.5 | .01 |
| 13L | 831057 | 20 | 554583 | 6019124 | NH17 | LT 1 | 60 | 00 | L | BN | 89 | 60 | 1 | 24 | 24 | 0.1 | 288 | 0.512 | 2.40 | 60 | 29.6 | 5.0 | 340 | 50 | 0.3 | 22 | 6.5 | .01 | |
| 13L | 831059 | 20 | 560396 | 6018556 | NHWS | POND | 28 | 00 | M | TN BN | 90 | 18 | 4 | 12 | 5 | 0.1 | 116 | 1.0 | 5 | 0.60 | 30 | 50.0 | 9.2 | 790 | 25 | 0.4 | 26 | 7.3 | .01 |
| 13L | 831060 | 20 | 563774 | 6018225 | NHWS | LT 1 | 30 | 00 | L | TN GY | 220 | 25 | 10 | 17 | 11 | 0.1 | 5400 | 7.521 | 2.15 | 50 | 11.2 | 10.6 | 400 | 60 | 0.4 | 98 | 6.8 | .01 | |
| 13L | 831062 | 20 | 562689 | 5991055 | HUGP | POND | 6 | 10 | L | GY BN | 32 | 34 | 5 | 9 | 6 | 0.1 | 105 | 1.0 | 1 | 0.80 | 30 | 7.2 | 7.3 | 340 | 35 | 0.1 | 26 | 5.8 | .01 |
| 13L | 831063 | 20 | 562689 | 5991055 | HUGP | POND | 6 | 20 | L | GY BN | 33 | 31 | 3 | 10 | 5 | 0.1 | 78 | 0.5 | 1 | 0.70 | 60 | 29.0 | 4.4 | 190 | 40 | 0.2 | 26 | 5.6 | .01 |
| 13L | 831064 | 20 | 561212 | 5990783 | HUGP | POND | 11 | 00 | L | BN | 26 | 29 | 1 | 10 | 2 | 0.1 | 71 | 0.5 | 1 | 0.60 | 70 | 39.8 | 4.3 | 110 | 30 | 0.1 | 26 | 5.7 | .01 |
| 13L | 831065 | 20 | 557887 | 5991285 | HUGP | POND | 5 | 00 | L | TN BN | 27 | 6 | 3 | 6 | 3 | 0.1 | 69 | 0.5 | 4 | 0.65 | 50 | 24.4 | 6.6 | 120 | 25 | 0.1 | 76 | 6.4 | .01 |
| 13L | 831066 | 20 | 552737 | 5988369 | HUGP | POND | 6 | 00 | L | TN BN | 31 | 4 | 5 | 4 | 4 | 0.1 | 55 | 1.0 | 3 | 0.60 | 30 | 16.6 | 8.3 | 160 | 40 | 0.1 | 240 | 6.8 | .04 |
| 13L | 831067 | 20 | 548766 | 5988149 | HUGP | POND | 9 | 00 | L | BN | 35 | 6 | 3 | 6 | 4 | 0.1 | 33 | 0.5 | 1 | 0.30 | 40 | 27.8 | 1.8 | 120 | 20 | 0.1 | 62 | 6.2 | .01 |
| 13L | 831068 | 20 | 550532 | 5990514 | HUGP | POND | 20 | 00 | L | BN BK | 67 | 36 | 4 | 6 | 11 | 0.4 | 339 | 0.5 | 3 | 4.10 | 110 | 37.0 | 11.9 | 200 | 90 | 0.1 | 36 | 5.6 | .01 |
| 13L | 831070 | 20 | 549300 | 5996799 | HUGP | LT 1 | 9 | 00 | L | BN | 110 | 19 | 5 | 9 | 9 | 0.1 | 202 | 0.5 | 6 | 2.90 | 60 | 25.8 | 4.0 | 240 | 35 | 0.1 | 54 | 6.3 | .01 |
| 13L | 831071 | 20 | 549412 | 6000272 | HUGP | 1-5 | 7 | 00 | L | BN | 170 | 27 | 7 | 12 | 8 | 0.1 | 203 | 0.5 | 6 | 2.10 | 30 | 24.6 | 5.3 | 320 | 30 | 0.4 | 38 | 6.0 | .01 |
| 13L | 831072 | 20 | 549700 | 6003590 | HUGP | POND | 9 | 00 | L | BN | 118 | 26 | 13 | 9 | 6 | 0.1 | 250 | 0.5 | 3 | 1.40 | 50 | 42.2 | 2.9 | 200 | 30 | 0.4 | 66 | 6.3 | .01 |
| 13L | 831073 | 20 | 553318 | 6002690 | HUGP | POND | 2 | 00 | L | TN BN | 83 | 17 | 10 | 8 | 10 | 0.1 | 310 | 0.5 | 3 | 3.30 | 70 | 25.4 | 3.0 | 160 | 40 | 0.1 | 48 | 6.0 | .01 |
| 13L | 831074 | 20 | 556415 | 6004014 | HUGP | GT 5 | 23 | 00 | L | BN | 540 | 43 | 20 | 10 | 15 | 0.3 | 1750 | 1.014 | 11.50 | 100 | 28.8 | 4.8 | 410 | 60 | 1.7 | 90 | 6.4 | .01 | |
| 13L | 831075 | 20 | 559571 | 6002752 | HUGP | POND | 10 | 00 | L | BN | 95 | 25 | 5 | 10 | 7 | 0.1 | 167 | 0.5 | 3 | 1.30 | 60 | 36.0 | 2.7 | 160 | 30 | 0.5 | 34 | 6.0 | .01 |
| 13L | 831076 | 20 | 564185 | 6003592 | HUGP | GT 5 | 20 | 00 | L | BN | 120 | 20 | 6 | 7 | 8</ | | | | | | | | | | | | | | |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

| MAP | ID | UTM COORDINATS | | | ROCK TYPE | LAKE AREA | SMP DTH | RP ST | R E O L N F T | S U S P | SMPL COLOR | ZN | CU | PB | NI | CO | AG | MN | AS | MO | FE | HG | LOI | U | F | V | CD | F-W | PH | U-W |
|-----|--------|----------------|--------|---------|-----------|-----------|---------|-------|---------------|---------|------------|--------|----|----|----|-----|------|------------|------------|------|-----------|------|------|------|-----|-----|-----|-----|-----|-----|
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13L | 831085 | 20 | 557248 | 5996826 | HUGP | LT 1 | 9 | 00 | L | BN | | 40 | 17 | 2 | 9 | 4 | 0.1 | 107 | 0.5 | 1 | 0.65 | 50 | 32.8 | 2.0 | 90 | 20 | 0.1 | 34 | 6.0 | .01 |
| 13L | 831086 | 20 | 559506 | 5996725 | HUGP | LT 1 | 10 | 00 | L | BN | | 110 | 82 | 5 | 15 | 8 | 0.1 | 190 | 1.0 | 4 | 1.80 | 40 | 37.4 | 7.0 | 150 | 35 | 0.2 | 34 | 6.0 | .01 |
| 13L | 831087 | 20 | 564656 | 5995525 | HUGP | LT 1 | 12 | 00 | L | BN | | 38 | 16 | 4 | 9 | 4 | 0.1 | 63 | 1.0 | 1 | 0.70 | 50 | 30.4 | 3.6 | 110 | 20 | 0.1 | 36 | 6.1 | .01 |
| 13L | 833002 | 20 | 562061 | 6014196 | VNHW | LT 1 | 70 | 00 | H | BN | | 126 | 66 | 2 | 28 | 27 | 0.4 | 1200 | 1.5 | 7 | 5.80 | 90 | 30.2 | 3.0 | 240 | 50 | 0.3 | 26 | 6.7 | .01 |
| 13L | 833003 | 20 | 559801 | 6013737 | VNHW | 1-5 | 65 | 00 | H | BN | | 113 | 61 | 9 | 23 | 28 | 0.2 | 2840 | 5.5 | 8 | 6.60 | 80 | 30.2 | 5.1 | 360 | 45 | 0.3 | 28 | 6.9 | .01 |
| 13L | 833004 | 20 | 556336 | 6013295 | NHWS | LT 1 | 25 | 00 | H | BN | | 112 | 86 | 6 | 17 | 23 | 0.2 | 648 | 5.522 | 6.70 | 100 | 30.6 | 5.5 | 350 | 45 | 0.4 | 28 | 6.8 | .01 | |
| 13L | 833005 | 20 | 554168 | 6014435 | NHWS | LT 1 | 40 | 00 | H | BN | | 125 | 84 | 5 | 19 | 47 | 0.1 | 730 | 3.519 | 5.95 | 130 | 34.0 | 7.2 | 280 | 60 | 0.2 | 34 | 6.7 | .01 | |
| 13L | 833007 | 20 | 553541 | 6016813 | NH17 | LT 1 | 80 | 00 | H | BN | | 192200 | 8 | 36 | 62 | 0.6 | 1900 | 14.560 | 7.45 | 270 | 44.6 | 19.4 | 480 | 70 | 0.6 | 42 | 6.9 | .01 | | |
| 13L | 833008 | 20 | 549362 | 6018451 | NH17 | LT 1 | 20 | 00 | H | BN | | 62 | 55 | 1 | 18 | 20 | 0.1 | 413 | 1.0 | 7 | 4.00 | 40 | 35.4 | 0.2 | 100 | 30 | 0.2 | 26 | 6.4 | .01 |
| 13L | 833009 | 20 | 544130 | 6016965 | NH17 | LT 1 | 40 | 00 | H | BN | | 145 | 85 | 4 | 35 | 41 | 0.2 | 152023.031 | 6.85 | 90 | 37.6208.0 | 400 | 50 | 0.4 | 28 | 6.7 | .01 | | | |
| 13L | 833010 | 20 | 542516 | 6016847 | NH17 | 1-5 | 55 | 00 | H | BN | | 91115 | 1 | 26 | 29 | 0.1 | 410 | 4.522 | 5.30 | 100 | 34.4 | 5.0 | 220 | 55 | 0.3 | 32 | 6.5 | .01 | | |
| 13L | 833011 | 20 | 537585 | 6016462 | NH17 | LT 1 | 18 | 10 | M | BN | | 40 | 24 | 5 | 12 | 9 | 0.1 | 300 | 2.0 | 2 | 1.60 | 20 | 3.6 | 3.1 | 260 | 25 | 0.1 | 42 | 7.1 | .01 |
| 13L | 833012 | 20 | 537585 | 6016462 | NH17 | LT 1 | 18 | 20 | M | BN | | 40 | 20 | 4 | 11 | 7 | 0.1 | 253 | 1.5 | 1 | 1.35 | 20 | 2.6 | 2.8 | 260 | 20 | 0.1 | 42 | 7.3 | .01 |
| 13L | 833013 | 20 | 538526 | 6013388 | NH17 | LT 1 | 40 | 00 | H | BN | | 42 | 21 | 4 | 13 | 6 | 0.1 | 215 | 1.5 | 2 | 1.25 | 30 | 6.4 | 3.3 | 270 | 20 | 0.1 | 38 | 7.0 | .01 |
| 13L | 833014 | 20 | 537043 | 6009013 | UPHW | LT 1 | 14 | 00 | M | BN | | 430 | 17 | 28 | 8 | 3 | 0.1 | 271 | 0.5 | 6 | 0.80 | 40 | 33.6 | 5.0 | 150 | 10 | 1.5 | 120 | 6.5 | .01 |
| 13L | 833015 | 20 | 538241 | 6007053 | HUGP | GT 5 | 25 | 00 | M | BN | | 620 | 24 | 22 | 7 | 4 | 0.2 | 411 | 1.010 | 1.55 | 40 | 30.4 | 6.1 | 300 | 15 | 1.3 | 130 | 6.5 | .01 | |
| 13L | 833016 | 20 | 538094 | 6003810 | HUGP | 1-5 | 17 | 00 | L | BN | | 260 | 15 | 13 | 13 | 4 | 0.1 | 361 | 2.0 | 4 | 1.70 | 30 | 5.8 | 9.4 | 410 | 20 | 0.4 | 110 | 6.4 | .01 |
| 13L | 833017 | 20 | 538609 | 6000697 | HUGP | 1-5 | 4 | 00 | L | BN | | 300 | 6 | 12 | 5 | 2 | 0.1 | 159 | 1.0 | 3 | 0.80 | 30 | 18.2 | 3.6 | 260 | 10 | 1.0 | 200 | 6.4 | .01 |
| 13L | 833018 | 20 | 537277 | 5994878 | HUGP | POND | 5 | 00 | L | BN | | 66 | 15 | 3 | 10 | 8 | 0.1 | 106 | 1.0 | 4 | 0.90 | 20 | 23.2 | 4.1 | 240 | 20 | 0.1 | 78 | 6.2 | .01 |
| 13L | 833019 | 20 | 537961 | 5992093 | HUGP | GT 5 | 10 | 00 | L | BN | | 67 | 18 | 12 | 9 | 7 | 0.1 | 188 | 1.0 | 3 | 1.60 | 20 | 5.4 | 5.8 | 320 | 20 | 0.1 | 78 | 6.4 | .01 |
| 13L | 833020 | 20 | 537030 | 5989488 | HUGP | 1-5 | 10 | 00 | M | BN | | 69 | 9 | 6 | 8 | 6 | 0.1 | 241 | 0.5 | 7 | 2.50 | 30 | 22.4 | 3.8 | 230 | 40 | 0.1 | 84 | 6.2 | .01 |
| 13L | 833022 | 20 | 538990 | 5986216 | HUGP | LT 1 | 8 | 00 | M | GY BN | | 34 | 9 | 5 | 6 | 3 | 0.1 | 99 | 1.0 | 1 | 0.70 | 10 | 2.2 | 3.6 | 330 | 20 | 0.1 | 42 | 6.2 | .01 |
| 13L | 833023 | 20 | 541379 | 5984622 | HUGB | GT 5 | 40 | 00 | M | BN | | 150 | 32 | 5 | 12 | 24 | 0.1 | 1750 | 2.0 | 8 | 8.60 | 50 | 20.0 | 4.6 | 210 | 60 | 0.1 | 42 | 6.2 | .01 |
| 13L | 833025 | 20 | 542690 | 5988479 | HUGP | LT 1 | 30 | 00 | M | BN | | 46 | 15 | 10 | 5 | 5 | 0.1 | 124 | 1.0 | 2 | 1.45 | 70 | 26.6 | 2.9 | 290 | 35 | 0.1 | 58 | 6.3 | .01 |
| 13L | 833026 | 20 | 541373 | 5993266 | HUGP | POND | 4 | 00 | L | BN | | 32 | 18 | 5 | 7 | 2 | 0.1 | 91 | 0.5 | 1 | 1.00 | 50 | 32.0 | 3.6 | 140 | 15 | 0.1 | 52 | 6.0 | .01 |
| 13L | 833027 | 20 | 541364 | 5995324 | HUGP | LT 1 | 10 | 10 | L | BN | | 71 | 28 | 4 | 12 | 4 | 0.1 | 98 | 0.5 | 2 | 1.50 | 40 | 32.8 | 6.4 | 120 | 30 | 0.1 | 74 | 6.4 | .01 |
| 13L | 833028 | 20 | 541364 | 5995324 | HUGP | LT 1 | 10 | 20 | L | BN | | 90 | 50 | 6 | 15 | 7 | 0.1 | 113 | 1.0 | 3 | 1.60 | 30 | 23.6 | 19.9 | 240 | 35 | 0.2 | 74 | 6.4 | .01 |
| 13L | 833029 | 20 | 541100 | 5999200 | HUGP | LT 1 | 6 | 00 | L | BN | | 106 | 22 | 8 | 9 | 3 | 0.1 | 91 | 1.0 | 4 | 0.50 | 50 | 34.4 | 4.5 | 160 | 10 | 0.3 | 76 | 6.2 | .01 |
| 13L | 833030 | 20 | 541490 | 6001604 | HUGP | LT 1 | 5 | 00 | L | BN | | 175 | 10 | 6 | 6 | 2 | 0.1 | 286 | 0.5 | 4 | 0.75 | 50 | 28.4 | 3.2 | 120 | 15 | 0.6 | 140 | 6.2 | .01 |
| 13L | 833031 | 20 | 540657 | 6006932 | HUGP | 1-5 | 25 | 00 | M | BN | | 520 | 25 | 41 | 7 | 12 | 0.1 | 1310 | 2.011 | 6.55 | 80 | 27.2 | 6.4 | 340 | 30 | 1.2 | 120 | 6.3 | .01 | |
| 13L | 833032 | 20 | 541536 | 6009384 | UPHW | GT 5 | 9 | 00 | M | BN | | 200 | 16 | 10 | 9 | 5 | 0.1 | 358 | 1.0 | 3 | 1.05 | 20 | 1.6 | 4.9 | 370 | 20 | 0.2 | 100 | 6.3 | .01 |
| 13L | 833033 | 20 | 541791 | 6013071 | NHWS | GT 5 | 20 | 00 | M | BN | | 470 | 18 | 28 | 9 | 6 | 0.1 | 528 | 1.011 | 2.30 | 50 | 18.8 | 4.2 | 280 | 20 | 1.0 | 140 | 6.4 | .01 | |
| 13L | 833034 | 20 | 545288 | 6013513 | NHWS | POND | 10 | 00 | M | BN | | 54 | 51 | 9 | 15 | 4 | 0.1 | 123 | 1.0 | 2 | 0.55 | 100 | 47.4 | 1.9 | 120 | 15 | 0.3 | 38 | 6.5 | .01 |
| 13L | 833035 | 20 | 548854 | 6014323 | NHWS | 1-5 | 20 | 00 | M | BN | | 1050 | 46 | 21 | 24 | 12 | 0.1 | 4700 | 3.018 | 2.80 | 40 | 10.0 | 7.3 | 330 | 30 | 2.2 | 120 | 6.5 | .01 | |
| 13L | 833036 | 20 | 551249 | 6010823 | UPHW | LT 1 | 20 | 00 | M | BN | | 220 | 16 | 20 | 8 | 6 | 0.1 | 400 | 1.010 | 1.60 | 60 | 25.2 | 2.2 | 330 | 20 | 0.7 | 48 | 6.0 | .01 | |
| 13L | 833037 | 20 | 557210 | 6011835 | NHWS | LT 1 | 7 | 00 | M | BN | | 74 | 51 | 4 | 12 | 11 | 0.1 | 737 | 8.026 | 3.20 | 80 | 32.8 | 8.4 | 130 | 35 | 0.2 | 34 | 6.4 | .01 | |
| 13L | 833038 | 20 | 560295 | 6009119 | UPHW | 1-5 | 20 | 00 | M | GN BN | | 450 | 27 | 15 | 11 | 42 | 0.1 | 5750 | 1.01011.00 | | 70 | 26.2 | 5.0 | 160 | 45 | 0.5 | 58 | 6.5 | .01 | |
| 13L | 833039 | 20 | 564195 | 6010674 | NHWS | LT 1 | 25 | 00 | H | GN BN | | 155 | 89 | 14 | 7 | 25 | 0.2 | 2530 | 3.5 | 6 | 9.10 | 90 | 26.4 | 6.4 | 180 | 50 | 0.1 | 44 | 6.5 | .01 |
| 13L | 833040 | 20 | 563408 | 6006607 | HUGP | 1-5 | 20 | 00 | M | BN | | 105 | 21 | 8 | 7 | 7 | 0.1 | 296 | 0.5 | 5 | 1.95 | 50 | 28.8 | 3.3 | 150 | 30 | 0.2 | 44 | 6.2 | .01 |
| 13L | 833042 | 20 | 560189 | 6006047 | HUGP | LT 1 | 20 | 00 | M | BN | | 180 | 24 | 10 | 6 | 13 | 0.1 | 920 | 1.015 | 5.10 | 60 | 32.8 | 5.9 | 220 | 35 | 0.5 | 90 | 6.4 | .01 | |
| 13L | 833043 | 20 | 555053 | 6006465 | HUGP | LT 1 | 10 | 10 | M | BN | | 260 | 24 | 20 | 8 | 1 | 0.1 | 125 | 0.5 | 5 | 0.50 | 60 | 41.0 | 2.4 | 150 | 10 | 0.9 | 130 | 6.2 | .01 |
| 13L | 833044 | 20 | 555053 | 6006465 | HUGP | LT 1 | 10 | 20 | M | BN | | 3 | | | | | | | | | | | | | | | | | | |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

| MAP | ID | UTM COORDINATS | | | ROCK TYPE | LAKE AREA | SMP DTH | RP ST | R C | | S U | SMPL COLOR | P | ZN | CU | PB | NI | CO | AG | MN | AS | MO | FE | HG | LOI | U | F | V | CD | F-W | PH | U-W |
|-----|--------|----------------|--------|---------|-----------|-----------|---------|-------|-----|---|-----|------------|---|-----|----|----|----|----|-----|-----|-----|----|------|-----|------|------|-----|-----|-----|-----|-----|-----|
| | | ZN | EAST | NORTH | | | | | L | N | | | | | | | | | | | | | | | | | | | | | | |
| 13L | 833053 | 20 | 546083 | 5992365 | HUGP | LT 1 | 15 00 | M | BN | | | | | 42 | 20 | 4 | 6 | 1 | 0.1 | 93 | 0.5 | 3 | 0.85 | 80 | 34.0 | 2.8 | 140 | 30 | 0.1 | 46 | 6.0 | .02 |
| 13L | 833054 | 20 | 545893 | 5989687 | HUGP | LT 1 | 15 00 | L | BN | | | | | 31 | 8 | 3 | 5 | 1 | 0.1 | 54 | 0.5 | 2 | 0.60 | 60 | 24.6 | 1.9 | 110 | 15 | 0.1 | 62 | 5.9 | .04 |
| 13L | 833055 | 20 | 546514 | 5986445 | HUGB | POND | 10 00 | M | BN | | | | | 22 | 9 | 6 | 4 | 1 | 0.1 | 41 | 0.5 | 1 | 0.35 | 60 | 22.4 | 0.5 | 60 | 20 | 0.2 | 48 | 5.8 | .01 |
| 13L | 833056 | 20 | 548574 | 5984385 | HUGB | LT 1 | 30 00 | M | BN | | | | | 46 | 20 | 4 | 4 | 5 | 0.1 | 534 | 0.5 | 8 | 2.10 | 100 | 29.6 | 3.5 | 110 | 80 | 0.2 | 54 | 6.2 | .01 |
| 13L | 833057 | 20 | 551559 | 5985387 | HUGB | LT 1 | 20 00 | M | BN | | | | | 48 | 17 | 3 | 5 | 12 | 0.1 | 190 | 8.0 | 10 | 1.25 | 20 | 28.4 | 34.1 | 80 | 160 | 0.1 | 72 | 6.3 | .01 |
| 13L | 833059 | 20 | 555198 | 5985973 | HUGB | 1-5 | 25 00 | M | BN | | | | | 110 | 29 | 4 | 7 | 16 | 0.1 | 470 | 1.0 | 11 | 6.15 | 60 | 26.4 | 9.0 | 200 | 70 | 0.1 | 48 | 6.3 | .01 |
| 13L | 833060 | 20 | 557375 | 5987354 | HUGB | LT 1 | 15 00 | M | BN | | | | | 35 | 23 | 3 | 11 | 3 | 0.1 | 70 | 0.5 | 1 | 0.85 | 50 | 40.4 | 5.4 | 90 | 40 | 0.1 | 26 | 6.5 | .01 |
| 13L | 833062 | 20 | 558712 | 5988517 | HUGB | LT 1 | 9 10 | M | BN | | | | | 28 | 15 | 2 | 7 | 1 | 0.1 | 52 | 0.5 | 1 | 0.40 | 40 | 26.2 | 5.0 | 80 | 20 | 0.1 | 42 | 5.9 | .01 |
| 13L | 833063 | 20 | 558712 | 5988517 | HUGB | LT 1 | 9 20 | M | BN | | | | | 30 | 14 | 2 | 6 | 1 | 0.1 | 41 | 0.5 | 1 | 0.30 | 40 | 26.2 | 5.1 | 70 | 20 | 0.1 | 38 | 5.8 | .01 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

VARIABLE NAME
ZN

UNIT OF MEASUREMENT
PPM

DATA SUBSET
TOTAL

HISTOGRAM

SUMMARY STATISTICS

| HISTOGRAM | | | | | N | % | CUM % |
|------------|------------------------------|----|----|----|-----|-----|--------|
| ** | * | * | * | * | * | | |
| 1 PPM * | | | | | * | | |
| 2 PPM * | | | | | * | | |
| 5 PPM * | | | | | * | | |
| 10 PPM * | | | | | * | | |
| 20 PPM * | I | | | | * | 7 | .78 |
| 50 PPM * | XXXXXXXXXX | | | | * | 171 | 18.94 |
| 100 PPM * | XXXXXXXXXXXXXXXXXXXXXXXXXXXX | | | | * | 437 | 48.39 |
| 200 PPM * | XXXXXXXXXXXX | | | | * | 229 | 25.36 |
| 500 PPM * | XXX | | | | * | 47 | 5.20 |
| 1000 PPM * | X | | | | * | 10 | 1.11 |
| 2000 PPM * | I | | | | * | 2 | .22 |
| 5000 PPM * | | | | | * | | 100.00 |
| 1 PCT * | | | | | * | | |
| 2 PCT * | | | | | * | | |
| 5 PCT * | | | | | * | | |
| ** | * | * | * | * | * | | |
| 0 | 20 | 40 | 60 | 80 | 100 | | |

| | |
|------------------------------|-----|
| TOTAL NUMBER OF SAMPLES | 903 |
| NUMBER OF ZERO VALUE SAMPLES | 0 |
| NUMBER OF NON-ZERO SAMPLES | 903 |

| | |
|--------------------|-----------|
| ARITHMETIC MEAN | 103.3178 |
| VARIANCE | 9534.5164 |
| STANDARD DEVIATION | 97.6448 |
| SKREW | 5.1003 |
| EXCESS KURTOSIS | 38.4457 |

| | |
|-----------------------------|---------|
| COEFFICIENT OF VARIATION, % | 94.5092 |
|-----------------------------|---------|

| | |
|-----------------------------|----------|
| STANDARD ERROR OF THE MEAN | 3.2494 |
| LOWER 95% LIMIT ON THE MEAN | 96.9409 |
| UPPER 95% LIMIT ON THE MEAN | 109.6948 |

| | |
|------------------------------|----------|
| LOWER 95% LIMIT ON THE RANGE | -88.3087 |
| UPPER 95% LIMIT ON THE RANGE | 294.9444 |

| | |
|--------------------------|---------|
| GEOMETRIC MEAN | 82.6904 |
| LOG10 MEAN | 1.9175 |
| LOG10 VARIANCE | .0717 |
| LOG10 STANDARD DEVIATION | .2678 |

| | |
|-----------------------------|---------|
| STANDARD ERROR ON THE MEAN | .0089 |
| LOWER 95% LIMIT ON THE MEAN | 79.4268 |
| UPPER 95% LIMIT ON THE MEAN | 86.0880 |

| | |
|------------------------------|----------|
| LOWER 95% LIMIT ON THE RANGE | 24.6572 |
| UPPER 95% LIMIT ON THE RANGE | 277.3105 |

| | |
|---------------------------------|-----------|
| MINIMUM VALUE | 14.0000 |
| 25TH PERCENTILE OR 1ST QUARTILE | 56.0000 |
| 50TH PERCENTILE OR MEDIAN | 80.0000 |
| 75TH PERCENTILE OR 3RD QUARTILE | 118.0000 |
| 80TH PERCENTILE | 130.0000 |
| 90TH PERCENTILE | 180.0000 |
| 95TH PERCENTILE | 225.0000 |
| 98TH PERCENTILE | 430.0000 |
| 99TH PERCENTILE | 555.0000 |
| MAXIMUM VALUE | 1200.0000 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

| VARIABLE NAME CU | UNIT OF MEASUREMENT PPM | DATA SUBSET TOTAL |
|---------------------|----------------------------|----------------------|
|---------------------|----------------------------|----------------------|

HISTOGRAM

SUMMARY STATISTICS

| | N | % | CUM % | |
|--------------|-----|-------|--------|---|
| ** | | | | TOTAL NUMBER OF SAMPLES 903 |
| * | | | | NUMBER OF ZERO VALUE SAMPLES 0 |
| 100 PPB * | | | | NUMBER OF NON-ZERO SAMPLES 903 |
| 200 PPB * | | | | |
| 500 PPB * | | | | ARITHMETIC MEAN 20.9114 |
| 1 PPM * | | | | VARIANCE 372.3646 |
| 2 PPM * | | | | STANDARD DEVIATION 19.2968 |
| X | | | | SKEW 4.5782 |
| 5 PPM * | | | | EXCESS KURTOSIS 33.0386 |
| XXXXXXXXXXXX | | | | |
| 10 PPM * | 11 | 1.22 | 1.22 | COEFFICIENT OF VARIATION, % 92.2786 |
| XXXXXXXXXXXX | | | | |
| 20 PPM * | 197 | 21.82 | 23.03 | STANDARD ERROR OF THE MEAN .6422 |
| XXXXXXXXXXXX | | | | LOWER 95% LIMIT ON THE MEAN 19.6512 |
| 50 PPM * | 427 | 47.29 | 70.32 | UPPER 95% LIMIT ON THE MEAN 22.1716 |
| XXXXXXXXXXXX | | | | |
| 100 PPM * | 210 | 23.26 | 93.58 | LOWER 95% LIMIT ON THE RANGE -16.9582 |
| XXX | | | | UPPER 95% LIMIT ON THE RANGE 58.7810 |
| 200 PPM * | 50 | 5.54 | 99.11 | |
| I | | | | |
| 500 PPM * | 7 | .78 | 99.89 | GEOMETRIC MEAN 16.6608 |
| I | | | | LOG10 MEAN 1.2217 |
| 1000 PPM * | 1 | .11 | 100.00 | LOG10 VARIANCE .0730 |
| 2000 PPM * | | | | LOG10 STANDARD DEVIATION .2701 |
| 5000 PPM * | | | | |
| ** | | | | STANDARD ERROR ON THE MEAN .0090 |
| 0 | | | | LOWER 95% LIMIT ON THE MEAN 15.9976 |
| 20 | | | | UPPER 95% LIMIT ON THE MEAN 17.3516 |
| 40 | | | | |
| 60 | | | | LOWER 95% LIMIT ON THE RANGE 4.9152 |
| 80 | | | | UPPER 95% LIMIT ON THE RANGE 56.4737 |
| 100 | | | | |
| PERCENT | | | | MINIMUM VALUE 3.0000 |
| | | | | 25TH PERCENTILE OR 1ST QUARTILE 11.0000 |
| | | | | 50TH PERCENTILE OR MEDIAN 16.0000 |
| | | | | 75TH PERCENTILE OR 3RD QUARTILE 23.0000 |
| | | | | 80TH PERCENTILE 26.0000 |
| | | | | 90TH PERCENTILE 41.0000 |
| | | | | 95TH PERCENTILE 56.0000 |
| | | | | 98TH PERCENTILE 74.0000 |
| | | | | 99TH PERCENTILE 95.0000 |
| | | | | MAXIMUM VALUE 230.0000 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

| VARIABLE NAME PB | | UNIT OF MEASUREMENT PPM | DATA SUBSET TOTAL | | | | | | | |
|---------------------|--------------------------------------|----------------------------|----------------------|-----|--------------------|--------|-------|---------------------------------|------------------------------|----------|
| HISTOGRAM | | | | | SUMMARY STATISTICS | | | | | |
| | | | | | N | % | CUM % | | | |
| ** | * | * | * | * | * | | | | TOTAL NUMBER OF SAMPLES | 903 |
| | | | | | * | | | | NUMBER OF ZERO VALUE SAMPLES | 0 |
| 10 PPB * | | | | | * | | | | NUMBER OF NON-ZERO SAMPLES | 903 |
| | | | | | * | | | | | |
| 20 PPB * | | | | | * | | | | ARITHMETIC MEAN | 2.5371 |
| | | | | | * | | | | VARIANCE | 27.1513 |
| 50 PPB * | | | | | * | | | | STANDARD DEVIATION | 5.2107 |
| | | | | | * | | | | SKEW | 8.8315 |
| 100 PPB * | | | | | * | | | | EXCESS KURTOSIS | 108.7043 |
| | | | | | * | | | | | |
| 200 PPB * | | | | | * | | | | COEFFICIENT OF VARIATION, % | 205.3801 |
| | | | | | * | | | | | |
| 500 PPB * | XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | | * | 576 | 63.79 | 63.79 | | | STANDARD ERROR OF THE MEAN | .1734 |
| 1 PPM * | XXXXXXXXXX | | * | 163 | 18.05 | 81.84 | | | LOWER 95% LIMIT ON THE MEAN | 2.1968 |
| | | | * | | | | | | UPPER 95% LIMIT ON THE MEAN | 2.8774 |
| 2 PPM * | XXXXXX | | * | 94 | 10.41 | 92.25 | | | LOWER 95% LIMIT ON THE RANGE | -7.6888 |
| | | | * | | | | | | UPPER 95% LIMIT ON THE RANGE | 12.7630 |
| 5 PPM * | XXXXX | | * | 37 | 4.10 | 96.35 | | | | |
| | XX | | * | | | | | | | |
| 10 PPM * | X | | * | 23 | 2.55 | 98.89 | | | GEOMETRIC MEAN | 1.5733 |
| | | | * | | | | | | LOG10 MEAN | .1968 |
| 20 PPM * | I | | * | 8 | .89 | 99.78 | | | LOG10 VARIANCE | .1066 |
| | | | * | | | | | | LOG10 STANDARD DEVIATION | .3266 |
| 50 PPM * | I | | * | 2 | .22 | 100.00 | | | | |
| | | | * | | | | | | STANDARD ERROR ON THE MEAN | .0109 |
| 100 PPM * | | | * | | | | | | LOWER 95% LIMIT ON THE MEAN | 1.4980 |
| | | | * | | | | | | UPPER 95% LIMIT ON THE MEAN | 1.6525 |
| 200 PPM * | | | * | | | | | | | |
| | | | * | | | | | | LOWER 95% LIMIT ON THE RANGE | .3597 |
| 500 PPM * | | | * | | | | | | UPPER 95% LIMIT ON THE RANGE | 6.8814 |
| ** | * | * | * | * | * | | | | | |
| 0 | 20 | 40 | 60 | 80 | 100 | | | | MINIMUM VALUE | 1.0000 |
| PERCENT | | | | | | | | 25TH PERCENTILE OR 1ST QUARTILE | 1.0000 | |
| | | | | | | | | 50TH PERCENTILE OR MEDIAN | 1.0000 | |
| | | | | | | | | 75TH PERCENTILE OR 3RD QUARTILE | 2.0000 | |
| | | | | | | | | 80TH PERCENTILE | 2.0000 | |
| | | | | | | | | 90TH PERCENTILE | 5.0000 | |
| | | | | | | | | 95TH PERCENTILE | 8.0000 | |
| | | | | | | | | 98TH PERCENTILE | 17.0000 | |
| | | | | | | | | 99TH PERCENTILE | 22.0000 | |
| | | | | | | | | MAXIMUM VALUE | 87.0000 | |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

| VARIABLE NAME NI | UNIT OF MEASUREMENT PPM | DATA SUBSET TOTAL |
|---------------------|----------------------------|----------------------|
|---------------------|----------------------------|----------------------|

| HISTOGRAM | | | | | | SUMMARY STATISTICS | |
|-----------|------------------------|----|-----|-------|--------|---------------------------------|---------|
| | | | N | % | CUM % | | |
| ** | * | * | * | * | * | TOTAL NUMBER OF SAMPLES | 903 |
| | | | | | | NUMBER OF ZERO VALUE SAMPLES | 0 |
| 100 PPB * | | | | | | NUMBER OF NON-ZERO SAMPLES | 903 |
| | | | | | | ARITHMETIC MEAN | 12.7154 |
| 200 PPB * | | | | | | VARIANCE | 40.5985 |
| | | | | | | STANDARD DEVIATION | 6.3717 |
| 500 PPB * | | | | | | SKEW | 1.6181 |
| 1 PPM * | | | | | | EXCESS KURTOSIS | 4.1193 |
| 2 PPM * | | | | | | COEFFICIENT OF VARIATION, % | 50.1101 |
| 5 PPM * | XX | | 42 | 4.65 | 4.65 | STANDARD ERROR OF THE MEAN | .2120 |
| | XXXXXXXXXXXXXXXXXXXXXX | | 365 | 40.42 | 45.07 | LOWER 95% LIMIT ON THE MEAN | 12.2993 |
| 10 PPM * | | | 394 | 43.63 | 88.70 | UPPER 95% LIMIT ON THE MEAN | 13.1315 |
| | XXXXXXXXXXXXXXXXXXXXXX | | | | | LOWER 95% LIMIT ON THE RANGE | .2110 |
| 20 PPM * | | | 102 | 11.30 | 100.00 | UPPER 95% LIMIT ON THE RANGE | 25.2198 |
| 50 PPM * | XXXXXX | | | | | GEOMETRIC MEAN | 11.3967 |
| | | | | | | LOG10 MEAN | 1.0568 |
| 100 PPM * | | | | | | LOG10 VARIANCE | .0407 |
| 200 PPM * | | | | | | LOG10 STANDARD DEVIATION | .2017 |
| 500 PPM * | | | | | | STANDARD ERROR ON THE MEAN | .0067 |
| | | | | | | LOWER 95% LIMIT ON THE MEAN | 11.0562 |
| ** | * | * | * | * | * | UPPER 95% LIMIT ON THE MEAN | 11.7478 |
| 0 | 20 | 40 | 60 | 80 | 100 | LOWER 95% LIMIT ON THE RANGE | 4.5799 |
| | | | | | | UPPER 95% LIMIT ON THE RANGE | 28.3600 |
| | | | | | | MINIMUM VALUE | 3.0000 |
| | | | | | | 25TH PERCENTILE OR 1ST QUARTILE | 8.0000 |
| | | | | | | 50TH PERCENTILE OR MEDIAN | 11.0000 |
| | | | | | | 75TH PERCENTILE OR 3RD QUARTILE | 16.0000 |
| | | | | | | 80TH PERCENTILE | 17.0000 |
| | | | | | | 90TH PERCENTILE | 22.0000 |
| | | | | | | 95TH PERCENTILE | 24.0000 |
| | | | | | | 98TH PERCENTILE | 30.0000 |
| | | | | | | 99TH PERCENTILE | 35.0000 |
| | | | | | | MAXIMUM VALUE | 48.0000 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

| VARIABLE NAME CO | UNIT OF MEASUREMENT PPM | DATA SUBSET TOTAL |
|---------------------|----------------------------|----------------------|
|---------------------|----------------------------|----------------------|

| HISTOGRAM | | | | | | | SUMMARY STATISTICS | | | | |
|-----------|----|----------------------|----|----|----|-----|--------------------|-------|--------|---------------------------------|----------|
| | | | | | | | N | % | CUM % | | |
| ** | * | * | * | * | * | * | | | | TOTAL NUMBER OF SAMPLES | 903 |
| | | | | | | * | | | | NUMBER OF ZERO VALUE SAMPLES | 0 |
| 10 PPB | * | | | | | * | | | | NUMBER OF NON-ZERO SAMPLES | 903 |
| | | | | | | * | | | | | |
| 20 PPB | * | | | | | * | | | | ARITHMETIC MEAN | 7.6678 |
| | | | | | | * | | | | VARIANCE | 51.7786 |
| 50 PPB | * | | | | | * | | | | STANDARD DEVIATION | 7.1957 |
| | | | | | | * | | | | SKEW | 5.0607 |
| 100 PPB | * | | | | | * | | | | EXCESS KURTOSIS | 45.5945 |
| | | | | | | * | | | | | |
| 200 PPB | * | | | | | * | | | | COEFFICIENT OF VARIATION, % | 93.8439 |
| | | | | | | * | | | | | |
| 500 PPB | * | | | | | * | 24 | 2.66 | 2.66 | STANDARD ERROR OF THE MEAN | .2395 |
| | X | | | | | * | | | | LOWER 95% LIMIT ON THE MEAN | 7.1978 |
| 1 PPM | * | XXXXX | | | | * | 85 | 9.41 | 12.07 | UPPER 95% LIMIT ON THE MEAN | 8.1377 |
| | | | | | | * | | | | | |
| 2 PPM | * | XXXXXXXXXXXXXXXXXXXX | | | | * | 291 | 32.23 | 44.30 | LOWER 95% LIMIT ON THE RANGE | -6.4538 |
| | | | | | | * | | | | UPPER 95% LIMIT ON THE RANGE | 21.7893 |
| 5 PPM | * | XXXXXXXXXXXXXXXXXXXX | | | | * | 343 | 37.98 | 82.28 | | |
| | | | | | | * | | | | | |
| 10 PPM | * | XXXXXXXXX | | | | * | 125 | 13.84 | 96.12 | GEOMETRIC MEAN | 5.9021 |
| | | | | | | * | | | | LOG10 MEAN | .7710 |
| 20 PPM | * | XX | | | | * | 32 | 3.54 | 99.67 | LOG10 VARIANCE | .0951 |
| | | | | | | * | | | | LOG10 STANDARD DEVIATION | .3083 |
| 50 PPM | * | I | | | | * | 2 | .22 | 99.89 | | |
| | | | | | | * | | | | STANDARD ERROR ON THE MEAN | .0103 |
| 100 PPM | * | I | | | | * | 1 | .11 | 100.00 | LOWER 95% LIMIT ON THE MEAN | 5.6347 |
| | | | | | | * | | | | UPPER 95% LIMIT ON THE MEAN | 6.1822 |
| 200 PPM | * | | | | | * | | | | | |
| | | | | | | * | | | | LOWER 95% LIMIT ON THE RANGE | 1.4652 |
| 500 PPM | * | | | | | * | | | | UPPER 95% LIMIT ON THE RANGE | 23.7746 |
| | | | | | | * | | | | | |
| 1000 PPM | * | | | | | * | | | | | |
| | | | | | | * | | | | MINIMUM VALUE | 1.0000 |
| 2000 PPM | * | | | | | * | | | | 25TH PERCENTILE OR 1ST QUARTILE | 4.0000 |
| | | | | | | * | | | | 50TH PERCENTILE OR MEDIAN | 6.0000 |
| 5000 PPM | * | | | | | * | | | | 75TH PERCENTILE OR 3RD QUARTILE | 9.0000 |
| | | | | | | * | | | | 80TH PERCENTILE | 10.0000 |
| | ** | * | * | * | * | * | | | | 90TH PERCENTILE | 13.0000 |
| | 0 | 20 | 40 | 60 | 80 | 100 | | | | 95TH PERCENTILE | 19.0000 |
| | | | | | | | | | | 98TH PERCENTILE | 27.0000 |
| | | | | | | | | | | 99TH PERCENTILE | 41.0000 |
| | | | | | | | | | | MAXIMUM VALUE | 104.0000 |
| | | | | | | | | | | | |

PERCENT

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

| VARIABLE NAME AG | UNIT OF MEASUREMENT PPM | DATA SUBSET TOTAL |
|---------------------|----------------------------|----------------------|
|---------------------|----------------------------|----------------------|

HISTOGRAM

| | N | % | CUM % |
|-----------|-----|-------|--------|
| ** | | | |
| * | | | |
| * | | | |
| * | | | |
| * | | | |
| * | | | |
| 1 PPB * | | | |
| 2 PPB * | | | |
| 5 PPB * | | | |
| 10 PPB * | | | |
| 20 PPB * | | | |
| 50 PPB * | | | |
| 100 PPB * | 753 | 83.39 | 83.39 |
| 200 PPB * | 109 | 12.07 | 95.46 |
| 500 PPB * | 38 | 4.21 | 99.67 |
| 1 PPM * | 3 | .33 | 100.00 |
| 2 PPM * | | | |
| 5 PPM * | | | |
| ** | | | |
| 0 | | | |
| 20 | | | |
| 40 | | | |
| 60 | | | |
| 80 | | | |
| 100 | | | |

PERCENT

SUMMARY STATISTICS

| | |
|---------------------------------|---------|
| TOTAL NUMBER OF SAMPLES | 903 |
| NUMBER OF ZERO VALUE SAMPLES | 0 |
| NUMBER OF NON-ZERO SAMPLES | 903 |
| ARITHMETIC MEAN | .1245 |
| VARIANCE | .0046 |
| STANDARD DEVIATION | .0678 |
| SKEW | 4.2422 |
| EXCESS KURTOSIS | 24.9505 |
| COEFFICIENT OF VARIATION, % | 54.4874 |
| STANDARD ERROR OF THE MEAN | .0023 |
| LOWER 95% LIMIT ON THE MEAN | .1200 |
| UPPER 95% LIMIT ON THE MEAN | .1289 |
| LOWER 95% LIMIT ON THE RANGE | -.0086 |
| UPPER 95% LIMIT ON THE RANGE | .2576 |
| GEOMETRIC MEAN | .1152 |
| LOG10 MEAN | -.9384 |
| LOG10 VARIANCE | .0218 |
| LOG10 STANDARD DEVIATION | .1475 |
| STANDARD ERROR ON THE MEAN | .0049 |
| LOWER 95% LIMIT ON THE MEAN | .1127 |
| UPPER 95% LIMIT ON THE MEAN | .1178 |
| LOWER 95% LIMIT ON THE RANGE | .0592 |
| UPPER 95% LIMIT ON THE RANGE | .2244 |
| MINIMUM VALUE | .1000 |
| 25TH PERCENTILE OR 1ST QUARTILE | .1000 |
| 50TH PERCENTILE OR MEDIAN | .1000 |
| 75TH PERCENTILE OR 3RD QUARTILE | .1000 |
| 80TH PERCENTILE | .1000 |
| 90TH PERCENTILE | .2000 |
| 95TH PERCENTILE | .2000 |
| 98TH PERCENTILE | .3000 |
| 99TH PERCENTILE | .4000 |
| MAXIMUM VALUE | .8000 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

| VARIABLE NAME MN | UNIT OF MEASUREMENT PPM | DATA SUBSET TOTAL |
|---------------------|----------------------------|----------------------|
|---------------------|----------------------------|----------------------|

HISTOGRAM

SUMMARY STATISTICS

| | | N | % | CUM % | | |
|--------------|----|----|-----|-------|---------------------------------|------------|
| ** | * | * | * | * | TOTAL NUMBER OF SAMPLES | 903 |
| | | | | | NUMBER OF ZERO VALUE SAMPLES | 0 |
| | | | | | NUMBER OF NON-ZERO SAMPLES | 903 |
| 100 PPB * | | * | | | ARITHMETIC MEAN | 421.3588 |
| 200 PPB * | | * | | | VARIANCE | ***** |
| 500 PPB * | | * | | | STANDARD DEVIATION | 1563.8640 |
| 1 PPM * | | * | | | SKEW | 12.9425 |
| 2 PPM * | | * | | | EXCESS KURTOSIS | 207.9576 |
| 5 PPM * | | * | | | COEFFICIENT OF VARIATION, % | 371.1478 |
| I | | * | 4 | .44 | STANDARD ERROR OF THE MEAN | 52.0421 |
| 10 PPM * | | * | 17 | 1.88 | LOWER 95% LIMIT ON THE MEAN | 319.2269 |
| X | | * | 17 | 1.88 | UPPER 95% LIMIT ON THE MEAN | 523.4907 |
| 20 PPM * | | * | 141 | 15.61 | LOWER 95% LIMIT ON THE RANGE | -2647.7009 |
| XXXXXXX | | * | 141 | 15.61 | UPPER 95% LIMIT ON THE RANGE | 3490.4185 |
| 50 PPM * | | * | 233 | 25.80 | | |
| XXXXXXXXXXXX | | * | 233 | 25.80 | | |
| 100 PPM * | | * | 208 | 23.03 | GEOMETRIC MEAN | 147.1494 |
| XXXXXXXXXXXX | | * | 208 | 23.03 | LOG10 MEAN | 2.1678 |
| 200 PPM * | | * | 172 | 19.05 | LOG10 VARIANCE | .2663 |
| XXXXXXXXXXXX | | * | 172 | 19.05 | LOG10 STANDARD DEVIATION | .5160 |
| 500 PPM * | | * | 67 | 7.42 | STANDARD ERROR ON THE MEAN | .0172 |
| XXXX | | * | 67 | 7.42 | LOWER 95% LIMIT ON THE MEAN | 136.1622 |
| 1000 PPM * | | * | 28 | 3.10 | UPPER 95% LIMIT ON THE MEAN | 159.0231 |
| XX | | * | 28 | 3.10 | | |
| 2000 PPM * | | * | 24 | 2.66 | LOWER 95% LIMIT ON THE RANGE | 14.2897 |
| X | | * | 24 | 2.66 | UPPER 95% LIMIT ON THE RANGE | 1515.2881 |
| 5000 PPM * | | * | 6 | .66 | | |
| I | | * | 6 | .66 | | |
| 1 PCT * | | * | 1 | .11 | MINIMUM VALUE | 9.0000 |
| I | | * | 1 | .11 | 25TH PERCENTILE OR 1ST QUARTILE | 63.0000 |
| 2 PCT * | | * | 2 | .22 | 50TH PERCENTILE OR MEDIAN | 120.0000 |
| I | | * | 2 | .22 | 75TH PERCENTILE OR 3RD QUARTILE | 280.0000 |
| 5 PCT * | | * | | | 80TH PERCENTILE | 355.0000 |
| | | * | | | 90TH PERCENTILE | 611.0000 |
| 10 PCT * | | * | | | 95TH PERCENTILE | 1650.0000 |
| | | * | | | 98TH PERCENTILE | 3500.0000 |
| 20 PCT * | | * | | | 99TH PERCENTILE | 5200.0000 |
| | | * | | | MAXIMUM VALUE | 30500.0000 |
| 50 PCT * | | * | | | | |
| ** | * | * | * | * | | |
| 0 | 20 | 40 | 60 | 80 | | |
| | | | | 100 | | |
| | | | | | | |

PERCENT

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

| VARIABLE NAME AS | UNIT OF MEASUREMENT PPM | DATA SUBSET TOTAL |
|---------------------|----------------------------|----------------------|
|---------------------|----------------------------|----------------------|

| HISTOGRAM | | | | | SUMMARY STATISTICS | | |
|-----------|--------------------------------------|----|-----|-------|--------------------|---------------------------------|----------|
| | | | N | % | CUM % | | |
| ** | * | * | * | * | * | TOTAL NUMBER OF SAMPLES | 903 |
| | | | * | | | NUMBER OF ZERO VALUE SAMPLES | 0 |
| 10 PPB * | | | * | | | NUMBER OF NON-ZERO SAMPLES | 903 |
| 20 PPB * | | | * | | | | |
| 50 PPB * | | | * | | | ARITHMETIC MEAN | 1.3328 |
| 100 PPB * | | | * | | | VARIANCE | 10.1466 |
| 200 PPB * | | | * | | | STANDARD DEVIATION | 3.1854 |
| 500 PPB * | XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | | 652 | 72.20 | 72.20 | SKEW | 8.8125 |
| 1 PPM * | XXXXX | | 94 | 10.41 | 82.61 | EXCESS KURTOSIS | 102.1658 |
| 2 PPM * | XXX | | 57 | 6.31 | 88.93 | COEFFICIENT OF VARIATION, % | 239.0024 |
| 5 PPM * | XXX | | 58 | 6.42 | 95.35 | STANDARD ERROR OF THE MEAN | .1060 |
| 10 PPM * | XX | | 28 | 3.10 | 98.45 | LOWER 95% LIMIT ON THE MEAN | 1.1248 |
| 20 PPM * | I | | 9 | 1.00 | 99.45 | UPPER 95% LIMIT ON THE MEAN | 1.5408 |
| 50 PPM * | I | | 5 | .55 | 100.00 | LOWER 95% LIMIT ON THE RANGE | -4.9185 |
| 100 PPM * | | | * | | | UPPER 95% LIMIT ON THE RANGE | 7.5840 |
| 200 PPM * | | | * | | | GEOMETRIC MEAN | .7506 |
| 500 PPM * | | | * | | | LOG10 MEAN | -.1246 |
| | | | * | | | LOG10 VARIANCE | .1185 |
| | | | * | | | LOG10 STANDARD DEVIATION | .3442 |
| | | | * | | | STANDARD ERROR ON THE MEAN | .0115 |
| | | | * | | | LOWER 95% LIMIT ON THE MEAN | .7128 |
| | | | * | | | UPPER 95% LIMIT ON THE MEAN | .7905 |
| | | | * | | | LOWER 95% LIMIT ON THE RANGE | .1585 |
| | | | * | | | UPPER 95% LIMIT ON THE RANGE | 3.5554 |
| ** | * | * | * | * | * | MINIMUM VALUE | .5000 |
| 0 | 20 | 40 | 60 | 80 | 100 | 25TH PERCENTILE OR 1ST QUARTILE | .5000 |
| | | | | | | 50TH PERCENTILE OR MEDIAN | .5000 |
| | | | | | | 75TH PERCENTILE OR 3RD QUARTILE | 1.0000 |
| | | | | | | 80TH PERCENTILE | 1.0000 |
| | | | | | | 90TH PERCENTILE | 2.5000 |
| | | | | | | 95TH PERCENTILE | 5.0000 |
| | | | | | | 98TH PERCENTILE | 8.5000 |
| | | | | | | 99TH PERCENTILE | 15.0000 |
| | | | | | | MAXIMUM VALUE | 50.0000 |

PERCENT

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

| VARIABLE NAME | | UNIT OF MEASUREMENT | DATA SUBSET | |
|---------------------------------|--------------------|---------------------|--------------------|----------|
| MO | | PPM | TOTAL | |
| HISTOGRAM | | | SUMMARY STATISTICS | |
| | | N | % | CUM % |
| ** | * | * | * | * |
| 10 PPB * | | * | | |
| 20 PPB * | | * | | |
| 50 PPB * | | * | | |
| 100 PPB * | | * | | |
| 200 PPB * | | * | | |
| 500 PPB * | | * | | |
| 1 PPM * | XXXXXXXXXXXXXXXXXX | 288 | 31.89 | 31.89 |
| 2 PPM * | XXXXXXXXXXXXX | 198 | 21.93 | 53.82 |
| 5 PPM * | XXXXXXXXXXXXXXXXXX | 257 | 28.46 | 82.28 |
| 10 PPM * | XXXXXX | 105 | 11.63 | 93.91 |
| 20 PPM * | XX | 43 | 4.76 | 98.67 |
| 50 PPM * | X | 11 | 1.22 | 99.89 |
| 100 PPM * | I | 1 | .11 | 100.00 |
| 200 PPM * | | * | | |
| 500 PPM * | | * | | |
| ** | * | * | * | * |
| 0 | 20 | 40 | 60 | 80 |
| | | | | 100 |
| PERCENT | | | | |
| TOTAL NUMBER OF SAMPLES | | | | 903 |
| NUMBER OF ZERO VALUE SAMPLES | | | | 0 |
| NUMBER OF NON-ZERO SAMPLES | | | | 903 |
| ARITHMETIC MEAN | | | | 3.8007 |
| VARIANCE | | | | 24.2241 |
| STANDARD DEVIATION | | | | 4.9218 |
| SKEW | | | | 5.1176 |
| EXCESS KURTOSIS | | | | 39.9104 |
| COEFFICIENT OF VARIATION, % | | | | 129.4983 |
| STANDARD ERROR OF THE MEAN | | | | .1638 |
| LOWER 95% LIMIT ON THE MEAN | | | | 3.4792 |
| UPPER 95% LIMIT ON THE MEAN | | | | 4.1221 |
| LOWER 95% LIMIT ON THE RANGE | | | | -5.8583 |
| UPPER 95% LIMIT ON THE RANGE | | | | 13.4596 |
| GEOMETRIC MEAN | | | | 2.5171 |
| LOG10 MEAN | | | | .4009 |
| LOG10 VARIANCE | | | | .1318 |
| LOG10 STANDARD DEVIATION | | | | .3630 |
| STANDARD ERROR ON THE MEAN | | | | .0121 |
| LOWER 95% LIMIT ON THE MEAN | | | | 2.3834 |
| UPPER 95% LIMIT ON THE MEAN | | | | 2.6584 |
| LOWER 95% LIMIT ON THE RANGE | | | | .4882 |
| UPPER 95% LIMIT ON THE RANGE | | | | 12.9793 |
| MINIMUM VALUE | | | | 1.0000 |
| 25TH PERCENTILE OR 1ST QUARTILE | | | | 1.0000 |
| 50TH PERCENTILE OR MEDIAN | | | | 2.0000 |
| 75TH PERCENTILE OR 3RD QUARTILE | | | | 4.0000 |
| 80TH PERCENTILE | | | | 5.0000 |
| 90TH PERCENTILE | | | | 8.0000 |
| 95TH PERCENTILE | | | | 12.0000 |
| 98TH PERCENTILE | | | | 19.0000 |
| 99TH PERCENTILE | | | | 22.0000 |
| MAXIMUM VALUE | | | | 60.0000 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

| VARIABLE NAME FE | UNIT OF MEASUREMENT PCT | DATA SUBSET TOTAL |
|---------------------|----------------------------|----------------------|
|---------------------|----------------------------|----------------------|

HISTOGRAM

SUMMARY STATISTICS

| | | N | % | CUM % | | |
|--------------------------|----|-----|-------|--------|---------------------------------|----------|
| ** | * | | | | TOTAL NUMBER OF SAMPLES | 903 |
| | | | | | NUMBER OF ZERO VALUE SAMPLES | 0 |
| | | | | | NUMBER OF NON-ZERO SAMPLES | 903 |
| 10 PPM * | | | | | ARITHMETIC MEAN | 1.7524 |
| 20 PPM * | | | | | VARIANCE | 3.4000 |
| 50 PPM * | | | | | STANDARD DEVIATION | 1.8439 |
| 100 PPM * | | | | | SKEW | 2.7693 |
| 200 PPM * | | | | | EXCESS KURTOSIS | 10.1116 |
| 500 PPM * | | | | | COEFFICIENT OF VARIATION, % | 105.2199 |
| 1000 PPM * I | | 3 | .33 | .33 | STANDARD ERROR OF THE MEAN | .0614 |
| 2000 PPM * X | | 20 | 2.21 | 2.55 | LOWER 95% LIMIT ON THE MEAN | 1.6320 |
| 5000 PPM * XXXXXXXX | | 145 | 16.06 | 18.60 | UPPER 95% LIMIT ON THE MEAN | 1.8729 |
| 1 PCT * XXXXXXXXXXXXXXXX | | 244 | 27.02 | 45.63 | LOWER 95% LIMIT ON THE RANGE | -1.8662 |
| 2 PCT * XXXXXXXXXXXXXXXX | | 262 | 29.01 | 74.64 | UPPER 95% LIMIT ON THE RANGE | 5.3711 |
| 5 PCT * XXXXXXXXXXXX | | 177 | 19.60 | 94.24 | GEOMETRIC MEAN | 1.1759 |
| 10 PCT * XX | | 43 | 4.76 | 99.00 | LOG10 MEAN | .0704 |
| 20 PCT * I | | 9 | 1.00 | 100.00 | LOG10 VARIANCE | .1479 |
| 50 PCT * | | | | | LOG10 STANDARD DEVIATION | .3846 |
| ** | * | | | | STANDARD ERROR ON THE MEAN | .0128 |
| 0 | 20 | | | | LOWER 95% LIMIT ON THE MEAN | 1.1098 |
| | | | | | UPPER 95% LIMIT ON THE MEAN | 1.2459 |
| | | | | | LOWER 95% LIMIT ON THE RANGE | .2068 |
| | | | | | UPPER 95% LIMIT ON THE RANGE | 6.6848 |
| | | | | | MINIMUM VALUE | .1000 |
| | | | | | 25TH PERCENTILE OR 1ST QUARTILE | .6000 |
| | | | | | 50TH PERCENTILE OR MEDIAN | 1.1000 |
| | | | | | 75TH PERCENTILE OR 3RD QUARTILE | 2.1000 |
| | | | | | 80TH PERCENTILE | 2.5000 |
| | | | | | 90TH PERCENTILE | 3.8000 |
| | | | | | 95TH PERCENTILE | 5.4000 |
| | | | | | 98TH PERCENTILE | 7.9000 |
| | | | | | 99TH PERCENTILE | 10.4000 |
| | | | | | MAXIMUM VALUE | 13.6000 |

PERCENT

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

| VARIABLE NAME HG | UNIT OF MEASUREMENT PPB | DATA SUBSET TOTAL |
|---------------------|----------------------------|----------------------|
|---------------------|----------------------------|----------------------|

| HISTOGRAM | | | | | | SUMMARY STATISTICS | |
|-----------|-----------------------|----|----|-----|--------|---------------------------------|----------|
| | | | N | % | CUM % | | |
| ** | * | * | * | * | * | TOTAL NUMBER OF SAMPLES | 903 |
| I | | | * | 1 | .11 | NUMBER OF ZERO VALUE SAMPLES | 1 |
| 100 PPT * | | | * | | | NUMBER OF NON-ZERO SAMPLES | 902 |
| 200 PPT * | | | * | | | | |
| 500 PPT * | | | * | | | ARITHMETIC MEAN | 66.0089 |
| 1 PPB * | | | * | | | VARIANCE | 983.3873 |
| 2 PPB * | | | * | | | STANDARD DEVIATION | 31.3590 |
| 5 PPB * | | | * | | | SKEW | 1.9851 |
| I | | | * | | | EXCESS KURTOSIS | 7.9758 |
| 10 PPB * | | | * | 4 | .44 | COEFFICIENT OF VARIATION, % | 47.5073 |
| X | | | * | 25 | 2.77 | STANDARD ERROR OF THE MEAN | 1.0441 |
| 20 PPB * | | | * | 338 | 37.43 | LOWER 95% LIMIT ON THE MEAN | 63.9598 |
| 50 PPB * | XXXXXXXXXXXXXXXXXXXXX | | * | 456 | 50.50 | UPPER 95% LIMIT ON THE MEAN | 68.0580 |
| 100 PPB * | XXXXXXXXXXXXXXXXXXXXX | | * | 74 | 8.19 | LOWER 95% LIMIT ON THE RANGE | 4.4671 |
| 200 PPB * | XXXX | | * | 5 | .55 | UPPER 95% LIMIT ON THE RANGE | 127.5506 |
| 500 PPB * | I | | * | | 100.00 | GEOMETRIC MEAN | 59.7599 |
| 1 PPM * | | | * | | | LOG10 MEAN | 1.7764 |
| 2 PPM * | | | * | | | LOG10 VARIANCE | .0383 |
| 5 PPM * | | | * | | | LOG10 STANDARD DEVIATION | .1957 |
| ** | * | * | * | * | * | STANDARD ERROR ON THE MEAN | .0065 |
| 0 | 20 | 40 | 60 | 80 | 100 | LOWER 95% LIMIT ON THE MEAN | 58.0256 |
| | | | | | | UPPER 95% LIMIT ON THE MEAN | 61.5461 |
| | | | | | | LOWER 95% LIMIT ON THE RANGE | 24.6760 |
| | | | | | | UPPER 95% LIMIT ON THE RANGE | 144.7257 |
| | | | | | | MINIMUM VALUE | 10.0000 |
| | | | | | | 25TH PERCENTILE OR 1ST QUARTILE | 50.0000 |
| | | | | | | 50TH PERCENTILE OR MEDIAN | 60.0000 |
| | | | | | | 75TH PERCENTILE OR 3RD QUARTILE | 80.0000 |
| | | | | | | 80TH PERCENTILE | 80.0000 |
| | | | | | | 90TH PERCENTILE | 100.0000 |
| | | | | | | 95TH PERCENTILE | 120.0000 |
| | | | | | | 98TH PERCENTILE | 150.0000 |
| | | | | | | 99TH PERCENTILE | 180.0000 |
| | | | | | | MAXIMUM VALUE | 290.0000 |

PERCENT

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

VARIABLE NAME
LOIUNIT OF MEASUREMENT
PCTDATA SUBSET
TOTAL

HISTOGRAM

SUMMARY STATISTICS

| | | | N | % | CUM % | | |
|------------|--------------------------------------|----|----|-----|--------|---------------------------------|----------|
| ** | * | * | * | * | * | TOTAL NUMBER OF SAMPLES | 903 |
| | | | * | | | NUMBER OF ZERO VALUE SAMPLES | 0 |
| 1000 PPM * | | | * | | | NUMBER OF NON-ZERO SAMPLES | 903 |
| | | | * | | | | |
| 2000 PPM * | | | * | | | ARITHMETIC MEAN | 32.6755 |
| | | | * | | | VARIANCE | 171.9852 |
| 5000 PPM * | | | * | | | STANDARD DEVIATION | 13.1143 |
| | | | * | | | SKEW | .5864 |
| 1 PCT * | I | | * | 3 | .33 | EXCESS KURTOSIS | 1.7149 |
| 2 PCT * | X | | * | 10 | 1.11 | COEFFICIENT OF VARIATION, % | 40.1350 |
| 5 PCT * | XX | | * | 28 | 3.10 | STANDARD ERROR OF THE MEAN | .4364 |
| 10 PCT * | XXXXX | | * | 88 | 9.75 | LOWER 95% LIMIT ON THE MEAN | 31.8191 |
| | | | * | | 14.29 | UPPER 95% LIMIT ON THE MEAN | 33.5320 |
| 20 PCT * | XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | | * | 709 | 78.52 | LOWER 95% LIMIT ON THE RANGE | 6.9389 |
| | | | * | | 92.80 | UPPER 95% LIMIT ON THE RANGE | 58.4122 |
| 50 PCT * | XXXX | | * | 65 | 7.20 | | |
| | | | * | | 100.00 | | |
| ** | * | * | * | * | * | GEOMETRIC MEAN | 29.3951 |
| 0 | 20 | 40 | 60 | 80 | 100 | LOG10 MEAN | 1.4683 |
| | | | | | | LOG10 VARIANCE | .0525 |
| | | | | | | LOG10 STANDARD DEVIATION | .2291 |
| | | | | | | STANDARD ERROR ON THE MEAN | .0076 |
| | | | | | | LOWER 95% LIMIT ON THE MEAN | 28.3997 |
| | | | | | | UPPER 95% LIMIT ON THE MEAN | 30.4254 |
| | | | | | | LOWER 95% LIMIT ON THE RANGE | 10.4399 |
| | | | | | | UPPER 95% LIMIT ON THE RANGE | 82.7659 |
| | | | | | | MINIMUM VALUE | 1.4000 |
| | | | | | | 25TH PERCENTILE OR 1ST QUARTILE | 25.8000 |
| | | | | | | 50TH PERCENTILE OR MEDIAN | 32.0000 |
| | | | | | | 75TH PERCENTILE OR 3RD QUARTILE | 39.6000 |
| | | | | | | 80TH PERCENTILE | 41.6000 |
| | | | | | | 90TH PERCENTILE | 47.6000 |
| | | | | | | 95TH PERCENTILE | 54.4000 |
| | | | | | | 98TH PERCENTILE | 68.0000 |
| | | | | | | 99TH PERCENTILE | 73.8000 |
| | | | | | | MAXIMUM VALUE | 89.6000 |

PERCENT

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

| VARIABLE NAME | | | | | UNIT OF MEASUREMENT | DATA SUBSET | |
|---------------|--------------|----|----|----|---------------------|--|--------|
| U | | | | | PPM | TOTAL | |
| HISTOGRAM | | | | | SUMMARY STATISTICS | | |
| | | | | | N | % | CUM % |
| ** | * | * | * | * | * | | |
| | | | | | * | TOTAL NUMBER OF SAMPLES 903 | |
| | | | | | * | NUMBER OF ZERO VALUE SAMPLES 0 | |
| 1 PPB * | | | | | * | NUMBER OF NON-ZERO SAMPLES 903 | |
| | | | | | * | | |
| 2 PPB * | | | | | * | ARITHMETIC MEAN 3.6423 | |
| | | | | | * | VARIANCE 73.6778 | |
| 5 PPB * | | | | | * | STANDARD DEVIATION 8.5836 | |
| | | | | | * | SKEW 16.0363 | |
| 10 PPB * | | | | | * | EXCESS KURTOSIS 358.9342 | |
| | | | | | * | | |
| 20 PPB * | | | | | * | COEFFICIENT OF VARIATION, % 235.6635 | |
| | | | | | * | | |
| 50 PPB * | I | | | | 8 | .89 | .89 |
| | | | | | * | STANDARD ERROR OF THE MEAN .2856 | |
| 100 PPB * | X | | | | 27 | 2.99 | 3.88 |
| | | | | | * | LOWER 95% LIMIT ON THE MEAN 3.0817 | |
| 200 PPB * | | | | | * | UPPER 95% LIMIT ON THE MEAN 4.2029 | |
| | | | | | * | | |
| 500 PPB * | XXXXXXX | | | | 119 | 13.18 | 17.05 |
| | | | | | * | LOWER 95% LIMIT ON THE RANGE -13.2028 | |
| | | | | | * | UPPER 95% LIMIT ON THE RANGE 20.4874 | |
| 1 PPM * | XXXXXXXXXXXX | | | | 198 | 21.93 | 38.98 |
| | | | | | * | | |
| 2 PPM * | XXXXXXXXXXXX | | | | 160 | 17.72 | 56.70 |
| | | | | | * | GEOMETRIC MEAN 1.7046 | |
| | | | | | * | LOG10 MEAN .2316 | |
| 5 PPM * | XXXXXXXXXXXX | | | | 208 | 23.03 | 79.73 |
| | | | | | * | LOG10 VARIANCE .2680 | |
| | | | | | * | LOG10 STANDARD DEVIATION .5177 | |
| 10 PPM * | XXXXXXX | | | | 120 | 13.29 | 93.02 |
| | | | | | * | STANDARD ERROR ON THE MEAN .0172 | |
| | | | | | * | LOWER 95% LIMIT ON THE MEAN 1.5770 | |
| 20 PPM * | XXX | | | | 48 | 5.32 | 98.34 |
| | | | | | * | UPPER 95% LIMIT ON THE MEAN 1.8426 | |
| | | | | | * | | |
| 50 PPM * | X | | | | 12 | 1.33 | 99.67 |
| | | | | | * | LOWER 95% LIMIT ON THE RANGE .1643 | |
| | | | | | * | UPPER 95% LIMIT ON THE RANGE 17.6817 | |
| 100 PPM * | I | | | | 2 | .22 | 99.89 |
| | | | | | * | | |
| 200 PPM * | | | | | * | | |
| | | | | | * | | |
| 500 PPM * | I | | | | 1 | .11 | 100.00 |
| | | | | | * | MINIMUM VALUE .1000 | |
| | | | | | * | 25TH PERCENTILE OR 1ST QUARTILE .7000 | |
| | | | | | * | 50TH PERCENTILE OR MEDIAN 1.6000 | |
| 1000 PPM * | | | | | * | 75TH PERCENTILE OR 3RD QUARTILE 4.2000 | |
| | | | | | * | 80TH PERCENTILE 5.1000 | |
| 2000 PPM * | | | | | * | 90TH PERCENTILE 8.7000 | |
| | | | | | * | 95TH PERCENTILE 11.9000 | |
| | | | | | * | 98TH PERCENTILE 18.5000 | |
| 5000 PPM * | | | | | * | 99TH PERCENTILE 27.0000 | |
| | | | | | * | MAXIMUM VALUE 208.0000 | |
| ** | * | * | * | * | * | | |
| 0 | 20 | 40 | 60 | 80 | 100 | | |
| PERCENT | | | | | | | |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

VARIABLE NAME UNIT OF MEASUREMENT DATA SUBSET
F PPM TOTAL

HISTOGRAM

| | ** | * | * | * | * | * | N | % | CUM % |
|------------|----------------------|----|----|----|----|-----|-----|-------|--------|
| 1 PPM * | | | | | | | | | |
| 2 PPM * | | | | | | | | | |
| 5 PPM * | | | | | | | | | |
| 10 PPM * | | | | | | | | | |
| 20 PPM * | I | | | | | | 3 | .33 | .33 |
| 50 PPM * | XXXXX | | | | | | 95 | 10.52 | 10.85 |
| 100 PPM * | XXXXXXXXXXXXXXXXXXXX | | | | | | 300 | 33.22 | 44.08 |
| 200 PPM * | XXXXXXXXXXXXXXXXXXXX | | | | | | 304 | 33.67 | 77.74 |
| 500 PPM * | XXXXXXXXXXXX | | | | | | 198 | 21.93 | 99.67 |
| 1000 PPM * | I | | | | | | 3 | .33 | 100.00 |
| 2000 PPM * | | | | | | | | | |
| 5000 PPM * | | | | | | | | | |
| | ** | * | * | * | * | * | | | |
| | 0 | 20 | 40 | 60 | 80 | 100 | | | |

PERCENT

SUMMARY STATISTICS

| | |
|---------------------------------|-----------|
| TOTAL NUMBER OF SAMPLES | 903 |
| NUMBER OF ZERO VALUE SAMPLES | 0 |
| NUMBER OF NON-ZERO SAMPLES | 903 |
| ARITHMETIC MEAN | 144.9391 |
| VARIANCE | 9598.0839 |
| STANDARD DEVIATION | 97.9698 |
| SKEW | 1.5968 |
| EXCESS KURTOSIS | 3.6680 |
| COEFFICIENT OF VARIATION, % | 67.5938 |
| STANDARD ERROR OF THE MEAN | 3.2602 |
| LOWER 95% LIMIT ON THE MEAN | 138.5409 |
| UPPER 95% LIMIT ON THE MEAN | 151.3372 |
| LOWER 95% LIMIT ON THE RANGE | -47.3252 |
| UPPER 95% LIMIT ON THE RANGE | 337.2034 |
| GEOMETRIC MEAN | 118.6017 |
| LOG10 MEAN | 2.0741 |
| LOG10 VARIANCE | .0749 |
| LOG10 STANDARD DEVIATION | .2737 |
| STANDARD ERROR ON THE MEAN | .0091 |
| LOWER 95% LIMIT ON THE MEAN | 113.8190 |
| UPPER 95% LIMIT ON THE MEAN | 123.5852 |
| LOWER 95% LIMIT ON THE RANGE | 34.4289 |
| UPPER 95% LIMIT ON THE RANGE | 408.5627 |
| MINIMUM VALUE | 20.0000 |
| 25TH PERCENTILE OR 1ST QUARTILE | 70.0000 |
| 50TH PERCENTILE OR MEDIAN | 115.0000 |
| 75TH PERCENTILE OR 3RD QUARTILE | 190.0000 |
| 80TH PERCENTILE | 220.0000 |
| 90TH PERCENTILE | 280.0000 |
| 95TH PERCENTILE | 350.0000 |
| 98TH PERCENTILE | 410.0000 |
| 99TH PERCENTILE | 450.0000 |
| MAXIMUM VALUE | 790.0000 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

VARIABLE NAME
VUNIT OF MEASUREMENT
PPMDATA SUBSET
TOTAL

HISTOGRAM

SUMMARY STATISTICS

| | | N | % | CUM % | | |
|------------|------------------------------|-------|-------|-------|---------------------------------|-----------|
| 100 PPB * | ** * * * * | * 491 | 54.37 | 54.37 | TOTAL NUMBER OF SAMPLES | 903 |
| | XXXXXXXXXXXXXXXXXXXXXXXXXXXX | | | | NUMBER OF ZERO VALUE SAMPLES | 491 |
| 200 PPB * | | * | | | NUMBER OF NON-ZERO SAMPLES | 412 |
| 500 PPB * | | * | | | | |
| 1 PPM * | | * | | | ARITHMETIC MEAN | 42.5291 |
| 2 PPM * | I | * | | | VARIANCE | 1441.6269 |
| 5 PPM * | I | * | | | STANDARD DEVIATION | 37.9688 |
| 10 PPM * | X | * | | | SKEW | 4.1443 |
| 20 PPM * | XXXXX | * | | | EXCESS KURTOSIS | 25.2741 |
| 50 PPM * | XXXXXXXXXXXX | * | | | COEFFICIENT OF VARIATION, % | 89.2771 |
| 100 PPM * | XXXX | * | | | STANDARD ERROR OF THE MEAN | 1.8706 |
| 200 PPM * | X | * | | | LOWER 95% LIMIT ON THE MEAN | 38.8518 |
| 500 PPM * | I | * | | | UPPER 95% LIMIT ON THE MEAN | 46.2065 |
| 1000 PPM * | | * | | | LOWER 95% LIMIT ON THE RANGE | -32.1129 |
| 2000 PPM * | | * | | | UPPER 95% LIMIT ON THE RANGE | 117.1712 |
| 5000 PPM * | | * | | | GEOMETRIC MEAN | 33.2055 |
| | | * | | | LOG10 MEAN | 1.5212 |
| | | * | | | LOG10 VARIANCE | .0917 |
| | | * | | | LOG10 STANDARD DEVIATION | .3028 |
| | | * | | | STANDARD ERROR ON THE MEAN | .0149 |
| | | * | | | LOWER 95% LIMIT ON THE MEAN | 31.0372 |
| | | * | | | UPPER 95% LIMIT ON THE MEAN | 35.5253 |
| | | * | | | LOWER 95% LIMIT ON THE RANGE | 8.4320 |
| | | * | | | UPPER 95% LIMIT ON THE RANGE | 130.7647 |
| | | * | | | MINIMUM VALUE | 2.0000 |
| | | * | | | 25TH PERCENTILE OR 1ST QUARTILE | 20.0000 |
| | | * | | | 50TH PERCENTILE OR MEDIAN | 35.0000 |
| | | * | | | 75TH PERCENTILE OR 3RD QUARTILE | 50.0000 |
| | | * | | | 80TH PERCENTILE | 55.0000 |
| | | * | | | 90TH PERCENTILE | 75.0000 |
| | | * | | | 95TH PERCENTILE | 100.0000 |
| | | * | | | 98TH PERCENTILE | 170.0000 |
| | | * | | | 99TH PERCENTILE | 220.0000 |
| | | * | | | MAXIMUM VALUE | 370.0000 |

PERCENT

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

VARIABLE NAME
CDUNIT OF MEASUREMENT
PPMDATA SUBSET
TOTAL

HISTOGRAM

SUMMARY STATISTICS

| | | N | % | CUM % | | |
|-----------------------------|---|-----|-------|--------|---------------------------------|----------|
| ** | * | | | | TOTAL NUMBER OF SAMPLES | 903 |
| XXXXXXXXXXXXXXXXXXXXXXXXXXX | * | 491 | 54.37 | 54.37 | NUMBER OF ZERO VALUE SAMPLES | 491 |
| 1 PPB * | * | | | | NUMBER OF NON-ZERO SAMPLES | 412 |
| 2 PPB * | * | | | | | |
| 5 PPB * | * | | | | ARITHMETIC MEAN | .2782 |
| 10 PPB * | * | | | | VARIANCE | .1406 |
| 20 PPB * | * | | | | STANDARD DEVIATION | .3750 |
| 50 PPB * | * | | | | SKEW | 6.0302 |
| 100 PPB * | * | 186 | 20.60 | 74.97 | EXCESS KURTOSIS | 55.7683 |
| XXXXXXX | * | | | | COEFFICIENT OF VARIATION, % | 134.8244 |
| 200 PPB * | * | 95 | 10.52 | 85.49 | STANDARD ERROR OF THE MEAN | .0185 |
| XXXXX | * | | | | LOWER 95% LIMIT ON THE MEAN | .2418 |
| 500 PPB * | * | 92 | 10.19 | 95.68 | UPPER 95% LIMIT ON THE MEAN | .3145 |
| XXXXX | * | | | | LOWER 95% LIMIT ON THE RANGE | -.4591 |
| X | * | 25 | 2.77 | 98.45 | UPPER 95% LIMIT ON THE RANGE | 1.0154 |
| 1 PPM * | * | | | | | |
| X | * | 11 | 1.22 | 99.67 | GEOMETRIC MEAN | .1930 |
| 2 PPM * | * | 3 | .33 | 100.00 | LOG10 MEAN | -.7145 |
| I | * | | | | LOG10 VARIANCE | .1053 |
| 5 PPM * | * | | | | LOG10 STANDARD DEVIATION | .3245 |
| 10 PPM * | * | | | | STANDARD ERROR ON THE MEAN | .0160 |
| 20 PPM * | * | | | | LOWER 95% LIMIT ON THE MEAN | .1795 |
| 50 PPM * | * | | | | UPPER 95% LIMIT ON THE MEAN | .2075 |
| ** | * | | | | LOWER 95% LIMIT ON THE RANGE | .0444 |
| 0 | * | | | | UPPER 95% LIMIT ON THE RANGE | .8385 |
| 20 | * | | | | | |
| 40 | * | | | | MINIMUM VALUE | .1000 |
| 60 | * | | | | 25TH PERCENTILE OR 1ST QUARTILE | .1000 |
| 80 | * | | | | 50TH PERCENTILE OR MEDIAN | .2000 |
| 100 | * | | | | 75TH PERCENTILE OR 3RD QUARTILE | .3000 |
| | | | | | 80TH PERCENTILE | .3000 |
| | | | | | 90TH PERCENTILE | .5000 |
| | | | | | 95TH PERCENTILE | .8000 |
| | | | | | 98TH PERCENTILE | 1.6000 |
| | | | | | 99TH PERCENTILE | 1.9000 |
| | | | | | MAXIMUM VALUE | 4.8000 |

PERCENT

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

| VARIABLE NAME F-W | UNIT OF MEASUREMENT PPB | DATA SUBSET TOTAL | | | | | |
|----------------------|----------------------------|----------------------|-----------|-------|--------|---------------------------------|-----------|
| | | | HISTOGRAM | | | SUMMARY STATISTICS | |
| | | | N | % | CUM % | | |
| ** | * | * | * | * | * | TOTAL NUMBER OF SAMPLES | 903 |
| | | | * | | | NUMBER OF ZERO VALUE SAMPLES | 0 |
| 100 PPT * | | | * | | | NUMBER OF NON-ZERO SAMPLES | 903 |
| | | | * | | | | |
| 200 PPT * | | | * | | | ARITHMETIC MEAN | 45.5858 |
| | | | * | | | VARIANCE | 3935.3272 |
| 500 PPT * | | | * | | | STANDARD DEVIATION | 62.7322 |
| 1 PPB * | | | * | | | SKEW | 6.5500 |
| | | | * | | | EXCESS KURTOSIS | 65.5570 |
| 2 PPB * | | | * | | | | |
| | | | * | | | COEFFICIENT OF VARIATION, % | 137.6134 |
| 5 PPB * | XXXXXXXXXX | | * 188 | 20.82 | 20.82 | STANDARD ERROR OF THE MEAN | 2.0876 |
| 10 PPB * | XXXXXXX | | * 102 | 11.30 | 32.12 | LOWER 95% LIMIT ON THE MEAN | 41.4889 |
| | XXXXXXX | | | | | UPPER 95% LIMIT ON THE MEAN | 49.6827 |
| 20 PPB * | XXXXXXXXXXXXXXXXXXXXXXX | | * 401 | 44.41 | 76.52 | LOWER 95% LIMIT ON THE RANGE | -77.5251 |
| | XXXXXXXXXXXXXXXXXXXXXXX | | | | | UPPER 95% LIMIT ON THE RANGE | 168.6968 |
| 50 PPB * | XXXXXXX | | * 135 | 14.95 | 91.47 | | |
| | XXXXXXX | | | | | | |
| 100 PPB * | XXX | | * 61 | 6.76 | 98.23 | GEOMETRIC MEAN | 30.5732 |
| | XXX | | | | | LOG10 MEAN | 1.4853 |
| 200 PPB * | X | | * 13 | 1.44 | 99.67 | LOG10 VARIANCE | .1273 |
| | X | | | | | LOG10 STANDARD DEVIATION | .3568 |
| 500 PPB * | I | | * 3 | .33 | 100.00 | | |
| | I | | | | | STANDARD ERROR ON THE MEAN | .0119 |
| 1 PPM * | | | * | | | LOWER 95% LIMIT ON THE MEAN | 28.9761 |
| | | | * | | | UPPER 95% LIMIT ON THE MEAN | 32.2585 |
| 2 PPM * | | | * | | | | |
| | | | * | | | | |
| 5 PPM * | | | * | | | LOWER 95% LIMIT ON THE RANGE | 6.0969 |
| | | | * | | | UPPER 95% LIMIT ON THE RANGE | 153.3107 |
| ** | * | * | * | * | * | | |
| 0 | 20 | 40 | 60 | 80 | 100 | | |
| | | | PERCENT | | | | |
| | | | | | | MINIMUM VALUE | 10.0000 |
| | | | | | | 25TH PERCENTILE OR 1ST QUARTILE | 20.0000 |
| | | | | | | 50TH PERCENTILE OR MEDIAN | 28.0000 |
| | | | | | | 75TH PERCENTILE OR 3RD QUARTILE | 48.0000 |
| | | | | | | 80TH PERCENTILE | 58.0000 |
| | | | | | | 90TH PERCENTILE | 96.0000 |
| | | | | | | 95TH PERCENTILE | 130.0000 |
| | | | | | | 98TH PERCENTILE | 200.0000 |
| | | | | | | 99TH PERCENTILE | 320.0000 |
| | | | | | | MAXIMUM VALUE | 940.0000 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

VARIABLE NAME
U-WUNIT OF MEASUREMENT
PPBDATA SUBSET
TOTAL

HISTOGRAM

SUMMARY STATISTICS

| | ** | * | * | * | * | * | N | % | CUM % | | |
|-----------|-----------------------|---|---|---|---|---|-----|-------|--------|---------------------------------|----------|
| 1 PPT * | | | | | | * | | | | TOTAL NUMBER OF SAMPLES | 903 |
| 2 PPT * | | | | | | * | | | | NUMBER OF ZERO VALUE SAMPLES | 0 |
| 5 PPT * | XXXXX | | | | | * | 92 | 10.19 | 10.19 | NUMBER OF NON-ZERO SAMPLES | 903 |
| 10 PPT * | XXXXXXXXXXXXXXXXXXXXX | | | | | * | 354 | 39.20 | 49.39 | ARITHMETIC MEAN | .0357 |
| 20 PPT * | XX | | | | | * | 38 | 4.21 | 53.60 | VARIANCE | .0023 |
| 50 PPT * | XXXXXXXXXXXXXXXXXXXXX | | | | | * | 266 | 29.46 | 83.06 | STANDARD DEVIATION | .0478 |
| 100 PPT * | XXXXX | | | | | * | 97 | 10.74 | 93.80 | SKEW | 4.0981 |
| 200 PPT * | XX | | | | | * | 42 | 4.65 | 98.45 | EXCESS KURTOSIS | 25.3739 |
| 500 PPT * | X | | | | | * | 14 | 1.55 | 100.00 | COEFFICIENT OF VARIATION, % | 133.9879 |
| 1 PPB * | | | | | | * | | | | STANDARD ERROR OF THE MEAN | .0016 |
| 2 PPB * | | | | | | * | | | | LOWER 95% LIMIT ON THE MEAN | .0325 |
| 5 PPB * | | | | | | * | | | | UPPER 95% LIMIT ON THE MEAN | .0388 |
| | | | | | | * | | | | LOWER 95% LIMIT ON THE RANGE | -.0581 |
| | | | | | | * | | | | UPPER 95% LIMIT ON THE RANGE | .1294 |
| | | | | | | * | | | | GEOMETRIC MEAN | .0208 |
| | | | | | | * | | | | LOG10 MEAN | -1.6809 |
| | | | | | | * | | | | LOG10 VARIANCE | .1854 |
| | | | | | | * | | | | LOG10 STANDARD DEVIATION | .4306 |
| | | | | | | * | | | | STANDARD ERROR ON THE MEAN | .0143 |
| | | | | | | * | | | | LOWER 95% LIMIT ON THE MEAN | .0195 |
| | | | | | | * | | | | UPPER 95% LIMIT ON THE MEAN | .0222 |
| | | | | | | * | | | | LOWER 95% LIMIT ON THE RANGE | .0030 |
| | | | | | | * | | | | UPPER 95% LIMIT ON THE RANGE | .1459 |
| | | | | | | * | | | | MINIMUM VALUE | .0050 |
| | | | | | | * | | | | 25TH PERCENTILE OR 1ST QUARTILE | .0100 |
| | | | | | | * | | | | 50TH PERCENTILE OR MEDIAN | .0200 |
| | | | | | | * | | | | 75TH PERCENTILE OR 3RD QUARTILE | .0400 |
| | | | | | | * | | | | 80TH PERCENTILE | .0500 |
| | | | | | | * | | | | 90TH PERCENTILE | .0800 |
| | | | | | | * | | | | 95TH PERCENTILE | .1200 |
| | | | | | | * | | | | 98TH PERCENTILE | .1800 |
| | | | | | | * | | | | 99TH PERCENTILE | .2500 |
| | | | | | | * | | | | MAXIMUM VALUE | .5000 |

PERCENT

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

SUMMARY STATISTICS

| SUBSET | VARIABLE | UNITS | N | ARITH MEAN | STD DEV | CV % | SKEW | EXCESS KURT | 95% LIMITS ON MEAN | GEOM MEAN | LOG 10 MEAN | STD DEV | 95% LIMITS ON MEAN |
|--------|----------|-------|-----|---------------|------------|-------|-------|----------------|-----------------------|--------------|----------------|------------|-----------------------|
| TOTAL | ZN | PPM | 903 | 103. | 97.6 | 94.5 | 5.10 | 38.45 | 96.9 110. | 82.7 | 1.9175 | .2678 | 79.4 86.1 |
| TOTAL | CU | PPM | 903 | 20.9 | 19.3 | 92.3 | 4.58 | 33.04 | 19.7 22.2 | 16.7 | 1.2217 | .2701 | 16.0 17.4 |
| TOTAL | PB | PPM | 903 | 2.54 | 5.21 | 205.4 | 8.83 | 108.70 | 2.20 2.88 | 1.57 | .1968 | .3266 | 1.50 1.65 |
| TOTAL | NI | PPM | 903 | 12.7 | 6.37 | 50.1 | 1.62 | 4.12 | 12.3 13.1 | 11.4 | 1.0568 | .2017 | 11.1 11.7 |
| TOTAL | CO | PPM | 903 | 7.67 | 7.20 | 93.8 | 5.06 | 45.59 | 7.20 8.14 | 5.90 | .7710 | .3083 | 5.63 6.18 |
| TOTAL | AG | PPM | 903 | .124 | .678E-01 | 54.5 | 4.24 | 24.95 | .120 .129 | .115 | -.9384 | .1475 | .113 .118 |
| TOTAL | MN | PPM | 903 | 421. | .156E+04 | 371.1 | 12.94 | 207.96 | 319. 523. | 147. | 2.1678 | .5160 | 136. 159. |
| TOTAL | AS | PPM | 903 | 1.33 | 3.19 | 239.0 | 8.81 | 102.17 | 1.12 1.54 | .751 | -.1246 | .3442 | .713 .791 |
| TOTAL | MO | PPM | 903 | 3.80 | 4.92 | 129.5 | 5.12 | 39.91 | 3.48 4.12 | 2.52 | .4009 | .3630 | 2.38 2.66 |
| TOTAL | FE | PCT | 903 | 1.75 | 1.84 | 105.2 | 2.77 | 10.11 | 1.63 1.87 | 1.18 | .0704 | .3846 | 1.11 1.25 |
| TOTAL | HG | PPB | 902 | 66.0 | 31.4 | 47.5 | 1.99 | 7.98 | 64.0 68.1 | 59.8 | 1.7764 | .1957 | 58.0 61.5 |
| TOTAL | LOI | PCT | 903 | 32.7 | 13.1 | 40.1 | .59 | 1.71 | 31.8 33.5 | 29.4 | 1.4683 | .2291 | 28.4 30.4 |
| TOTAL | U | PPM | 903 | 3.64 | 8.58 | 235.7 | 16.04 | 358.93 | 3.08 4.20 | 1.70 | .2316 | .5177 | 1.58 1.84 |
| TOTAL | F | PPM | 903 | 145. | 98.0 | 67.6 | 1.60 | 3.67 | 139. 151. | 119. | 2.0741 | .2737 | 114. 124. |
| TOTAL | V | PPM | 412 | 42.5 | 38.0 | 89.3 | 4.14 | 25.27 | 38.9 46.2 | 33.2 | 1.5212 | .3028 | 31.0 35.5 |
| TOTAL | CD | PPM | 412 | .278 | .375 | 134.8 | 6.03 | 55.77 | .242 .314 | .193 | -.7145 | .3245 | .179 .207 |
| TOTAL | F-W | PPB | 903 | 45.6 | 62.7 | 137.6 | 6.55 | 65.56 | 41.5 49.7 | 30.6 | 1.4853 | .3568 | 29.0 32.3 |
| TOTAL | U-W | PPB | 903 | .357E-01 | .478E-01 | 134.0 | 4.10 | 25.37 | .325E-01 .388E-01 | .208E-01 | -1.6809 | .4306 | .195E-01 .222E-01 |

| SUBSET | VARIABLE | UNITS | N | MIN VALUE | ----- PERCENTILE ----- | | | | | | | | MAX VALUE |
|--------|----------|-------|-----|--------------|------------------------|---------|---------|---------|---------|----------|----------|----------|--------------|
| | | | | | 25TH | 50TH | 75TH | 80TH | 90TH | 95TH | 98TH | 99TH | |
| TOTAL | ZN | PPM | 903 | 14.000 | 56.000 | 80.000 | 118.000 | 130.000 | 180.000 | 225.000 | 430.000 | 555.000 | 1200.000 |
| TOTAL | CU | PPM | 903 | 3.000 | 11.000 | 16.000 | 23.000 | 26.000 | 41.000 | 56.000 | 74.000 | 95.000 | 230.000 |
| TOTAL | PB | PPM | 903 | 1.000 | 1.000 | 1.000 | 2.000 | 2.000 | 5.000 | 8.000 | 17.000 | 22.000 | 87.000 |
| TOTAL | NI | PPM | 903 | 3.000 | 8.000 | 11.000 | 16.000 | 17.000 | 22.000 | 24.000 | 30.000 | 35.000 | 48.000 |
| TOTAL | CO | PPM | 903 | 1.000 | 4.000 | 6.000 | 9.000 | 10.000 | 13.000 | 19.000 | 27.000 | 41.000 | 104.000 |
| TOTAL | AG | PPM | 903 | .100 | .100 | .100 | .100 | .100 | .200 | .200 | .300 | .400 | .800 |
| TOTAL | MN | PPM | 903 | 9.000 | 63.000 | 120.000 | 280.000 | 355.000 | 611.000 | 1650.000 | 3500.000 | 5200.000 | 30500.000 |
| TOTAL | AS | PPM | 903 | .500 | .500 | .500 | 1.000 | 1.000 | 2.500 | 5.000 | 8.500 | 15.000 | 50.000 |
| TOTAL | MO | PPM | 903 | 1.000 | 1.000 | 2.000 | 4.000 | 5.000 | 8.000 | 12.000 | 19.000 | 22.000 | 60.000 |
| TOTAL | FE | PCT | 903 | .100 | .600 | 1.100 | 2.100 | 2.500 | 3.800 | 5.400 | 7.900 | 10.400 | 13.600 |
| TOTAL | HG | PPB | 902 | 10.000 | 50.000 | 60.000 | 80.000 | 80.000 | 100.000 | 120.000 | 150.000 | 180.000 | 290.000 |
| TOTAL | LOI | PCT | 903 | 1.400 | 25.800 | 32.000 | 39.600 | 41.600 | 47.600 | 54.400 | 68.000 | 73.800 | 89.600 |
| TOTAL | U | PPM | 903 | .100 | .700 | 1.600 | 4.200 | 5.100 | 8.700 | 11.900 | 18.500 | 27.000 | 208.000 |
| TOTAL | F | PPM | 903 | 20.000 | 70.000 | 115.000 | 190.000 | 220.000 | 280.000 | 350.000 | 410.000 | 450.000 | 790.000 |
| TOTAL | V | PPM | 412 | 2.000 | 20.000 | 35.000 | 50.000 | 55.000 | 75.000 | 100.000 | 170.000 | 220.000 | 370.000 |
| TOTAL | CD | PPM | 412 | .100 | .100 | .200 | .300 | .300 | .500 | .800 | 1.600 | 1.900 | 4.800 |
| TOTAL | F-W | PPB | 903 | 10.000 | 20.000 | 28.000 | 48.000 | 58.000 | 96.000 | 130.000 | 200.000 | 320.000 | 940.000 |
| TOTAL | U-W | PPB | 903 | .005 | .010 | .020 | .040 | .050 | .080 | .120 | .180 | .250 | .500 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

SUMMARY STATISTICS

| SUBSET | VARIABLE | UNITS | N | ARITH MEAN | STD DEV | CV % | SKEW | EXCESS KURT | 95% LIMITS ON MEAN | GEOM MEAN | LOG 10 MEAN | STD DEV | 95% LIMITS ON MEAN | | |
|--------|----------|-------|-----|---------------|------------|-------|------|----------------|-----------------------|--------------|----------------|------------|-----------------------|------|------|
| HUGP | ZN | PPM | 60 | 184. | 220. | 119.7 | 2.61 | 7.51 | 127. | 240. | 114. | 2.0579 | .4090 | 89.6 | 146. |
| HUGB | ZN | PPM | 12 | 112. | 105. | 94.0 | 1.82 | 2.82 | 45.6 | 178. | 79.5 | 1.9002 | .3733 | 46.3 | 136. |
| NHWS | ZN | PPM | 266 | 86.8 | 80.6 | 92.9 | 7.64 | 80.61 | 77.1 | 96.5 | 72.3 | 1.8590 | .2456 | 67.5 | 77.4 |
| UPHW | ZN | PPM | 11 | 417. | 217. | 52.1 | .04 | -1.07 | 273. | 561. | 353. | 2.5481 | .2864 | 228. | 547. |
| PHAW | ZN | PPM | 13 | 95.6 | 74.8 | 78.2 | 2.25 | 3.91 | 50.8 | 140. | 80.6 | 1.9066 | .2332 | 58.5 | 111. |
| AUWR | ZN | PPM | 182 | 105. | 71.7 | 68.2 | 1.90 | 3.84 | 94.7 | 116. | 87.9 | 1.9438 | .2526 | 80.7 | 95.7 |
| NH17 | ZN | PPM | 26 | 96.8 | 52.4 | 54.2 | .98 | .15 | 75.7 | 118. | 84.5 | 1.9266 | .2339 | 68.0 | 105. |
| PH14 | ZN | PPM | 30 | 94.0 | 41.4 | 44.0 | 1.22 | .74 | 78.6 | 109. | 86.6 | 1.9378 | .1738 | 74.6 | 101. |
| PH13 | ZN | PPM | 53 | 88.2 | 38.1 | 43.2 | .73 | .39 | 77.7 | 98.7 | 80.1 | 1.9037 | .1983 | 70.6 | 90.8 |
| PH11 | ZN | PPM | 250 | 91.5 | 51.2 | 56.0 | 1.23 | 1.11 | 85.1 | 97.9 | 79.4 | 1.8999 | .2309 | 74.3 | 84.9 |

| SUBSET | VARIABLE | UNITS | N | MIN VALUE | ----- PERCENTILE ----- | | | | | | | | MAX VALUE |
|--------|----------|-------|-----|--------------|------------------------|---------|---------|---------|---------|---------|----------|----------|--------------|
| | | | | | 25TH | 50TH | 75TH | 80TH | 90TH | 95TH | 98TH | 99TH | |
| HUGP | ZN | PPM | 60 | 26.000 | 63.000 | 110.000 | 200.000 | 260.000 | 540.000 | 650.000 | 1200.000 | 1200.000 | 1200.000 |
| HUGB | ZN | PPM | 12 | 22.000 | 46.000 | 100.000 | 150.000 | 190.000 | 400.000 | 400.000 | 400.000 | 400.000 | 400.000 |
| NHWS | ZN | PPM | 266 | 14.000 | 51.000 | 72.000 | 102.000 | 114.000 | 145.000 | 165.000 | 200.000 | 470.000 | 1050.000 |
| UPHW | ZN | PPM | 11 | 90.000 | 220.000 | 450.000 | 600.000 | 650.000 | 780.000 | 780.000 | 780.000 | 780.000 | 780.000 |
| PHAW | ZN | PPM | 13 | 45.000 | 58.000 | 68.000 | 103.000 | 103.000 | 315.000 | 315.000 | 315.000 | 315.000 | 315.000 |
| AUWR | ZN | PPM | 182 | 20.000 | 60.000 | 84.000 | 124.000 | 138.000 | 220.000 | 260.000 | 335.000 | 355.000 | 440.000 |
| NH17 | ZN | PPM | 26 | 27.000 | 62.000 | 89.000 | 110.000 | 145.000 | 192.000 | 220.000 | 220.000 | 220.000 | 220.000 |
| PH14 | ZN | PPM | 30 | 44.000 | 65.000 | 88.000 | 103.000 | 125.000 | 163.000 | 190.000 | 205.000 | 205.000 | 205.000 |
| PH13 | ZN | PPM | 53 | 26.000 | 60.000 | 82.000 | 118.000 | 120.000 | 138.000 | 164.000 | 198.000 | 198.000 | 198.000 |
| PH11 | ZN | PPM | 250 | 20.000 | 54.000 | 76.000 | 114.000 | 130.000 | 170.000 | 200.000 | 220.000 | 240.000 | 290.000 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

SUMMARY STATISTICS

| SUBSET | VARIABLE | UNITS | N | ARITH MEAN | STD DEV | CV % | SKEW | EXCESS KURT | 95% LIMITS ON MEAN | GEOM MEAN | LOG 10 MEAN | STD DEV | 95% LIMITS ON MEAN |
|--------|----------|-------|-----|---------------|------------|-------|------|----------------|-----------------------|--------------|----------------|------------|-----------------------|
| HUGP | CU | PPM | 60 | 22.5 | 29.6 | 131.6 | 6.02 | 39.10 | 14.8 30.1 | 17.0 | 1.2309 | .2855 | 14.4 20.2 |
| HUGB | CU | PPM | 12 | 18.1 | 7.54 | 41.7 | .43 | -.77 | 13.3 22.8 | 16.6 | 1.2209 | .1897 | 12.6 21.9 |
| NHWS | CU | PPM | 266 | 28.5 | 22.8 | 80.0 | 2.43 | 9.61 | 25.8 31.3 | 22.2 | 1.3458 | .3052 | 20.4 24.1 |
| UPHW | CU | PPM | 11 | 16.8 | 8.74 | 52.0 | 1.00 | .10 | 11.0 22.6 | 15.0 | 1.1766 | .2146 | 10.8 20.8 |
| PHAW | CU | PPM | 13 | 20.5 | 17.0 | 82.9 | 1.72 | 1.47 | 10.3 30.7 | 16.4 | 1.2151 | .2812 | 11.1 24.2 |
| AUWR | CU | PPM | 182 | 14.0 | 8.92 | 63.9 | 5.59 | 50.55 | 12.7 15.3 | 12.4 | 1.0929 | .2034 | 11.6 13.3 |
| NH17 | CU | PPM | 26 | 54.2 | 42.3 | 78.2 | 1.93 | 3.87 | 37.1 71.2 | 42.5 | 1.6281 | .3099 | 31.9 56.6 |
| PH14 | CU | PPM | 30 | 13.6 | 5.69 | 41.8 | 2.19 | 6.25 | 11.5 15.7 | 12.7 | 1.1051 | .1532 | 11.2 14.5 |
| PH13 | CU | PPM | 53 | 15.0 | 6.82 | 45.4 | 1.53 | 3.24 | 13.1 16.9 | 13.7 | 1.1380 | .1837 | 12.2 15.4 |
| PH11 | CU | PPM | 250 | 16.5 | 8.32 | 50.4 | 1.90 | 4.75 | 15.5 17.6 | 14.9 | 1.1731 | .1942 | 14.1 15.8 |

| SUBSET | VARIABLE | UNITS | N | MIN VALUE | PERCENTILE | | | | | | | | MAX VALUE |
|--------|----------|-------|-----|--------------|------------|--------|--------|--------|---------|---------|---------|---------|--------------|
| | | | | | 25TH | 50TH | 75TH | 80TH | 90TH | 95TH | 98TH | 99TH | |
| HUGP | CU | PPM | 60 | 4.000 | 12.000 | 18.000 | 24.000 | 25.000 | 29.000 | 43.000 | 230.000 | 230.000 | 230.000 |
| HUGB | CU | PPM | 12 | 8.000 | 12.000 | 18.000 | 23.000 | 29.000 | 32.000 | 32.000 | 32.000 | 32.000 | 32.000 |
| NHWS | CU | PPM | 266 | 3.000 | 14.000 | 21.000 | 38.000 | 46.000 | 58.000 | 66.000 | 91.000 | 102.000 | 170.000 |
| UPHW | CU | PPM | 11 | 7.000 | 11.000 | 16.000 | 23.000 | 27.000 | 36.000 | 36.000 | 36.000 | 36.000 | 36.000 |
| PHAW | CU | PPM | 13 | 7.000 | 12.000 | 16.000 | 22.000 | 22.000 | 62.000 | 62.000 | 62.000 | 62.000 | 62.000 |
| AUWR | CU | PPM | 182 | 3.000 | 9.000 | 12.000 | 16.000 | 18.000 | 22.000 | 28.000 | 32.000 | 34.000 | 102.000 |
| NH17 | CU | PPM | 26 | 10.000 | 27.000 | 41.000 | 63.000 | 75.000 | 115.000 | 200.000 | 200.000 | 200.000 | 200.000 |
| PH14 | CU | PPM | 30 | 6.000 | 10.000 | 12.000 | 16.000 | 18.000 | 18.000 | 24.000 | 36.000 | 36.000 | 36.000 |
| PH13 | CU | PPM | 53 | 4.000 | 10.000 | 14.000 | 18.000 | 20.000 | 26.000 | 28.000 | 42.000 | 42.000 | 42.000 |
| PH11 | CU | PPM | 250 | 3.000 | 12.000 | 14.000 | 19.000 | 20.000 | 26.000 | 34.000 | 44.000 | 50.000 | 56.000 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

SUMMARY STATISTICS

| SUBSET | VARIABLE | UNITS | N | ARITH MEAN | STD DEV | CV % | SKEW | EXCESS KURT | 95% LIMITS ON MEAN | GEOM MEAN | LOG 10 MEAN | STD DEV | 95% LIMITS ON MEAN |
|--------|----------|-------|-----|---------------|------------|-------|------|----------------|-----------------------|--------------|----------------|------------|-----------------------|
| HUGP | PB | PPM | 60 | 11.0 | 13.1 | 119.6 | 3.84 | 17.80 | 7.59 14.4 | 7.54 | .8776 | .3568 | 6.10 9.33 |
| HUGB | PB | PPM | 12 | 6.25 | 8.34 | 133.4 | 2.74 | 6.07 | 1.01 11.5 | 4.09 | .6121 | .3729 | 2.39 7.02 |
| NHWS | PB | PPM | 266 | 2.14 | 2.68 | 125.2 | 5.88 | 44.18 | 1.82 2.46 | 1.62 | .2090 | .2736 | 1.50 1.75 |
| UPHW | PB | PPM | 11 | 20.4 | 15.5 | 76.3 | 2.21 | 3.94 | 10.1 30.7 | 17.1 | 1.2334 | .2473 | 11.7 25.0 |
| PHAW | PB | PPM | 13 | 1.31 | .630 | 48.2 | 1.81 | 2.00 | .930 1.69 | 1.21 | .0830 | .1631 | .967 1.52 |
| AUWR | PB | PPM | 182 | 1.26 | .724 | 57.5 | 3.51 | 13.02 | 1.15 1.36 | 1.15 | .0624 | .1548 | 1.10 1.22 |
| NH17 | PB | PPM | 26 | 2.77 | 2.20 | 79.3 | 1.08 | .19 | 1.88 3.65 | 2.08 | .3172 | .3331 | 1.52 2.83 |
| PH14 | PB | PPM | 30 | 1.30 | .651 | 50.1 | 2.68 | 7.86 | 1.06 1.54 | 1.20 | .0803 | .1568 | 1.05 1.38 |
| PH13 | PB | PPM | 53 | 1.11 | .320 | 28.7 | 2.44 | 3.96 | 1.03 1.20 | 1.08 | .0341 | .0963 | 1.02 1.15 |
| PH11 | PB | PPM | 250 | 1.39 | .909 | 65.3 | 3.56 | 15.20 | 1.28 1.51 | 1.24 | .0946 | .1800 | 1.18 1.31 |

| SUBSET | VARIABLE | UNITS | N | MIN VALUE | ----- PERCENTILE ----- | | | | | | | | MAX VALUE |
|--------|----------|-------|-----|--------------|------------------------|--------|--------|--------|--------|--------|--------|--------|--------------|
| | | | | | 25TH | 50TH | 75TH | 80TH | 90TH | 95TH | 98TH | 99TH | |
| HUGP | PB | PPM | 60 | 1.000 | 5.000 | 7.000 | 13.000 | 14.000 | 20.000 | 41.000 | 87.000 | 87.000 | 87.000 |
| HUGB | PB | PPM | 12 | 1.000 | 3.000 | 4.000 | 6.000 | 8.000 | 32.000 | 32.000 | 32.000 | 32.000 | 32.000 |
| NHWS | PB | PPM | 266 | 1.000 | 1.000 | 1.000 | 2.000 | 2.000 | 4.000 | 6.000 | 10.000 | 16.000 | 28.000 |
| UPHW | PB | PPM | 11 | 8.000 | 14.000 | 17.000 | 20.000 | 28.000 | 64.000 | 64.000 | 64.000 | 64.000 | 64.000 |
| PHAW | PB | PPM | 13 | 1.000 | 1.000 | 1.000 | 2.000 | 2.000 | 3.000 | 3.000 | 3.000 | 3.000 | 3.000 |
| AUWR | PB | PPM | 182 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 2.000 | 3.000 | 4.000 | 5.000 | 5.000 |
| NH17 | PB | PPM | 26 | 1.000 | 1.000 | 2.000 | 4.000 | 5.000 | 6.000 | 8.000 | 8.000 | 8.000 | 8.000 |
| PH14 | PB | PPM | 30 | 1.000 | 1.000 | 1.000 | 1.000 | 2.000 | 2.000 | 2.000 | 4.000 | 4.000 | 4.000 |
| PH13 | PB | PPM | 53 | 1.000 | 1.000 | 1.000 | 1.000 | 1.000 | 2.000 | 2.000 | 2.000 | 2.000 | 2.000 |
| PH11 | PB | PPM | 250 | 1.000 | 1.000 | 1.000 | 2.000 | 2.000 | 2.000 | 3.000 | 5.000 | 6.000 | 7.000 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

SUMMARY STATISTICS

| SUBSET | VARIABLE | UNITS | N | ARITH MEAN | STD DEV | CV % | SKEW | EXCESS KURT | 95% LIMITS ON MEAN | GEOM MEAN | LOG 10 MEAN | STD DEV | 95% LIMITS ON MEAN |
|--------|----------|-------|-----|---------------|------------|------|------|----------------|-----------------------|--------------|----------------|------------|-----------------------|
| HUGP | NI | PPM | 60 | 8.18 | 2.71 | 33.1 | .56 | .45 | 7.48 8.88 | 7.73 | .8884 | .1514 | 7.07 8.46 |
| HUGB | NI | PPM | 12 | 7.08 | 2.68 | 37.8 | .53 | -.91 | 5.40 8.77 | 6.64 | .8221 | .1632 | 5.24 8.41 |
| NHWS | NI | PPM | 266 | 13.5 | 5.99 | 44.4 | 1.32 | 2.51 | 12.8 14.2 | 12.3 | 1.0912 | .1833 | 11.7 13.0 |
| UPHW | NI | PPM | 11 | 8.73 | 2.72 | 31.2 | -.73 | -.61 | 6.92 10.5 | 8.23 | .9155 | .1673 | 6.38 10.6 |
| PHAW | NI | PPM | 13 | 14.8 | 6.88 | 46.3 | .27 | -1.32 | 10.7 19.0 | 13.3 | 1.1248 | .2147 | 9.91 17.9 |
| AUWR | NI | PPM | 182 | 12.2 | 5.12 | 42.0 | .96 | .40 | 11.4 12.9 | 11.2 | 1.0501 | .1770 | 10.6 11.9 |
| NH17 | NI | PPM | 26 | 19.1 | 9.99 | 52.2 | .83 | .11 | 15.1 23.1 | 16.7 | 1.2233 | .2345 | 13.5 20.8 |
| PH14 | NI | PPM | 30 | 12.3 | 4.28 | 34.8 | 1.16 | 2.83 | 10.7 13.9 | 11.6 | 1.0655 | .1494 | 10.2 13.2 |
| PH13 | NI | PPM | 53 | 9.08 | 3.60 | 39.7 | 1.06 | 1.88 | 8.08 10.1 | 8.42 | .9253 | .1719 | 7.55 9.39 |
| PH11 | NI | PPM | 250 | 13.9 | 7.33 | 52.9 | 1.64 | 4.00 | 12.9 14.8 | 12.3 | 1.0889 | .2124 | 11.5 13.0 |

| SUBSET | VARIABLE | UNITS | N | MIN VALUE | ----- PERCENTILE ----- | | | | | | | | MAX VALUE |
|--------|----------|-------|-----|--------------|------------------------|--------|--------|--------|--------|--------|--------|--------|--------------|
| | | | | | 25TH | 50TH | 75TH | 80TH | 90TH | 95TH | 98TH | 99TH | |
| HUGP | NI | PPM | 60 | 3.000 | 6.000 | 8.000 | 10.000 | 10.000 | 12.000 | 13.000 | 16.000 | 16.000 | 16.000 |
| HUGB | NI | PPM | 12 | 4.000 | 5.000 | 7.000 | 9.000 | 11.000 | 12.000 | 12.000 | 12.000 | 12.000 | 12.000 |
| NHWS | NI | PPM | 266 | 4.000 | 9.000 | 12.000 | 16.000 | 17.000 | 22.000 | 26.000 | 30.000 | 33.000 | 43.000 |
| UPHW | NI | PPM | 11 | 4.000 | 8.000 | 9.000 | 11.000 | 11.000 | 12.000 | 12.000 | 12.000 | 12.000 | 12.000 |
| PHAW | NI | PPM | 13 | 7.000 | 8.000 | 14.000 | 23.000 | 23.000 | 26.000 | 26.000 | 26.000 | 26.000 | 26.000 |
| AUWR | NI | PPM | 182 | 4.000 | 8.000 | 11.000 | 14.000 | 15.000 | 21.000 | 23.000 | 25.000 | 27.000 | 28.000 |
| NH17 | NI | PPM | 26 | 6.000 | 12.000 | 17.000 | 25.000 | 26.000 | 35.000 | 45.000 | 45.000 | 45.000 | 45.000 |
| PH14 | NI | PPM | 30 | 5.000 | 9.000 | 12.000 | 15.000 | 15.000 | 17.000 | 18.000 | 27.000 | 27.000 | 27.000 |
| PH13 | NI | PPM | 53 | 3.000 | 6.000 | 8.000 | 12.000 | 12.000 | 14.000 | 14.000 | 22.000 | 22.000 | 22.000 |
| PH11 | NI | PPM | 250 | 3.000 | 8.000 | 12.000 | 18.000 | 19.000 | 22.000 | 26.000 | 35.000 | 43.000 | 48.000 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

SUMMARY STATISTICS

| SUBSET | VARIABLE | UNITS | N | ARITH MEAN | STD DEV | CV % | SKEW | EXCESS KURT | 95% LIMITS ON MEAN | | GEOM MEAN | LOG 10 MEAN | STD DEV | 95% LIMITS ON MEAN | |
|--------|----------|-------|-----|---------------|------------|-------|------|----------------|-----------------------|------|--------------|----------------|------------|-----------------------|------|
| HUGP | CO | PPM | 60 | 5.33 | 3.62 | 67.9 | 1.17 | 1.58 | 4.40 | 6.27 | 4.18 | .6213 | .3229 | 3.45 | 5.07 |
| HUGB | CO | PPM | 12 | 7.83 | 7.11 | 90.7 | 1.00 | .11 | 3.36 | 12.3 | 5.01 | .7000 | .4605 | 2.57 | 9.76 |
| NHWS | CO | PPM | 266 | 8.44 | 9.04 | 107.1 | 5.56 | 48.68 | 7.34 | 9.53 | 6.10 | .7856 | .3464 | 5.54 | 6.72 |
| UPHW | CO | PPM | 11 | 8.36 | 11.7 | 140.3 | 2.42 | 4.48 | .578 | 16.1 | 5.10 | .7079 | .3947 | 2.79 | 9.33 |
| PHAW | CO | PPM | 13 | 6.62 | 3.88 | 58.7 | .64 | -.65 | 4.29 | 8.94 | 5.56 | .7453 | .2761 | 3.80 | 8.14 |
| AUWR | CO | PPM | 182 | 5.88 | 3.65 | 62.2 | 1.75 | 4.30 | 5.34 | 6.41 | 4.95 | .6948 | .2590 | 4.54 | 5.40 |
| NH17 | CO | PPM | 26 | 17.0 | 14.2 | 83.4 | 1.54 | 2.02 | 11.3 | 22.8 | 12.8 | 1.1077 | .3271 | 9.46 | 17.4 |
| PH14 | CO | PPM | 30 | 5.23 | 2.91 | 55.6 | 1.36 | 2.35 | 4.15 | 6.32 | 4.54 | .6569 | .2420 | 3.69 | 5.59 |
| PH13 | CO | PPM | 53 | 7.25 | 4.18 | 57.7 | 1.11 | .78 | 6.09 | 8.40 | 6.22 | .7936 | .2428 | 5.33 | 7.25 |
| PH11 | CO | PPM | 250 | 8.14 | 6.32 | 77.6 | 3.73 | 19.47 | 7.35 | 8.92 | 6.73 | .8283 | .2588 | 6.25 | 7.25 |

| SUBSET | VARIABLE | UNITS | N | MIN VALUE | ----- PERCENTILE ----- | | | | | | | | MAX VALUE |
|--------|----------|-------|-----|--------------|------------------------|--------|--------|--------|--------|--------|--------|--------|--------------|
| | | | | | 25TH | 50TH | 75TH | 80TH | 90TH | 95TH | 98TH | 99TH | |
| HUGP | CO | PPM | 60 | 1.000 | 2.000 | 4.000 | 7.000 | 8.000 | 10.000 | 13.000 | 18.000 | 18.000 | 18.000 |
| HUGB | CO | PPM | 12 | 1.000 | 3.000 | 5.000 | 12.000 | 16.000 | 24.000 | 24.000 | 24.000 | 24.000 | 24.000 |
| NHWS | CO | PPM | 266 | 1.000 | 4.000 | 6.000 | 10.000 | 11.000 | 15.000 | 23.000 | 29.000 | 47.000 | 104.000 |
| UPHW | CO | PPM | 11 | 2.000 | 3.000 | 5.000 | 6.000 | 15.000 | 42.000 | 42.000 | 42.000 | 42.000 | 42.000 |
| PHAW | CO | PPM | 13 | 2.000 | 4.000 | 5.000 | 10.000 | 10.000 | 14.000 | 14.000 | 14.000 | 14.000 | 14.000 |
| AUWR | CO | PPM | 182 | 1.000 | 4.000 | 5.000 | 8.000 | 8.000 | 10.000 | 12.000 | 18.000 | 20.000 | 23.000 |
| NH17 | CO | PPM | 26 | 4.000 | 7.000 | 10.000 | 24.000 | 29.000 | 40.000 | 62.000 | 62.000 | 62.000 | 62.000 |
| PH14 | CO | PPM | 30 | 1.000 | 3.000 | 4.000 | 7.000 | 8.000 | 9.000 | 10.000 | 15.000 | 15.000 | 15.000 |
| PH13 | CO | PPM | 53 | 2.000 | 4.000 | 6.000 | 11.000 | 11.000 | 14.000 | 14.000 | 20.000 | 20.000 | 20.000 |
| PH11 | CO | PPM | 250 | 1.000 | 5.000 | 7.000 | 9.000 | 10.000 | 13.000 | 18.000 | 26.000 | 41.000 | 52.000 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

SUMMARY STATISTICS

| SUBSET | VARIABLE | UNITS | N | ARITH MEAN | STD DEV | CV % | SKEW | EXCESS KURT | 95% LIMITS ON MEAN | GEOM MEAN | LOG 10 MEAN | STD DEV | 95% LIMITS ON MEAN |
|--------|----------|-------|-----|---------------|------------|---------|------|----------------|-----------------------|--------------|----------------|------------|-----------------------|
| HUGP | AG | PPM | 60 | .115 | .515E-01 | 44.8 | 3.97 | 16.55 | .102 .128 | .109 | -.9619 | .1211 | .102 .117 |
| HUGB | AG | PPM | 12 | .100E+00 | .180E-07 | .0***** | | -3.00 | .100E+00 .100 | .100 | -1.0000 | .0000 | .100E+00 .100 |
| NHWS | AG | PPM | 266 | .138 | .788E-01 | 57.2 | 2.48 | 6.28 | .128 .147 | .124 | -.9061 | .1768 | .118 .130 |
| UPHW | AG | PPM | 11 | .109 | .302E-01 | 27.6 | 2.85 | 6.10 | .891E-01 .129 | .107 | -.9726 | .0908 | .927E-01 .122 |
| PHAW | AG | PPM | 13 | .100E+00 | .192E-07 | .0***** | | | .100E+00 .100 | .100 | -1.0000 | .0000 | .100E+00 .100 |
| AUWR | AG | PPM | 182 | .109 | .292E-01 | 26.7 | 2.79 | 5.81 | .105 .114 | .107 | -.9719 | .0878 | .104 .110 |
| NH17 | AG | PPM | 26 | .223 | .180 | 80.5 | 1.76 | 2.64 | .151 .295 | .176 | -.7540 | .2872 | .135 .230 |
| PH14 | AG | PPM | 30 | .117 | .461E-01 | 39.5 | 2.78 | 7.07 | .995E-01 .134 | .111 | -.9540 | .1226 | .100 .124 |
| PH13 | AG | PPM | 53 | .106 | .233E-01 | 22.1 | 3.84 | 12.73 | .992E-01 .112 | .104 | -.9830 | .0702 | .995E-01 .109 |
| PH11 | AG | PPM | 250 | .122 | .602E-01 | 49.5 | 4.84 | 35.39 | .114 .129 | .114 | -.9430 | .1362 | .110 .119 |

| SUBSET | VARIABLE | UNITS | N | MIN VALUE | PERCENTILE | | | | | | | | MAX VALUE |
|--------|----------|-------|-----|--------------|------------|------|------|------|------|------|------|------|--------------|
| | | | | | 25TH | 50TH | 75TH | 80TH | 90TH | 95TH | 98TH | 99TH | |
| HUGP | AG | PPM | 60 | .100 | .100 | .100 | .100 | .100 | .200 | .200 | .400 | .400 | .400 |
| HUGB | AG | PPM | 12 | .100 | .100 | .100 | .100 | .100 | .100 | .100 | .100 | .100 | .100 |
| NHWS | AG | PPM | 266 | .100 | .100 | .100 | .100 | .200 | .200 | .300 | .400 | .500 | .500 |
| UPHW | AG | PPM | 11 | .100 | .100 | .100 | .100 | .100 | .200 | .200 | .200 | .200 | .200 |
| PHAW | AG | PPM | 13 | .100 | .100 | .100 | .100 | .100 | .100 | .100 | .100 | .100 | .100 |
| AUWR | AG | PPM | 182 | .100 | .100 | .100 | .100 | .100 | .100 | .200 | .200 | .200 | .200 |
| NH17 | AG | PPM | 26 | .100 | .100 | .200 | .300 | .300 | .500 | .800 | .800 | .800 | .800 |
| PH14 | AG | PPM | 30 | .100 | .100 | .100 | .100 | .100 | .200 | .200 | .300 | .300 | .300 |
| PH13 | AG | PPM | 53 | .100 | .100 | .100 | .100 | .100 | .100 | .200 | .200 | .200 | .200 |
| PH11 | AG | PPM | 250 | .100 | .100 | .100 | .100 | .100 | .200 | .200 | .300 | .300 | .700 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

SUMMARY STATISTICS

| SUBSET | VARIABLE | UNITS | N | ARITH MEAN | STD DEV | CV % | SKEW | EXCESS KURT | 95% LIMITS ON MEAN | GEOM MEAN | LOG 10 MEAN | STD DEV | 95% LIMITS ON MEAN |
|--------|----------|-------|-----|---------------|------------|-------|-------|----------------|-----------------------|--------------|----------------|------------|-----------------------|
| HUGP | MN | PPM | 60 | 228. | 296. | 129.9 | 3.44 | 12.91 | 151. 304. | 150. | 2.1749 | .3615 | 121. 185. |
| HUGB | MN | PPM | 12 | 478. | 582. | 121.6 | 1.33 | .35 | 113. 844. | 228. | 2.3578 | .5768 | 98.8 526. |
| NHWS | MN | PPM | 266 | 647. | .210E+04 | 325.1 | 11.15 | 151.29 | 393. 901. | 195. | 2.2907 | .6065 | 165. 231. |
| UPHW | MN | PPM | 11 | .104E+04 | .182E+04 | 175.6 | 1.93 | 2.22 | -172. .225E+04 | 341. | 2.5322 | .6407 | 128. 907. |
| PHAW | MN | PPM | 13 | 136. | 103. | 75.6 | .86 | -.29 | 74.2 197. | 101. | 2.0039 | .3665 | 60.9 167. |
| AUWR | MN | PPM | 182 | 154. | 333. | 216.5 | 6.70 | 49.06 | 105. 203. | 86.4 | 1.9363 | .3892 | 75.8 98.5 |
| NH17 | MN | PPM | 26 | .217E+04 | .537E+04 | 246.9 | 3.08 | 7.72 | 9.50 .434E+04 | 565. | 2.7523 | .5996 | 324. 986. |
| PH14 | MN | PPM | 30 | 155. | 156. | 100.5 | 1.92 | 2.75 | 96.9 213. | 109. | 2.0370 | .3509 | 80.6 147. |
| PH13 | MN | PPM | 53 | 268. | 297. | 110.6 | 2.39 | 6.68 | 186. 350. | 166. | 2.2201 | .4412 | 125. 220. |
| PH11 | MN | PPM | 250 | 289. | 703. | 242.9 | 6.64 | 53.11 | 202. 377. | 135. | 2.1309 | .4465 | 119. 154. |

| SUBSET | VARIABLE | UNITS | N | MIN VALUE | ----- PERCENTILE ----- | | | | | | | | MAX VALUE |
|--------|----------|-------|-----|--------------|------------------------|---------|----------|----------|----------|-----------|-----------|-----------|--------------|
| | | | | | 25TH | 50TH | 75TH | 80TH | 90TH | 95TH | 98TH | 99TH | |
| HUGP | MN | PPM | 60 | 33.000 | 91.000 | 130.000 | 241.000 | 296.000 | 411.000 | 920.000 | 1750.000 | 1750.000 | 1750.000 |
| HUGB | MN | PPM | 12 | 41.000 | 70.000 | 250.000 | 725.000 | 1500.000 | 1750.000 | 1750.000 | 1750.000 | 1750.000 | 1750.000 |
| NHWS | MN | PPM | 266 | 9.000 | 68.000 | 163.000 | 463.000 | 550.000 | 1560.000 | 3100.000 | 5200.000 | 5400.000 | 30500.000 |
| UPHW | MN | PPM | 11 | 50.000 | 130.000 | 271.000 | 729.000 | 3330.000 | 5750.000 | 5750.000 | 5750.000 | 5750.000 | 5750.000 |
| PHAW | MN | PPM | 13 | 28.000 | 55.000 | 125.000 | 200.000 | 200.000 | 350.000 | 350.000 | 350.000 | 350.000 | 350.000 |
| AUWR | MN | PPM | 182 | 15.000 | 47.000 | 75.000 | 140.000 | 178.000 | 270.000 | 465.000 | 885.000 | 2600.000 | 3050.000 |
| NH17 | MN | PPM | 26 | 110.000 | 231.000 | 355.000 | 1520.000 | 1900.000 | 2530.000 | 20500.000 | 20500.000 | 20500.000 | 20500.000 |
| PH14 | MN | PPM | 30 | 25.000 | 58.000 | 93.000 | 185.000 | 213.000 | 450.000 | 605.000 | 610.000 | 610.000 | 610.000 |
| PH13 | MN | PPM | 53 | 10.000 | 85.000 | 165.000 | 340.000 | 390.000 | 730.000 | 900.000 | 1600.000 | 1600.000 | 1600.000 |
| PH11 | MN | PPM | 250 | 10.000 | 70.000 | 120.000 | 225.000 | 280.000 | 525.000 | 870.000 | 3100.000 | 4200.000 | 7500.000 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

SUMMARY STATISTICS

| SUBSET | VARIABLE | UNITS | N | ARITH MEAN | STD DEV | CV % | SKEW | EXCESS KURT | 95% LIMITS ON MEAN | GEOM MEAN | LOG 10 MEAN | STD DEV | 95% LIMITS ON MEAN | | |
|--------|----------|-------|-----|---------------|------------|-------|-------|----------------|-----------------------|--------------|----------------|------------|-----------------------|------|------|
| HUGP | AS | PPM | 60 | .867 | .712 | 82.2 | 3.74 | 17.51 | .683 | 1.05 | .729 | -.1373 | .2274 | .637 | .835 |
| HUGB | AS | PPM | 12 | 1.54 | 2.14 | 138.6 | 2.55 | 5.31 | .198 | 2.89 | .944 | -.0251 | .3948 | .533 | 1.67 |
| NHWS | AS | PPM | 266 | 2.40 | 4.73 | 196.7 | 5.97 | 47.15 | 1.83 | 2.97 | 1.18 | .0704 | .4506 | 1.04 | 1.33 |
| UPHW | AS | PPM | 11 | 1.45 | 1.17 | 80.5 | 1.73 | 2.24 | .677 | 2.23 | 1.15 | .0615 | .3014 | .727 | 1.83 |
| PHAW | AS | PPM | 13 | 1.19 | 1.35 | 113.0 | 2.77 | 6.48 | .385 | 2.00 | .881 | -.0549 | .3048 | .579 | 1.34 |
| AUWR | AS | PPM | 182 | .854 | 2.96 | 346.4 | 12.40 | 158.55 | .421 | 1.29 | .572 | -.2429 | .2146 | .532 | .614 |
| NH17 | AS | PPM | 26 | 4.46 | 5.23 | 117.2 | 2.16 | 4.46 | 2.35 | 6.57 | 2.73 | .4369 | .4216 | 1.85 | 4.05 |
| PH14 | AS | PPM | 30 | .767 | .521 | 67.9 | 1.96 | 2.98 | .572 | .961 | .661 | -.1798 | .2170 | .549 | .796 |
| PH13 | AS | PPM | 53 | .528 | .206 | 39.0 | 7.07 | 48.02 | .472 | .585 | .513 | -.2897 | .0827 | .487 | .541 |
| PH11 | AS | PPM | 250 | .560 | .353 | 63.1 | 9.60 | 107.32 | .516 | .604 | .529 | -.2762 | .1105 | .513 | .547 |

| SUBSET | VARIABLE | UNITS | N | MIN VALUE | ----- PERCENTILE ----- | | | | | | | | MAX VALUE |
|--------|----------|-------|-----|--------------|------------------------|-------|-------|-------|--------|--------|--------|--------|--------------|
| | | | | | 25TH | 50TH | 75TH | 80TH | 90TH | 95TH | 98TH | 99TH | |
| HUGP | AS | PPM | 60 | .500 | .500 | .500 | 1.000 | 1.000 | 2.000 | 2.000 | 5.000 | 5.000 | 5.000 |
| HUGB | AS | PPM | 12 | .500 | .500 | .500 | 2.000 | 2.000 | 8.000 | 8.000 | 8.000 | 8.000 | 8.000 |
| NHWS | AS | PPM | 266 | .500 | .500 | 1.000 | 2.500 | 3.000 | 5.500 | 8.500 | 17.000 | 23.000 | 50.000 |
| UPHW | AS | PPM | 11 | .500 | 1.000 | 1.000 | 1.500 | 2.500 | 4.500 | 4.500 | 4.500 | 4.500 | 4.500 |
| PHAW | AS | PPM | 13 | .500 | .500 | 1.000 | 1.500 | 1.500 | 5.500 | 5.500 | 5.500 | 5.500 | 5.500 |
| AUWR | AS | PPM | 182 | .500 | .500 | .500 | .500 | .500 | 1.000 | 1.000 | 3.500 | 7.000 | 39.500 |
| NH17 | AS | PPM | 26 | .500 | 1.500 | 2.500 | 6.000 | 8.000 | 12.500 | 23.000 | 23.000 | 23.000 | 23.000 |
| PH14 | AS | PPM | 30 | .500 | .500 | .500 | 1.000 | 1.000 | 1.500 | 2.000 | 2.500 | 2.500 | 2.500 |
| PH13 | AS | PPM | 53 | .500 | .500 | .500 | .500 | .500 | .500 | .500 | 2.000 | 2.000 | 2.000 |
| PH11 | AS | PPM | 250 | .500 | .500 | .500 | .500 | .500 | .500 | 1.000 | 1.500 | 1.500 | 5.000 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

SUMMARY STATISTICS

| SUBSET | VARIABLE | UNITS | N | ARITH MEAN | STD DEV | CV % | SKEW | EXCESS KURT | 95% LIMITS ON MEAN | GEOM MEAN | LOG 10 MEAN | STD DEV | 95% LIMITS ON MEAN |
|--------|----------|-------|-----|---------------|------------|-------|------|----------------|-----------------------|--------------|----------------|------------|-----------------------|
| HUGP | MO | PPM | 60 | 4.72 | 3.37 | 71.3 | 1.32 | 1.36 | 3.85 5.59 | 3.68 | .5661 | .3205 | 3.04 4.45 |
| HUGB | MO | PPM | 12 | 6.83 | 5.37 | 78.6 | 1.08 | 1.04 | 3.45 10.2 | 4.71 | .6727 | .4419 | 2.48 8.93 |
| NHWS | MO | PPM | 266 | 4.45 | 5.22 | 117.3 | 3.54 | 18.87 | 3.82 5.08 | 2.92 | .4652 | .3793 | 2.63 3.24 |
| UPHW | MO | PPM | 11 | 10.4 | 11.5 | 111.3 | 2.08 | 3.34 | 2.71 18.0 | 6.77 | .8309 | .4221 | 3.55 12.9 |
| PHAW | MO | PPM | 13 | 3.62 | 2.72 | 75.4 | 1.73 | 2.23 | 1.98 5.25 | 2.96 | .4711 | .2740 | 2.03 4.32 |
| AUWR | MO | PPM | 182 | 3.09 | 4.62 | 149.5 | 6.81 | 60.14 | 2.41 3.76 | 2.12 | .3263 | .3266 | 1.90 2.37 |
| NH17 | MO | PPM | 26 | 11.2 | 12.3 | 110.1 | 2.68 | 7.83 | 6.20 16.1 | 7.57 | .8791 | .3736 | 5.35 10.7 |
| PH14 | MO | PPM | 30 | 5.47 | 3.41 | 62.4 | .98 | .22 | 4.19 6.74 | 4.49 | .6526 | .2893 | 3.51 5.76 |
| PH13 | MO | PPM | 53 | 2.96 | 2.47 | 83.5 | 1.65 | 2.41 | 2.28 3.64 | 2.24 | .3499 | .3184 | 1.83 2.74 |
| PH11 | MO | PPM | 250 | 2.20 | 1.93 | 87.8 | 3.86 | 24.57 | 1.96 2.44 | 1.75 | .2425 | .2714 | 1.62 1.89 |

| SUBSET | VARIABLE | UNITS | N | MIN VALUE | ----- PERCENTILE ----- | | | | | | | | MAX VALUE |
|--------|----------|-------|-----|--------------|------------------------|-------|--------|--------|--------|--------|--------|--------|--------------|
| | | | | | 25TH | 50TH | 75TH | 80TH | 90TH | 95TH | 98TH | 99TH | |
| HUGP | MO | PPM | 60 | 1.000 | 3.000 | 4.000 | 6.000 | 7.000 | 10.000 | 14.000 | 15.000 | 15.000 | 15.000 |
| HUGB | MO | PPM | 12 | 1.000 | 4.000 | 7.000 | 10.000 | 11.000 | 20.000 | 20.000 | 20.000 | 20.000 | 20.000 |
| NHWS | MO | PPM | 266 | 1.000 | 1.000 | 3.000 | 5.000 | 6.000 | 10.000 | 15.000 | 22.000 | 26.000 | 47.000 |
| UPHW | MO | PPM | 11 | 1.000 | 5.000 | 6.000 | 10.000 | 19.000 | 42.000 | 42.000 | 42.000 | 42.000 | 42.000 |
| PHAW | MO | PPM | 13 | 1.000 | 2.000 | 3.000 | 5.000 | 5.000 | 11.000 | 11.000 | 11.000 | 11.000 | 11.000 |
| AUWR | MO | PPM | 182 | 1.000 | 1.000 | 2.000 | 3.000 | 4.000 | 6.000 | 9.000 | 14.000 | 25.000 | 50.000 |
| NH17 | MO | PPM | 26 | 2.000 | 4.000 | 6.000 | 13.000 | 19.000 | 22.000 | 60.000 | 60.000 | 60.000 | 60.000 |
| PH14 | MO | PPM | 30 | 1.000 | 3.000 | 5.000 | 7.000 | 9.000 | 12.000 | 13.000 | 14.000 | 14.000 | 14.000 |
| PH13 | MO | PPM | 53 | 1.000 | 1.000 | 2.000 | 4.000 | 5.000 | 7.000 | 8.000 | 12.000 | 12.000 | 12.000 |
| PH11 | MO | PPM | 250 | 1.000 | 1.000 | 2.000 | 3.000 | 3.000 | 5.000 | 5.000 | 7.000 | 10.000 | 19.000 |

SUMMARY STATISTICS

| SUBSET | VARIABLE | UNITS | N | ARITH MEAN | STD DEV | CV % | SKEW | EXCESS KURT | 95% LIMITS ON MEAN | GEOM MEAN | LOG 10 MEAN | STD DEV | 95% LIMITS ON MEAN |
|--------|----------|-------|-----|---------------|------------|-------|------|----------------|-----------------------|--------------|----------------|------------|-----------------------|
| HUGP | FE | PCT | 60 | 1.64 | 1.77 | 107.8 | 3.45 | 14.98 | 1.19 | 2.10 | 1.17 | .0695 | .960 |
| HUGB | FE | PCT | 12 | 2.94 | 3.00 | 102.3 | .92 | -.66 | 1.05 | 4.83 | 1.66 | .2198 | .789 |
| NHWS | FE | PCT | 266 | 1.83 | 1.98 | 107.7 | 2.57 | 8.88 | 1.59 | 2.07 | 1.15 | .0612 | 1.02 |
| UPHW | FE | PCT | 11 | 2.38 | 3.11 | 130.8 | 2.18 | 3.59 | .314 | 4.44 | 1.45 | .1606 | .771 |
| PHAW | FE | PCT | 13 | 1.17 | .677 | 57.9 | .08 | -1.11 | .763 | 1.58 | .933 | -.0301 | .583 |
| AUWR | FE | PCT | 182 | 1.46 | 1.72 | 117.5 | 3.59 | 16.94 | 1.21 | 1.71 | .982 | -.0078 | .868 |
| NH17 | FE | PCT | 26 | 3.05 | 2.38 | 78.0 | 1.61 | 2.24 | 2.09 | 4.00 | 2.39 | .3780 | 1.80 |
| PH14 | FE | PCT | 30 | 1.83 | 1.55 | 84.9 | 1.40 | 1.17 | 1.25 | 2.40 | 1.33 | .1248 | .987 |
| PH13 | FE | PCT | 53 | 1.98 | 1.77 | 89.3 | 2.56 | 8.48 | 1.49 | 2.47 | 1.48 | .1700 | 1.20 |
| PH11 | FE | PCT | 250 | 1.66 | 1.61 | 97.2 | 2.79 | 11.27 | 1.46 | 1.86 | 1.18 | .0716 | 1.06 |

| SUBSET | VARIABLE | UNITS | N | MIN VALUE | PERCENTILE | | | | | | | | MAX VALUE |
|--------|----------|-------|-----|--------------|------------|-------|-------|-------|--------|--------|--------|--------|--------------|
| | | | | | 25TH | 50TH | 75TH | 80TH | 90TH | 95TH | 98TH | 99TH | |
| HUGP | FE | PCT | 60 | .300 | .650 | 1.050 | 1.950 | 2.150 | 3.300 | 5.100 | 11.500 | 11.500 | 11.500 |
| HUGB | FE | PCT | 12 | .350 | .800 | 2.100 | 6.150 | 7.900 | 8.600 | 8.600 | 8.600 | 8.600 | 8.600 |
| NHWS | FE | PCT | 266 | .100 | .550 | 1.200 | 2.400 | 2.900 | 4.200 | 5.800 | 9.100 | 10.800 | 13.400 |
| UPHW | FE | PCT | 11 | .400 | .900 | 1.050 | 3.100 | 4.500 | 11.000 | 11.000 | 11.000 | 11.000 | 11.000 |
| PHAW | FE | PCT | 13 | .200 | .600 | 1.150 | 1.900 | 1.900 | 2.250 | 2.250 | 2.250 | 2.250 | 2.250 |
| AUWR | FE | PCT | 182 | .150 | .550 | 1.000 | 1.700 | 1.900 | 3.100 | 4.700 | 7.600 | 8.800 | 13.600 |
| NH17 | FE | PCT | 26 | .750 | 1.500 | 2.300 | 4.300 | 4.800 | 6.850 | 10.600 | 10.600 | 10.600 | 10.600 |
| PH14 | FE | PCT | 30 | .300 | .750 | 1.150 | 2.300 | 2.850 | 4.400 | 5.400 | 6.300 | 6.300 | 6.300 |
| PH13 | FE | PCT | 53 | .300 | .900 | 1.550 | 2.500 | 2.600 | 3.800 | 5.100 | 10.400 | 10.400 | 10.400 |
| PH11 | FE | PCT | 250 | .150 | .700 | 1.200 | 1.900 | 2.400 | 3.400 | 5.000 | 6.450 | 7.900 | 12.800 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

SUMMARY STATISTICS

| SUBSET | VARIABLE | UNITS | N | ARITH MEAN | STD DEV | CV % | SKEW | EXCESS KURT | 95% LIMITS ON MEAN | GEOM MEAN | LOG 10 MEAN | STD DEV | 95% LIMITS ON MEAN | | |
|--------|----------|-------|-----|---------------|------------|------|------|----------------|-----------------------|--------------|----------------|------------|-----------------------|------|------|
| HUGP | HG | PPB | 60 | 54.8 | 22.7 | 41.3 | .45 | -.10 | 49.0 | 60.7 | 49.8 | 1.6975 | .2031 | 44.2 | 56.2 |
| HUGB | HG | PPB | 12 | 57.5 | 24.5 | 42.7 | -.01 | -.79 | 42.1 | 72.9 | 51.7 | 1.7139 | .2239 | 37.4 | 71.6 |
| NHWS | HG | PPB | 266 | 74.0 | 35.0 | 47.3 | 1.43 | 3.77 | 69.8 | 78.2 | 66.6 | 1.8232 | .2056 | 62.9 | 70.5 |
| UPHW | HG | PPB | 11 | 50.0 | 24.9 | 49.8 | .24 | -1.38 | 33.5 | 66.5 | 44.1 | 1.6442 | .2360 | 30.7 | 63.2 |
| PHAW | HG | PPB | 13 | 69.2 | 20.2 | 29.2 | -.14 | .23 | 57.1 | 81.3 | 66.1 | 1.8201 | .1458 | 54.0 | 80.8 |
| AUWR | HG | PPB | 181 | 56.4 | 19.0 | 33.7 | .36 | -.16 | 53.6 | 59.2 | 52.9 | 1.7238 | .1638 | 50.1 | 56.0 |
| NH17 | HG | PPB | 26 | 95.0 | 66.0 | 69.5 | 1.63 | 2.50 | 68.4 | 122. | 77.5 | 1.8893 | .2841 | 59.5 | 101. |
| PH14 | HG | PPB | 30 | 69.7 | 27.7 | 39.8 | 2.17 | 6.62 | 59.3 | 80.0 | 65.5 | 1.8162 | .1516 | 57.5 | 74.6 |
| PH13 | HG | PPB | 53 | 60.9 | 19.8 | 32.5 | .96 | 1.82 | 55.5 | 66.4 | 57.9 | 1.7626 | .1430 | 52.9 | 63.4 |
| PH11 | HG | PPB | 250 | 65.7 | 30.2 | 46.0 | 1.56 | 3.92 | 61.9 | 69.4 | 59.8 | 1.7766 | .1883 | 56.6 | 63.1 |

| SUBSET | VARIABLE | UNITS | N | MIN VALUE | ----- PERCENTILE ----- | | | | | | | | MAX VALUE |
|--------|----------|-------|-----|--------------|------------------------|--------|---------|---------|---------|---------|---------|---------|--------------|
| | | | | | 25TH | 50TH | 75TH | 80TH | 90TH | 95TH | 98TH | 99TH | |
| HUGP | HG | PPB | 60 | 10.000 | 40.000 | 50.000 | 70.000 | 70.000 | 90.000 | 100.000 | 110.000 | 110.000 | 110.000 |
| HUGB | HG | PPB | 12 | 20.000 | 50.000 | 60.000 | 80.000 | 80.000 | 100.000 | 100.000 | 100.000 | 100.000 | 100.000 |
| NHWS | HG | PPB | 266 | 10.000 | 50.000 | 70.000 | 90.000 | 100.000 | 120.000 | 140.000 | 180.000 | 200.000 | 250.000 |
| UPHW | HG | PPB | 11 | 20.000 | 30.000 | 40.000 | 70.000 | 80.000 | 90.000 | 90.000 | 90.000 | 90.000 | 90.000 |
| PHAW | HG | PPB | 13 | 30.000 | 60.000 | 70.000 | 80.000 | 80.000 | 110.000 | 110.000 | 110.000 | 110.000 | 110.000 |
| AUWR | HG | PPB | 181 | 10.000 | 40.000 | 50.000 | 70.000 | 70.000 | 80.000 | 90.000 | 100.000 | 100.000 | 100.000 |
| NH17 | HG | PPB | 26 | 20.000 | 50.000 | 90.000 | 120.000 | 130.000 | 160.000 | 290.000 | 290.000 | 290.000 | 290.000 |
| PH14 | HG | PPB | 30 | 30.000 | 60.000 | 60.000 | 80.000 | 80.000 | 110.000 | 110.000 | 180.000 | 180.000 | 180.000 |
| PH13 | HG | PPB | 53 | 20.000 | 50.000 | 60.000 | 70.000 | 80.000 | 90.000 | 90.000 | 130.000 | 130.000 | 130.000 |
| PH11 | HG | PPB | 250 | 20.000 | 50.000 | 60.000 | 80.000 | 90.000 | 100.000 | 120.000 | 150.000 | 170.000 | 220.000 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

SUMMARY STATISTICS

| SUBSET | VARIABLE | UNITS | N | ARITH MEAN | STD DEV | CV % | SKEW | EXCESS KURT | 95% LIMITS ON MEAN | GEOM MEAN | LOG 10 MEAN | STD DEV | 95% LIMITS ON MEAN |
|--------|----------|-------|-----|---------------|------------|------|-------|----------------|-----------------------|--------------|----------------|------------|-----------------------|
| HUGP | LOI | PCT | 60 | 28.2 | 10.9 | 38.7 | -.46 | .12 | 25.3 31.0 | 24.9 | 1.3955 | .2598 | 21.3 29.0 |
| HUGB | LOI | PCT | 12 | 25.9 | 9.23 | 35.6 | -1.39 | 2.56 | 20.1 31.7 | 21.6 | 1.3344 | .3819 | 12.4 37.5 |
| NHWS | LOI | PCT | 266 | 34.1 | 15.4 | 45.3 | .78 | 1.25 | 32.2 35.9 | 30.2 | 1.4795 | .2364 | 28.2 32.2 |
| UPHW | LOI | PCT | 11 | 21.3 | 14.2 | 66.6 | .22 | -1.20 | 11.9 30.8 | 15.5 | 1.1892 | .4318 | 7.99 29.9 |
| PHAW | LOI | PCT | 13 | 35.7 | 14.2 | 39.6 | .05 | -.52 | 27.2 44.2 | 32.8 | 1.5152 | .1980 | 24.9 43.0 |
| AUWR | LOI | PCT | 182 | 35.5 | 13.3 | 37.3 | .35 | 1.18 | 33.6 37.4 | 32.5 | 1.5119 | .2030 | 30.4 34.8 |
| NH17 | LOI | PCT | 26 | 29.7 | 14.0 | 47.1 | -.25 | -.42 | 24.0 35.3 | 24.6 | 1.3908 | .3250 | 18.2 33.3 |
| PH14 | LOI | PCT | 30 | 36.8 | 9.68 | 26.3 | -.48 | .44 | 33.2 40.4 | 35.2 | 1.5467 | .1411 | 31.2 39.7 |
| PH13 | LOI | PCT | 53 | 31.0 | 10.3 | 33.3 | -.23 | .13 | 28.1 33.8 | 28.6 | 1.4563 | .2046 | 25.1 32.6 |
| PH11 | LOI | PCT | 250 | 31.1 | 10.6 | 34.0 | .62 | 2.46 | 29.7 32.4 | 28.8 | 1.4595 | .1962 | 27.2 30.5 |

| SUBSET | VARIABLE | UNITS | N | MIN VALUE | PERCENTILE | | | | | | | | MAX VALUE |
|--------|----------|-------|-----|--------------|------------|--------|--------|--------|--------|--------|--------|--------|--------------|
| | | | | | 25TH | 50TH | 75TH | 80TH | 90TH | 95TH | 98TH | 99TH | |
| HUGP | LOI | PCT | 60 | 2.200 | 24.600 | 29.800 | 34.400 | 36.000 | 41.600 | 46.600 | 51.400 | 51.400 | 51.400 |
| HUGB | LOI | PCT | 12 | 1.400 | 25.400 | 28.400 | 30.200 | 31.600 | 40.400 | 40.400 | 40.400 | 40.400 | 40.400 |
| NHWS | LOI | PCT | 266 | 2.800 | 26.000 | 32.600 | 41.600 | 43.800 | 52.400 | 66.800 | 75.600 | 79.200 | 89.600 |
| UPHW | LOI | PCT | 11 | 1.600 | 12.600 | 23.200 | 33.600 | 41.600 | 43.200 | 43.200 | 43.200 | 43.200 | 43.200 |
| PHAW | LOI | PCT | 13 | 14.800 | 28.000 | 40.400 | 44.200 | 44.200 | 63.600 | 63.600 | 63.600 | 63.600 | 63.600 |
| AUWR | LOI | PCT | 182 | 5.600 | 27.200 | 34.800 | 44.200 | 45.800 | 50.000 | 57.600 | 67.800 | 75.400 | 86.400 |
| NH17 | LOI | PCT | 26 | 3.200 | 22.600 | 31.400 | 37.600 | 44.000 | 48.400 | 56.800 | 56.800 | 56.800 | 56.800 |
| PH14 | LOI | PCT | 30 | 11.400 | 31.200 | 36.200 | 43.800 | 45.800 | 49.800 | 52.000 | 53.600 | 53.600 | 53.600 |
| PH13 | LOI | PCT | 53 | 2.800 | 24.600 | 32.200 | 36.400 | 39.000 | 45.800 | 48.800 | 52.600 | 52.600 | 52.600 |
| PH11 | LOI | PCT | 250 | 1.400 | 25.600 | 30.600 | 36.400 | 37.800 | 43.400 | 47.200 | 63.200 | 68.600 | 73.800 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983,GSC-OF 998, NGR 63-1983, NTS 13L

SUMMARY STATISTICS

| SUBSET | VARIABLE | UNITS | N | ARITH MEAN | STD DEV | CV % | SKEW | EXCESS KURT | 95% LIMITS ON MEAN | GEOM MEAN | LOG 10 MEAN | STD DEV | 95% LIMITS ON MEAN |
|--------|----------|-------|-----|---------------|------------|-------|------|----------------|-----------------------|--------------|----------------|------------|-----------------------|
| HUGP | U | PPM | 60 | 5.36 | 5.88 | 109.7 | 5.42 | 33.85 | 3.84 6.88 | 4.24 | .6278 | .2620 | 3.63 4.96 |
| HUGB | U | PPM | 12 | 7.28 | 8.86 | 121.7 | 2.55 | 5.37 | 1.71 12.9 | 4.67 | .6696 | .4314 | 2.50 8.73 |
| NHWS | U | PPM | 266 | 5.06 | 5.55 | 109.6 | 2.43 | 7.95 | 4.39 5.73 | 2.89 | .4606 | .4984 | 2.51 3.32 |
| UPHW | U | PPM | 11 | 4.73 | 2.38 | 50.4 | 1.19 | .84 | 3.15 6.31 | 4.26 | .6292 | .2067 | 3.10 5.84 |
| PHAW | U | PPM | 13 | 5.80 | 4.90 | 84.5 | 1.34 | 1.36 | 2.86 8.74 | 4.23 | .6261 | .3634 | 2.56 6.98 |
| AUWR | U | PPM | 182 | 2.52 | 4.65 | 184.6 | 7.16 | 68.20 | 1.84 3.20 | 1.29 | .1114 | .4809 | 1.10 1.52 |
| NH17 | U | PPM | 26 | 14.3 | 39.8 | 277.9 | 4.68 | 20.31 | -1.73 30.4 | 5.53 | .7425 | .5125 | 3.43 8.90 |
| PH14 | U | PPM | 30 | 8.04 | 11.8 | 147.0 | 3.66 | 14.37 | 3.63 12.4 | 4.70 | .6722 | .4245 | 3.27 6.77 |
| PH13 | U | PPM | 53 | .962 | .979 | 101.7 | 3.89 | 19.02 | .693 1.23 | .729 | -.1372 | .3035 | .602 .884 |
| PH11 | U | PPM | 250 | 1.13 | 1.73 | 152.8 | 8.62 | 96.00 | .917 1.35 | .783 | -.1064 | .3406 | .710 .863 |

| SUBSET | VARIABLE | UNITS | N | MIN VALUE | ----- PERCENTILE ----- | | | | | | | | MAX VALUE |
|--------|----------|-------|-----|--------------|------------------------|-------|--------|--------|--------|---------|---------|---------|--------------|
| | | | | | 25TH | 50TH | 75TH | 80TH | 90TH | 95TH | 98TH | 99TH | |
| HUGP | U | PPM | 60 | 1.800 | 2.800 | 3.900 | 6.400 | 6.700 | 9.200 | 11.900 | 45.300 | 45.300 | 45.300 |
| HUGB | U | PPM | 12 | .500 | 3.400 | 5.000 | 9.000 | 10.200 | 34.100 | 34.100 | 34.100 | 34.100 | 34.100 |
| NHWS | U | PPM | 266 | .200 | 1.100 | 3.500 | 6.500 | 7.300 | 11.800 | 15.700 | 24.600 | 28.200 | 36.700 |
| UPHW | U | PPM | 11 | 2.000 | 3.600 | 4.200 | 5.000 | 7.500 | 10.300 | 10.300 | 10.300 | 10.300 | 10.300 |
| PHAW | U | PPM | 13 | 1.200 | 2.000 | 3.700 | 8.700 | 8.700 | 18.500 | 18.500 | 18.500 | 18.500 | 18.500 |
| AUWR | U | PPM | 182 | .100 | .600 | 1.200 | 2.600 | 3.300 | 5.900 | 9.300 | 12.300 | 20.500 | 51.700 |
| NH17 | U | PPM | 26 | .200 | 3.300 | 5.000 | 10.200 | 10.300 | 19.400 | 208.000 | 208.000 | 208.000 | 208.000 |
| PH14 | U | PPM | 30 | 1.000 | 2.600 | 4.300 | 8.900 | 11.000 | 17.600 | 23.900 | 63.400 | 63.400 | 63.400 |
| PH13 | U | PPM | 53 | .200 | .400 | .700 | 1.100 | 1.100 | 2.100 | 2.400 | 6.600 | 6.600 | 6.600 |
| PH11 | U | PPM | 250 | .100 | .500 | .700 | 1.200 | 1.400 | 2.100 | 3.200 | 4.000 | 6.800 | 22.500 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

SUMMARY STATISTICS

| SUBSET | VARIABLE | UNITS | N | ARITH MEAN | STD DEV | CV % | SKEW | EXCESS KURT | 95% LIMITS ON MEAN | GEOM MEAN | LOG 10 MEAN | STD DEV | 95% LIMITS ON MEAN |
|--------|----------|-------|-----|---------------|------------|------|------|----------------|-----------------------|--------------|----------------|------------|-----------------------|
| HUGP | F | PPM | 60 | 207. | 96.4 | 46.6 | .76 | -.48 | 182. 232. | 187. | 2.2708 | .1984 | 166. 210. |
| HUGB | F | PPM | 12 | 175. | 129. | 73.7 | 1.53 | 1.42 | 93.9 256. | 143. | 2.1564 | .2750 | 96.2 213. |
| NHWS | F | PPM | 266 | 154. | 102. | 66.3 | 1.58 | 4.83 | 142. 167. | 126. | 2.0999 | .2805 | 116. 136. |
| UPHW | F | PPM | 11 | 272. | 137. | 50.4 | -.09 | -1.30 | 181. 363. | 233. | 2.3681 | .2710 | 154. 353. |
| PHAW | F | PPM | 13 | 170. | 123. | 72.2 | 1.05 | .09 | 96.5 243. | 135. | 2.1290 | .3127 | 87.4 207. |
| AUWR | F | PPM | 182 | 118. | 85.6 | 72.6 | 1.81 | 3.12 | 105. 130. | 96.7 | 1.9853 | .2598 | 88.6 106. |
| NH17 | F | PPM | 26 | 227. | 94.0 | 41.4 | .79 | .46 | 189. 265. | 209. | 2.3209 | .1820 | 177. 248. |
| PH14 | F | PPM | 30 | 191. | 141. | 73.8 | 1.98 | 4.05 | 139. 244. | 156. | 2.1942 | .2696 | 124. 197. |
| PH13 | F | PPM | 53 | 138. | 88.2 | 64.1 | 1.01 | -.12 | 113. 162. | 114. | 2.0562 | .2696 | 95.9 135. |
| PH11 | F | PPM | 250 | 119. | 71.2 | 59.9 | 1.66 | 3.60 | 110. 128. | 102. | 2.0080 | .2422 | 95.0 109. |

| SUBSET | VARIABLE | UNITS | N | MIN VALUE | ----- PERCENTILE ----- | | | | | | | | MAX VALUE |
|--------|----------|-------|-----|--------------|------------------------|---------|---------|---------|---------|---------|---------|---------|--------------|
| | | | | | 25TH | 50TH | 75TH | 80TH | 90TH | 95TH | 98TH | 99TH | |
| HUGP | F | PPM | 60 | 80.000 | 130.000 | 160.000 | 290.000 | 320.000 | 340.000 | 410.000 | 450.000 | 450.000 | 450.000 |
| HUGB | F | PPM | 12 | 60.000 | 90.000 | 140.000 | 210.000 | 340.000 | 500.000 | 500.000 | 500.000 | 500.000 | 500.000 |
| NHWS | F | PPM | 266 | 20.000 | 70.000 | 120.000 | 210.000 | 240.000 | 300.000 | 350.000 | 420.000 | 420.000 | 790.000 |
| UPHW | F | PPM | 11 | 80.000 | 160.000 | 330.000 | 370.000 | 380.000 | 490.000 | 490.000 | 490.000 | 490.000 | 490.000 |
| PHAW | F | PPM | 13 | 40.000 | 70.000 | 130.000 | 300.000 | 300.000 | 450.000 | 450.000 | 450.000 | 450.000 | 450.000 |
| AUWR | F | PPM | 182 | 40.000 | 60.000 | 85.000 | 140.000 | 180.000 | 255.000 | 290.000 | 380.000 | 450.000 | 470.000 |
| NH17 | F | PPM | 26 | 100.000 | 150.000 | 220.000 | 270.000 | 280.000 | 360.000 | 480.000 | 480.000 | 480.000 | 480.000 |
| PH14 | F | PPM | 30 | 60.000 | 90.000 | 150.000 | 250.000 | 250.000 | 350.000 | 560.000 | 680.000 | 680.000 | 680.000 |
| PH13 | F | PPM | 53 | 40.000 | 65.000 | 110.000 | 210.000 | 235.000 | 300.000 | 315.000 | 355.000 | 355.000 | 355.000 |
| PH11 | F | PPM | 250 | 20.000 | 70.000 | 100.000 | 145.000 | 160.000 | 200.000 | 275.000 | 340.000 | 400.000 | 450.000 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

SUMMARY STATISTICS

| SUBSET | VARIABLE | UNITS | N | ARITH MEAN | STD DEV | CV % | SKEW | EXCESS KURT | 95% LIMITS ON MEAN | GEOM MEAN | LOG 10 MEAN | STD DEV | 95% LIMITS ON MEAN | | |
|--------|----------|-------|-----|---------------|------------|------|------|----------------|-----------------------|--------------|----------------|------------|-----------------------|------|------|
| HUGP | V | PPM | 60 | 26.0 | 14.9 | 57.6 | 1.35 | 4.14 | 22.1 | 29.8 | 21.5 | 1.3314 | .3004 | 17.9 | 25.6 |
| HUGB | V | PPM | 12 | 51.3 | 40.3 | 78.7 | 1.71 | 2.42 | 25.9 | 76.6 | 40.9 | 1.6113 | .2946 | 26.7 | 62.6 |
| NHWS | V | PPM | 153 | 55.4 | 51.0 | 91.9 | 3.45 | 15.08 | 47.3 | 63.6 | 42.8 | 1.6318 | .3012 | 38.3 | 47.9 |
| UPHW | V | PPM | 11 | 19.5 | 12.7 | 65.2 | .68 | -.51 | 11.1 | 28.0 | 15.7 | 1.1956 | .3184 | 9.65 | 25.5 |
| PHAW | V | PPM | 13 | 35.4 | 21.0 | 59.2 | 1.46 | 1.61 | 22.8 | 47.9 | 30.7 | 1.4877 | .2387 | 22.1 | 42.7 |
| AUWR | V | PPM | 68 | 34.5 | 31.6 | 91.6 | 4.24 | 22.72 | 26.8 | 42.1 | 27.6 | 1.4416 | .2744 | 23.7 | 32.2 |
| NH17 | V | PPM | 26 | 49.6 | 20.4 | 41.2 | 1.32 | 2.33 | 41.4 | 57.9 | 46.1 | 1.6633 | .1702 | 39.3 | 53.9 |
| PH14 | V | PPM | 24 | 32.5 | 17.6 | 54.3 | .51 | -.44 | 25.1 | 39.9 | 27.6 | 1.4415 | .2658 | 21.4 | 35.8 |
| PH11 | V | PPM | 45 | 39.6 | 20.0 | 50.5 | .76 | -.49 | 33.6 | 45.6 | 35.0 | 1.5441 | .2174 | 30.1 | 40.7 |

| SUBSET | VARIABLE | UNITS | N | MIN VALUE | PERCENTILE | | | | | | | | MAX VALUE |
|--------|----------|-------|-----|--------------|------------|--------|--------|--------|---------|---------|---------|---------|--------------|
| | | | | | 25TH | 50TH | 75TH | 80TH | 90TH | 95TH | 98TH | 99TH | |
| HUGP | V | PPM | 60 | 2.000 | 15.000 | 25.000 | 35.000 | 35.000 | 40.000 | 50.000 | 90.000 | 90.000 | 90.000 |
| HUGB | V | PPM | 12 | 20.000 | 20.000 | 40.000 | 70.000 | 80.000 | 160.000 | 160.000 | 160.000 | 160.000 | 160.000 |
| NHWS | V | PPM | 153 | 10.000 | 30.000 | 45.000 | 60.000 | 65.000 | 100.000 | 150.000 | 220.000 | 330.000 | 370.000 |
| UPHW | V | PPM | 11 | 5.000 | 10.000 | 20.000 | 30.000 | 35.000 | 45.000 | 45.000 | 45.000 | 45.000 | 45.000 |
| PHAW | V | PPM | 13 | 10.000 | 25.000 | 30.000 | 50.000 | 50.000 | 90.000 | 90.000 | 90.000 | 90.000 | 90.000 |
| AUWR | V | PPM | 68 | 5.000 | 20.000 | 25.000 | 40.000 | 45.000 | 50.000 | 105.000 | 235.000 | 235.000 | 235.000 |
| NH17 | V | PPM | 26 | 20.000 | 40.000 | 50.000 | 55.000 | 65.000 | 75.000 | 115.000 | 115.000 | 115.000 | 115.000 |
| PH14 | V | PPM | 24 | 10.000 | 20.000 | 30.000 | 50.000 | 50.000 | 60.000 | 75.000 | 75.000 | 75.000 | 75.000 |
| PH11 | V | PPM | 45 | 15.000 | 20.000 | 35.000 | 55.000 | 60.000 | 70.000 | 80.000 | 85.000 | 85.000 | 85.000 |

SUMMARY STATISTICS

| SUBSET | VARIABLE | UNITS | N | ARITH MEAN | STD DEV | CV % | SKEW | EXCESS KURT | 95% LIMITS ON MEAN | GEOM MEAN | LOG 10 MEAN | STD DEV | 95% LIMITS ON MEAN |
|--------|----------|-------|-----|---------------|------------|-------|------|----------------|-----------------------|--------------|----------------|------------|-----------------------|
| HUGP | CD | PPM | 60 | .475 | .720 | 151.6 | 4.01 | 20.04 | .289 .661 | .262 | -.5824 | .4386 | .202 .340 |
| HUGB | CD | PPM | 12 | .208 | .168 | 80.5 | 1.56 | .97 | .103 .314 | .167 | -.7766 | .2792 | .112 .251 |
| NHWS | CD | PPM | 153 | .244 | .233 | 95.4 | 4.65 | 32.48 | .207 .281 | .191 | -.7199 | .2832 | .172 .212 |
| UPHW | CD | PPM | 11 | 1.00 | .713 | 71.3 | .26 | -1.30 | .527 1.47 | .722 | -.1416 | .4046 | .389 1.34 |
| PHAW | CD | PPM | 13 | .208 | .180 | 86.7 | 1.66 | 1.15 | .998E-01 .316 | .163 | -.7877 | .2868 | .110 .242 |
| AUWR | CD | PPM | 68 | .131 | .580E-01 | 44.3 | 1.71 | 1.85 | .117 .145 | .122 | -.9144 | .1541 | .112 .133 |
| NH17 | CD | PPM | 26 | .319 | .217 | 68.1 | 1.16 | .67 | .232 .407 | .258 | -.5891 | .2938 | .196 .338 |
| PH14 | CD | PPM | 24 | .179 | .150 | 83.9 | 3.11 | 10.31 | .116 .242 | .149 | -.8275 | .2403 | .118 .188 |
| PH11 | CD | PPM | 45 | .247 | .159 | 64.4 | 1.47 | 2.15 | .199 .294 | .207 | -.6851 | .2587 | .173 .247 |

| SUBSET | VARIABLE | UNITS | N | MIN VALUE | PERCENTILE | | | | | | | | MAX VALUE |
|--------|----------|-------|-----|--------------|------------|------|-------|-------|-------|-------|-------|-------|--------------|
| | | | | | 25TH | 50TH | 75TH | 80TH | 90TH | 95TH | 98TH | 99TH | |
| HUGP | CD | PPM | 60 | .100 | .100 | .200 | .500 | .600 | 1.300 | 1.700 | 4.800 | 4.800 | 4.800 |
| HUGB | CD | PPM | 12 | .100 | .100 | .200 | .200 | .500 | .600 | .600 | .600 | .600 | .600 |
| NHWS | CD | PPM | 153 | .100 | .100 | .200 | .300 | .300 | .400 | .600 | 1.000 | 1.000 | 2.200 |
| UPHW | CD | PPM | 11 | .200 | .500 | .800 | 1.600 | 1.800 | 2.200 | 2.200 | 2.200 | 2.200 | 2.200 |
| PHAW | CD | PPM | 13 | .100 | .100 | .100 | .200 | .200 | .600 | .600 | .600 | .600 | .600 |
| AUWR | CD | PPM | 68 | .100 | .100 | .100 | .200 | .200 | .200 | .300 | .300 | .300 | .300 |
| NH17 | CD | PPM | 26 | .100 | .200 | .300 | .400 | .500 | .600 | .900 | .900 | .900 | .900 |
| PH14 | CD | PPM | 24 | .100 | .100 | .100 | .200 | .200 | .300 | .800 | .800 | .800 | .800 |
| PH11 | CD | PPM | 45 | .100 | .100 | .200 | .300 | .300 | .500 | .600 | .800 | .800 | .800 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

SUMMARY STATISTICS

| SUBSET | VARIABLE | UNITS | N | ARITH MEAN | STD DEV | CV % | SKEW | EXCESS KURT | 95% LIMITS ON MEAN | GEOM MEAN | LOG 10 MEAN | STD DEV | 95% LIMITS ON MEAN | | |
|--------|----------|-------|-----|---------------|------------|-------|------|----------------|-----------------------|--------------|----------------|------------|-----------------------|------|------|
| HUGP | F-W | PPB | 60 | 110. | 108. | 98.2 | 2.62 | 7.55 | 82.0 | 138. | 80.7 | 1.9068 | .3236 | 66.6 | 97.8 |
| HUGB | F-W | PPB | 12 | 74.2 | 37.1 | 50.0 | .51 | -1.01 | 50.8 | 97.5 | 65.8 | 1.8182 | .2260 | 47.4 | 91.3 |
| NHWS | F-W | PPB | 266 | 37.6 | 34.4 | 91.4 | 2.62 | 8.59 | 33.5 | 41.7 | 28.2 | 1.4503 | .3184 | 25.8 | 30.8 |
| UPHW | F-W | PPB | 11 | 264. | 290. | 109.8 | 1.32 | .58 | 71.7 | 456. | 158. | 2.2000 | .4516 | 79.5 | 316. |
| PHAW | F-W | PPB | 13 | 56.2 | 34.4 | 61.3 | 1.78 | 2.36 | 35.5 | 76.8 | 49.4 | 1.6939 | .2139 | 36.8 | 66.4 |
| AUWR | F-W | PPB | 182 | 44.5 | 37.3 | 83.8 | 2.01 | 4.25 | 39.1 | 50.0 | 34.1 | 1.5321 | .3106 | 30.7 | 37.8 |
| NH17 | F-W | PPB | 26 | 48.8 | 30.1 | 61.7 | 1.58 | 1.74 | 36.7 | 61.0 | 42.4 | 1.6275 | .2223 | 34.5 | 52.1 |
| PH14 | F-W | PPB | 30 | 93.7 | 94.1 | 100.4 | 2.59 | 6.32 | 58.7 | 129. | 71.7 | 1.8557 | .2813 | 56.3 | 91.3 |
| PH13 | F-W | PPB | 53 | 35.0 | 33.1 | 94.4 | 3.18 | 11.31 | 25.9 | 44.1 | 27.6 | 1.4403 | .2746 | 23.2 | 32.8 |
| PH11 | F-W | PPB | 250 | 24.0 | 20.0 | 83.4 | 2.79 | 10.97 | 21.5 | 26.5 | 19.0 | 1.2795 | .2798 | 17.6 | 20.6 |

| SUBSET | VARIABLE | UNITS | N | MIN VALUE | PERCENTILE | | | | | | | | MAX VALUE |
|--------|----------|-------|-----|--------------|------------|---------|---------|---------|---------|---------|---------|---------|--------------|
| | | | | | 25TH | 50TH | 75TH | 80TH | 90TH | 95TH | 98TH | 99TH | |
| HUGP | F-W | PPB | 60 | 26.000 | 44.000 | 76.000 | 130.000 | 140.000 | 220.000 | 420.000 | 600.000 | 600.000 | 600.000 |
| HUGB | F-W | PPB | 12 | 26.000 | 48.000 | 72.000 | 100.000 | 130.000 | 140.000 | 140.000 | 140.000 | 140.000 | 140.000 |
| NHWS | F-W | PPB | 266 | 10.000 | 20.000 | 28.000 | 42.000 | 44.000 | 76.000 | 120.000 | 150.000 | 160.000 | 250.000 |
| UPHW | F-W | PPB | 11 | 48.000 | 92.000 | 110.000 | 480.000 | 580.000 | 940.000 | 940.000 | 940.000 | 940.000 | 940.000 |
| PHAW | F-W | PPB | 13 | 28.000 | 36.000 | 48.000 | 70.000 | 70.000 | 150.000 | 150.000 | 150.000 | 150.000 | 150.000 |
| AUWR | F-W | PPB | 182 | 10.000 | 20.000 | 32.000 | 54.000 | 62.000 | 96.000 | 130.000 | 160.000 | 200.000 | 210.000 |
| NH17 | F-W | PPB | 26 | 22.000 | 28.000 | 42.000 | 60.000 | 84.000 | 96.000 | 140.000 | 140.000 | 140.000 | 140.000 |
| PH14 | F-W | PPB | 30 | 32.000 | 48.000 | 62.000 | 82.000 | 96.000 | 270.000 | 270.000 | 460.000 | 460.000 | 460.000 |
| PH13 | F-W | PPB | 53 | 10.000 | 20.000 | 24.000 | 36.000 | 42.000 | 80.000 | 110.000 | 200.000 | 200.000 | 200.000 |
| PH11 | F-W | PPB | 250 | 10.000 | 10.000 | 20.000 | 30.000 | 34.000 | 42.000 | 76.000 | 86.000 | 100.000 | 160.000 |

REGIONAL LAKE SEDIMENT AND WATER GEOCHEMICAL RECONNAISSANCE DATA, LABRADOR 1983, GSC-OF 998, NGR 63-1983, NTS 13L

SUMMARY STATISTICS

| SUBSET | VARIABLE | UNITS | N | ARITH MEAN | STD DEV | CV % | SKEW | EXCESS KURT | 95% LIMITS ON MEAN | GEOM MEAN | LOG 10 MEAN | STD DEV | 95% LIMITS ON MEAN |
|--------|----------|-------|-----|---------------|------------|-------|-------|----------------|-----------------------|--------------|----------------|------------|-----------------------|
| HUGP | U-W | PPB | 60 | .183E-01 | .257E-01 | 140.3 | 4.72 | 25.08 | .117E-01 .250E-01 | .133E-01 | -1.8770 | .2755 | .113E-01 .156E-01 |
| HUGB | U-W | PPB | 12 | .100E-01 | .138E-08 | .0 | ***** | | .100E-01 .100E-01 | .100E-01 | -2.0000 | .0000 | .100E-01 .100E-01 |
| NHWS | U-W | PPB | 266 | .486E-01 | .676E-01 | 139.3 | 3.34 | 14.64 | .404E-01 .567E-01 | .260E-01 | -1.5844 | .4678 | .229E-01 .297E-01 |
| UPHW | U-W | PPB | 11 | .236E-01 | .250E-01 | 105.8 | 1.42 | .43 | .704E-02 .402E-01 | .161E-01 | -1.7924 | .3619 | .928E-02 .280E-01 |
| PHAW | U-W | PPB | 13 | .246E-01 | .207E-01 | 83.9 | 1.53 | 1.88 | .122E-01 .370E-01 | .187E-01 | -1.7278 | .3241 | .120E-01 .293E-01 |
| AUWR | U-W | PPB | 182 | .343E-01 | .312E-01 | 91.0 | 1.96 | 5.89 | .297E-01 .388E-01 | .231E-01 | -1.6356 | .4007 | .202E-01 .265E-01 |
| NH17 | U-W | PPB | 26 | .173E-01 | .143E-01 | 82.6 | 1.57 | .78 | .115E-01 .231E-01 | .138E-01 | -1.8595 | .2661 | .108E-01 .177E-01 |
| PH14 | U-W | PPB | 30 | .620E-01 | .868E-01 | 139.9 | 2.13 | 4.16 | .297E-01 .943E-01 | .289E-01 | -1.5391 | .5277 | .184E-01 .455E-01 |
| PH13 | U-W | PPB | 53 | .372E-01 | .348E-01 | 93.5 | 1.36 | 1.74 | .276E-01 .467E-01 | .230E-01 | -1.6390 | .4592 | .172E-01 .307E-01 |
| PH11 | U-W | PPB | 250 | .279E-01 | .295E-01 | 105.8 | 2.37 | 8.38 | .242E-01 .315E-01 | .176E-01 | -1.7543 | .4151 | .156E-01 .198E-01 |

| SUBSET | VARIABLE | UNITS | N | MIN VALUE | PERCENTILE | | | | | | | | MAX VALUE |
|--------|----------|-------|-----|--------------|------------|------|------|------|------|------|------|------|--------------|
| | | | | | 25TH | 50TH | 75TH | 80TH | 90TH | 95TH | 98TH | 99TH | |
| HUGP | U-W | PPB | 60 | .010 | .010 | .010 | .010 | .020 | .040 | .080 | .180 | .180 | .180 |
| HUGB | U-W | PPB | 12 | .010 | .010 | .010 | .010 | .010 | .010 | .010 | .010 | .010 | .010 |
| NHWS | U-W | PPB | 266 | .005 | .010 | .030 | .050 | .070 | .120 | .180 | .290 | .330 | .500 |
| UPHW | U-W | PPB | 11 | .010 | .010 | .010 | .040 | .060 | .080 | .080 | .080 | .080 | .080 |
| PHAW | U-W | PPB | 13 | .010 | .010 | .010 | .040 | .040 | .080 | .080 | .080 | .080 | .080 |
| AUWR | U-W | PPB | 182 | .005 | .010 | .030 | .050 | .050 | .070 | .100 | .120 | .150 | .210 |
| NH17 | U-W | PPB | 26 | .010 | .010 | .010 | .010 | .030 | .050 | .050 | .050 | .050 | .050 |
| PH14 | U-W | PPB | 30 | .010 | .010 | .030 | .060 | .130 | .190 | .270 | .370 | .370 | .370 |
| PH13 | U-W | PPB | 53 | .005 | .010 | .030 | .050 | .060 | .090 | .110 | .160 | .160 | .160 |
| PH11 | U-W | PPB | 250 | .005 | .010 | .010 | .040 | .040 | .060 | .090 | .120 | .130 | .220 |

*
* THE END *
* *
* OPEN FILE 998 CONTAINS 67 PAGES INCLUDING THE TITLE PAGE *
* *
