

GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
MTS 52F

This document was produced  
by scanning the original publication.


Ce document est le produit d'une  
numérisation par balayage  
de la publication originale.

10000/3 10004 10008 10012 10016 10020 10024 10028 10032 10036 10040 10044 10048 10052 10056 10060 10064 10068 10072 10076 10080 10084 10088 10092 10096 10100 10104 10108 10112 10116 10120 10124 10128 10132 10136 10140 10144 10148 10152 10156 10160 10164 10168 10172 10176 10180 10184 10188 10192 10196 10200 10204 10208 10212 10216 10220 10224 10228 10232 10236 10240 10244 10248 10252 10256 10260 10264 10268 10272 10276 10280 10284 10288 10292 10296 10300 10304 10308 10312 10316 10320 10324 10328 10332 10336 10340 10344 10348 10352 10356 10360 10364 10368 10372 10376 10380 10384 10388 10392 10396 10400 10404 10408 10412 10416 10420 10424 10428 10432 10436 10440 10444 10448 10452 10456 10460 10464 10468 10472 10476 10480 10484 10488 10492 10496 10500 10504 10508 10512 10516 10520 10524 10528 10532 10536 10540 10544 10548 10552 10556 10560 10564 10568 10572 10576 10580 10584 10588 10592 10596 10600 10604 10608 10612 10616 10620 10624 10628 10632 10636 10640 10644 10648 10652 10656 10660 10664 10668 10672 10676 10680 10684 10688 10692 10696 10700 10704 10708 10712 10716 10720 10724 10728 10732 10736 10740 10744 10748 10752 10756 10760 10764 10768 10772 10776 10780 10784 10788 10792 10796 10800 10804 10808 10812 10816 10820 10824 10828 10832 10836 10840 10844 10848 10852 10856 10860 10864 10868 10872 10876 10880 10884 10888 10892 10896 10900 10904 10908 10912 10916 10920 10924 10928 10932 10936 10940 10944 10948 10952 10956 10960 10964 10968 10972 10976 10980 10984 10988 10992 10996 11000 11004 11008 11012 11016 11020 11024 11028 11032 11036 11040 11044 11048 11052 11056 11060 11064 11068 11072 11076 11080 11084 11088 11092 11096 11100 11104 11108 11112 11116 11120 11124 11128 11132 11136 11140 11144 11148 11152 11156 11160 11164 11168 11172 11176 11180 11184 11188 11192 11196 11200 11204 11208 11212 11216 11220 11224 11228 11232 11236 11240 11244 11248 11252 11256 11260 11264 11268 11272 11276 11280 11284 11288 11292 11296 11300 11304 11308 11312 11316 11320 11324 11328 11332 11336 11340 11344 11348 11352 11356 11360 11364 11368 11372 11376 11380 11384 11388 11392 11396 11400 11404 11408 11412 11416 11420 11424 11428 11432 11436 11440 11444 11448 11452 11456 11460 11464 11468 11472 11476 11480 11484 11488 11492 11496 11500 11504 11508 11512 11516 11520 11524 11528 11532 11536 11540 11544 11548 11552 11556 11560 11564 11568 11572 11576 11580 11584 11588 11592 11596 11600 11604 11608 11612 11616 11620 11624 11628 11632 11636 11640 11644 11648 11652 11656 11660 11664 11668 11672 11676 11680 11684 11688 11692 11696 11700 11704 11708 11712 11716 11720 11724 11728 11732 11736 11740 11744 11748 11752 11756 11760 11764 11768 11772 11776 11780 11784 11788 11792 11796 11800 11804 11808 11812 11816 11820 11824 11828 11832 11836 11840 11844 11848 11852 11856 11860 11864 11868 11872 11876 11880 11884 11888 11892 11896 11900 11904 11908 11912 11916 11920 11924 11928 11932 11936 11940 11944 11948 11952 11956 11960 11964 11968 11972 11976 11980 11984 11988 11992 11996 12000 12004 12008 12012 12016 12020 12024 12028 12032 12036 12040 12044 12048 12052 12056 12060 12064 12068 12072 12076 12080 12084 12088 12092 12096 12100 12104 12108 12112 12116 12120 12124 12128 12132 12136 12140 12144 12148 12152 12156 12160 12164 12168 12172 12176 12180 12184 12188 12192 12196 12200 12204 12208 12212 12216 12220 12224 12228 12232 12236 12240 12244 12248 12252 12256 12260 12264 12268 12272 12276 12280 12284 12288 12292 12296 12300 12304 12308 12312 12316 12320 12324 12328 12332 12336 12340 12344 12348 12352 12356 12360 12364 12368 12372 12376 12380 12384 12388 12392 12396 12400 12404 12408 12412 12416 12420 12424 12428 12432 12436 12440 12444 12448 12452 12456 12460 12464 12468 12472 12476 12480 12484 12488 12492 12496 12500 12504 12508 12512 12516 12520 12524 12528 12532 12536 12540 12544 12548 12552 12556 12560 12564 12568 12572 12576 12580 12584 12588 12592 12596 12600 12604 12608 12612 12616 12620 12624 12628 12632 12636 12640 12644 12648 12652 12656 12660 12664 12668 12672 12676 12680 12684 12688 12692 12696 12700 12704 12708 12712 12716 12720 12724

ONTARIO 1989  
NTS 52F

GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F



ALKALINITY  
IN  
LAKE WATERS


PPM	%TILE
125.0 -	- MAX
88.0 -	- 98
74.0 -	- 95
64.0 -	- 90
37.0 -	- 70
19.0 -	- 50
1.0 -	- MIN
1360 SAMPLES	

PPM	%TILE
125.0	MAX
74.0	95
64.0	90
37.0	70
19.0	50
1.0	MIN
1360 SAMPLES	

0 20  
KILOMETRES

GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F



ANTIMONY  
IN  
LAKE SEDIMENTS

PPM	%TILE
1.40 -	- MAX
0.30 -	- 99
0.29 -	- 94
0.10 -	- MIN

1365 SAMPLES


PPM	%TILE
1.40	MAX
0.30	99
0.29	94
0.10	MIN

1365 SAMPLES



0 20  
KILOMETRES

GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F



ARSENIC  
IN  
LAKE SEDIMENTS




0 20  
KILOMETRES



GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F



CADIUM  
IN  
LAKE SEDIMENTS


PPM	%TILE
5.6 -	- MAX
0.9 -	- 98
0.7 -	- 95
0.6 -	- 90
0.4 -	- 80
0.2 -	- 50
0.1 -	- MIN
1365 SAMPLES	

PPM	%TILE
5.6	MAX
0.7	95
0.6	90
0.4	80
0.2	50
0.1	MIN
1365 SAMPLES	



0 20  
KILOMETRES

GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F




CALCIUM  
IN  
LAKE WATERS





GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F




COBALT  
IN  
LAKE SEDIMENTS





GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F



COPPER  
IN  
LAKE SEDIMENTS


PPM	%TILE
181 -	- MAX
103 -	- 98
81 -	- 95
66 -	- 90
43 -	- 70
34 -	- 50
3 -	- MIN
1365 SAMPLES	

PPM	%TILE
181	MAX
81	95
66	90
43	70
34	50
3	MIN
1365 SAMPLES	

0 20  
KILOMETRES


GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F



GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F



FLUORINE  
IN  
LAKE SEDIMENTS

PPM	%TILE
1166 -	- MAX
450 -	- 98
398 -	- 95
346 -	- 90
242 -	- 70
175 -	- 50
10 -	- MIN
1365 SAMPLES	


PPM	%TILE
1166	MAX
398	95
346	90
242	70
175	50
10	MIN
1365 SAMPLES	

0 20  
KILOMETRES





GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F




GOLD  
IN  
LAKE SEDIMENTS





GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F



IRON  
IN  
LAKE SEDIMENTS


PCT	%TILE
13.09 -	- MAX
4.51 -	- 98
3.95 -	- 95
3.54 -	- 90
2.58 -	- 70
1.87 -	- 50
0.29 -	- MIN
1365 SAMPLES	

PCT	%TILE
13.09	MAX
3.95	95
3.54	90
2.58	70
1.87	50
0.29	MIN
1365 SAMPLES	





GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F




LEAD  
IN  
LAKE SEDIMENTS



GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F




LOSS ON IGNITION  
IN  
LAKE SEDIMENTS

PCT	%TILE
86.2 -	- MAX
60.0 -	- 91
15.0 -	- 19
1.0 -	- MIN
1363 SAMPLES	

0 20  
KILOMETRES

GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F



MAGNESIUM  
IN  
LAKE WATERS

PPM XTILE  
8.600 - MAX  
5.400 - 98  
3.960 - 95  
3.320 - 90  
1.620 - 70  
1.200 - 50  
0.060 - MIN  
1365 SAMPLES


PPM XTILE  
8.600 MAX  
3.960 95  
3.320 90  
1.620 70  
1.200 50  
0.060 MIN  
1365 SAMPLES

0 20  
KILOMETRES



GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F



MANGANESE  
IN  
LAKE SEDIMENTS


PPM	%TILE
>20000	- MAX
2250	- 98
992	- 95
736	- 90
455	- 70
321	- 50
29	- MIN
1365 SAMPLES	

PPM	%TILE
>20000	MAX
992	95
736	90
455	70
321	50
29	MIN
1365 SAMPLES	

0 20  
KILOMETRES

GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F



MERCURY  
IN  
LAKE SEDIMENTS


PPB	%TILE
769 -	- MAX
179 -	- 98
155 -	- 95
136 -	- 90
98 -	- 70
77 -	- 50
5 -	- MIN
1365 SAMPLES	

PPB	%TILE
769	MAX
155	95
136	90
98	70
77	50
5	MIN
1365 SAMPLES	



0 20  
KILOMETRES

GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F




MOLYBDENUM  
IN  
LAKE SEDIMENTS



GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F



NICKEL  
IN  
LAKE SEDIMENTS

PPM	%TILE
108 -	- MAX
52 -	- 98
46 -	- 95
42 -	- 90
31 -	- 70
24 -	- 50
1 -	- MIN
1365 SAMPLES	


PPM	%TILE
108	MAX
46	95
42	90
31	70
24	50
1	MIN
1365 SAMPLES	

0 20  
KILOMETRES



GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F



PH  
IN  
LAKE WATERS


7.6 -	- MAX
7.2 -	- 99
6.7 -	- 98
6.3 -	- 90
4.0 -	- MIN

1365 SAMPLES

0 20  
KILOMETRES

GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F



SILVER  
IN  
LAKE SEDIMENTS


PPM	%TILE
1.0 -	- MAX
0.5 -	- 98
0.4 -	- 95
0.3 -	- 90
0.1 -	- MIN
1365 SAMPLES	

PPM	%TILE
1.0	MAX
0.4	95
0.3	90
0.1	MIN
1365 SAMPLES	

0 20  
KILOMETRES

GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F



URANIUM  
IN  
LAKE SEDIMENTS



PPM	%TILE
169.0 -	- MAX
39.1 -	- 98
23.6 -	- 95
12.0 -	- 90
4.3 -	- 70
3.0 -	- 50
0.5 -	- MIN
1364 SAMPLES	

PPM	%TILE
169.0	MAX
23.6	95
12.0	90
4.3	70
3.0	50
0.5	MIN
1364 SAMPLES	

0 20  
KILOMETRES

GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F




0 20  
KILOMETRES



GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F



VANADIUM  
IN  
LAKE SEDIMENTS


PPM	%TILE
108 -	- MAX
64 -	- 98
57 -	- 95
51 -	- 90
37 -	- 70
28 -	- 50
2 -	- MIN
1365 SAMPLES	

PPM	%TILE
108	MAX
57	95
51	90
37	70
28	50
2	MIN
1365 SAMPLES	

0 20  
KILOMETRES

GSC OPEN FILE 1958  
CANADA - ONTARIO  
MINERAL DEVELOPMENT  
AGREEMENT  
(1985 - 1990)

ONTARIO 1989  
NTS 52F



ZINC  
IN  
LAKE SEDIMENTS

PPM	%TILE
625 -	- MAX
167 -	- 98
148 -	- 95
137 -	- 90
118 -	- 70
105 -	- 50
22 -	- MIN
1365 SAMPLES	

PPM	%TILE
625	MAX
148	95
137	90
118	70
105	50
22	MIN
1365 SAMPLES	

