



UNCONFINED AQUIFERS, FRASER RIVER BASIN

B.D. Ricketts and L.E. Jackson, Project Co-Ordinators
Aquifer compilation by D.R. Halliwell and S.Vanderburgh

This project is funded by the Fraser River Basin "Green Plan"

LEGEND

- Modern alluvium; including floodplain, channel, fan, delta and shoreline deposits.
- Extensive coarse-grained deposits; including outwash plains and fans, kame and esker complexes, fluvial terraces and delta terraces. [Significance as aquifer or recharge area is thickness dependent]
- Mixed deposits; including glaciallacustrine shoreline, ice-contact deposits. Interbedded or juxtaposed, coarse- and fine-grained deposits of mixed permeability
- Outline of Fraser River Basin
- Non-aquifer: bedrock, fill, unclassified

REFERENCES

Armstrong, J.E. 1960: Surficial Geology, Chilliwack, British Columbia (West Half), Geological Survey of Canada Map 53-1959.

Armstrong, J.E. 1980: Surficial geology, Chilliwack, British Columbia (West Half), Geological Survey of Canada Map 1487A.

Armstrong, J.E. 1981: Post-Vashon Wisconsinian glaciation, Geological Survey of Canada Bulletin 322.

Armstrong, J.E. 1984: Environmental and engineering applications of the surficial geology of the Fraser River Lowland, Geological Survey of Canada Paper 83-23.

Atwater, J.W. Et Al 1981: Soils of the Langley- Vancouver Map Area, British Columbia Ministry of Environment FRAB Bulletin 18.

Fulton, R.G., Clague, J.J. and Ryder, J.M. 1982: Surficial geology of the Canadian parts of NTS92 and NTS102 (International Map of the World NM 910). Geological Survey of Canada Open File 837.

Green, A.J. and Lord, T.M. 1979: Soils of the Princeton area of British Columbia. Agriculture Canada, British Columbia Soil Survey Report 14.

Halstead, E.C. 1960: Ground-water resources of Sumas, Chilliwack and Kent Municipalities, British Columbia, Geological Survey of Canada Paper 60-29.

Halstead, E.C. 1986: Groundwater supply, Fraser Lowland, British Columbia, National Research Hydrology Institute, Environment Canada Scientific Series 145.

Hicock, S.R. and Armstrong, J.E. 1983: Coquitlam drift: a pre-Vashon glacial formation in the Fraser Lowland, British Columbia, Canadian Journal of Earth Sciences Volume 20.

Johnston, W.A. 1921: Four Pleistocene formations in southwest British Columbia, Geological Survey of Canada Memoir 125.

Lord, T.M. and Green, A.J. 1974: Soils of the Tulameen area of British Columbia, Agriculture Canada, British Columbia Soil Survey Report 13.



Munshaw, E.G. 1976: The geomorphology of the Chilliwack Valley, University of British Columbia Thesis.

Read, P.B. 1960: Geology of the Fraser River Valley between Hope and Emory Creek, British Columbia, University of British Columbia Thesis.

Rice, H.M.A. 1947: Geology and mineral deposits of the Princeton map-area, British Columbia, Geological Survey of Canada Memoir 243.

Saunders, I.R. 1985: Late Quaternary geology and geomorphology of the Chilliwack River Valley, British Columbia, Simon Fraser University Thesis.

INSET



1974	1976
1978	


Updated for all major features using satellite imagery obtained in 1984.
Les éléments importants ont été mis à jour à l'aide d'images prises par satellite en 1984.

PRODUCED BY THE CANADA CENTRE FOR MAPPING, DEPARTMENT OF ENERGY, MINES AND RESOURCES, OTTAWA. INFORMATION CONCERNING THIS MAP IS AVAILABLE FROM LARGE SCALE MAPS INFORMATION CURRENT AS SHOWN IN DIAGRAM CULTURE CHECK 1986. PUBLISHED 1986.
COPIES MAY BE OBTAINED FROM THE CANADA MAP OFFICE, DEPARTMENT OF ENERGY, MINES AND RESOURCES, OTTAWA, OR YOUR NEAREST MAP DEALER.

© 1990. HER MAJESTY THE QUEEN IN RIGHT OF CANADA. DEPARTMENT OF ENERGY, MINES AND RESOURCES.

Information concerning beach marks and historical points available from the National Hydrographic Survey, Canada Centre for Surveying, Ottawa.

HOPE BRITISH COLUMBIA COLOMBIE-BRITANNIQUE




Miles 5 0 5 10 15 20 25 30 Kilometres 5 0 5 10 15 20 25 30

Magnetic declination 1990: varies from 20°44' westerly at centre of west edge to 20°17' westerly at centre of east edge. Mean annual change increasing 1.4".
En 1990, la déclinaison magnétique varie de 20°44' vers l'ouest au centre de l'extrémité ouest à 20°17' vers l'est au centre de l'extrémité est. Le changement annuel croissant de 1.4".

ÉTABLI PAR LE CENTRE CANADIEN DE CARTOGRAPHIE, MINISTÈRE DE L'ÉNERGIE, DES MINES ET DES RESSOURCES, OTTAWA. LES CARTES SONT EN VENTE AU BUREAU DES CARTES DU CANADA, MINISTÈRE DE L'ÉNERGIE, DES MINES ET DES RESSOURCES, OTTAWA, OU CHEZ LE VENDEUR LE PLUS PRÈS.

© 1990. SA MAJESTÉ LA REINE DU CHEF DU CANADA. MINISTÈRE DE L'ÉNERGIE, DES MINES ET DES RESSOURCES.



CONVERSION SCALE FOR ELEVATIONS / ÉCHELLE DE CONVERSION DES ALTITUDES
Feet 30 20 10 0 100 200 300 400 500 600 700 800 900 1000
Mètres 30 20 10 0 100 200 300 400 500 600 700 800 900 1000

CONTOUR INTERVAL 500 FEET / ÉCHELLE DES COURBES 500 MÈTRES
Elevations in feet above Mean Sea Level / Altitudes en pieds
North American Datum 1927 / Système de référence géodésique nord-américain, 1927
Projection Transverse Mercator / Projection transverse de Mercator

92 J	92 I	92 L
92 G	92 H	92 E
92 B	92 A	92 F

Index to adjoining Maps of the National Topographic System / Tableaux d'assemblage du Système national de référence cartographique