This map has been produced from a scanned version of the original map
Reproduction par numérisation d'une carte sur papier

Canada

Produced 1998
Copies of this map may be ordered from the Geological Survey of Canada
601 Booth Street, Ottawa, Canada K1A 0E8
3303-33rd Street, N.W., Calgary, Alberta T2L 2A7
101-605 Robson Street, Vancouver, B.C. V6B 5J3

Natural Resources Canada | Ressources naturelles Canada

GEOLOGICAL SURVEY OF CANADA | COMMISSION GÉOLOGIQUE DU CANADA



MAP 1901A

GEOLOGY

ELMER CREEK

(and part of NTS 105-O/7)

YUKON TERRITORY

Scale 1:50 000 · Echelle 1/50 000

Universal Transverse Mercator Projection
Projection transverse universelle de Mercator

© Crown copyrights reserved
© Droits de la Couronne réservés

Kilometres 1 0 1 2 3 4 Kilomètres

105-O/1	105-O/2	105-O/3	
	1998A	1900A	
105-O/6	105-O/7	105-O/8	
	1901A	1902A	
105-O/11	105-O/12	105-O/13	105-O/14
	1903A	1904A	
105-O/16	105-O/15	105-O/10	105-O/9

NOT TO BE TAKEN FROM LIBRARY
... PAS SORTIR DE LA BIBLIOTHÈQUE
MAP LIBRARY / CARTOTHÈQUE
ESIC CIST
APR 1 1997
Earth Sciences Sector Secteur des sciences de la Terre

Recommended citation:
Okulitch, A.B.
1998. Geology and structure cross-section, Elmer Creek (and part of NTS 105-O/7), Yukon Territory. Geological Survey of Canada, Map 1901A, scale 1:50 000

/ 901A

NOTES

1. The prefix 'T' designates a map unit that is represented by 70-90% of the stratigraphic unit prefixed, but which is structurally repeated numerous times on small scale; local sedimentary subunits. The mapped area can also include fault sedimentary subunits, as well as synclinal and anticlinal keels of underlying and overlying stratigraphic units in 10-30% of the area. Units with the 'T' prefix are suborned to 20% of their original strength.
2. Rogue sedimentary surface inferred from the observation that beds above are truncated by 60-80% of their original width while beds below the detachment are truncated by 20-40% of their original width.
3. Folds in the KSS and ECM are observed north of section. Thinning of the tectonic unit PEvA over PEvNS and older unit indicates is observed west of section.

Digital cartography by E. Macey, Geological Survey of Canada (Calgary)

Any revisions or additional geological information known to the user would be welcomed by the Geological Survey of Canada

Digital base map at the same scale from Geomatics Canada, Natural Resources Canada, modified for publication by the Geological Survey of Canada

Copies of the topographical editions covering this map area may be obtained from the Canada Map Office, Natural Resources Canada, Ottawa, Ontario, K1A 0E9

Approximate magnetic declination 1998, 30°10' East, decreasing 14.1' annually

Elevations in metres above mean sea level

Compiled from ground traverses by M.R. Clarke (1978), 1980, 1983, 1984, 1985), with assistance by Rob Gaburo (1979), Brian Harper (1980), Hans Smit (1983), Craig Hart (1984), and Peter Mustard (1985). Helicopter support was given by Northern Mountain Helicopters (1978, 1983, 1984, 1985). Nanling Helicopters and LA Ventures Aerospace (1985). Expediting provided by Ross River Services. The understanding of the geology was greatly assisted by discussions with J.G. Abbott (DIAND), S.P. Gordey, W.D. Goodfellow (GSC), E. Dobell, R. Hunt, R. Thompson (Canadian Nickel), K. Tybor (Hudson's Bay Mining), R. Baker, P. Hollander, G. McArthur (Noranda-Dynasty), T.T. Uyeno, W.A. Fritz (GSC), and R.S. Hyrsa (Esperanza). Thanks, Eggleston and Mel Gilling provided by M. Deering and P.J. Hendricks.

LEGEND

QUATERNARY
PLEISTOCENE AND RECENT

- T — *Tufa; calcareous*
- QS — *Boulder and rocky debris; poorly sorted*
- Q — *Undifferentiated*

CRETACEOUS
UPPER CRETACEOUS

- Kgr-an — *Granite; quartz monzonite; (b) with biotite, (bh) with biotite and hornblende*

SOUTHWESTERN FACIES (105-O/7,10,15)

DEVONIAN
UPPER DEVONIAN

- DTH (Dsh, Dm) — *THOR HILLS FORMATION. shale, black, rusty, with 10-20% brown sandstone; (sh) shale, (m) siltstone shale (sg) Conglomerate Member with chert pebbles*

MIDDLE TO UPPER DEVONIAN

- Dm — *MESOMYLNE FORMATION. shale, chert, black (s) shale, rusty black*

MIDDLE TO MIDDLE DEVONIAN

- Dm — *MESOMYLNE FORMATION. chert, dark brown to black; minor black shale, limestone weathering*

DEVONIAN
LOWER TO MIDDLE DEVONIAN

- DM — *MESOMYLNE FORMATION. chert, dark grey to black; minor black shale, limestone weathering*

SILURIAN
LOWER CAMBRIAN TO SILURIAN

- ESCC — *OLD CABIN FORMATION. basic volcaniclastics, limestone, lapilli tuff, flows, tuffs, shales; minor sedimentary rock units*

CAMBRIAN TO SILURIAN

- ESCC — *OLD CABIN FORMATION. basic volcaniclastics, limestone, lapilli tuff, flows, tuffs, shales; minor sedimentary rock units*

SILURIAN
- SS — *STEEL FORMATION. argillite, rusty green to buff, minor basic shale and chert, and pronounce bed of bright orange weathering dolostone*

ORDOVICIAN
- Sg (Sgr, Sgc) — *ELMER CREEK FORMATION. (s) chert and dolostone shale, black, graptolitic; (r) chert, dolostone argillite, grey, upper part fossiliferous; minor limestone*

CAMBRIAN TO SILURIAN

- ESCC — *OLD CABIN FORMATION. basic volcaniclastics, limestone, lapilli tuff, flows, tuffs, shales; minor sedimentary rock units*

CAMBRIAN
- EGc (EGcc) — *GULL LAKE FORMATION. argillite, buff, green; minor units of shale, chert, quartzite, limestone and volcaniclastic rocks; upper part includes basic volcaniclastics, breccias, lapilli tuff, flows, tuffs, shales; minor sedimentary rock units*

CAMBRIAN
- EGc (EGcc) — *GULL LAKE FORMATION. argillite, buff, green; minor units of shale, chert, quartzite, limestone and volcaniclastic rocks; upper part includes basic volcaniclastics, breccias, lapilli tuff, flows, tuffs, shales; minor sedimentary rock units*

ORDOVICIAN
- Sg (Sgr, Sgc) — *ELMER CREEK FORMATION. (s) chert and dolostone shale, black, graptolitic; (r) chert, dolostone argillite, grey, upper part fossiliferous; minor limestone*

ORDOVICIAN AND SILURIAN
- OSM — *MARMOT FORMATION. volcanics, basic tuffs, and breccia*

SILURIAN
- SS — *STEEL FORMATION. argillite, rusty green to buff, minor basic shale and chert, and pronounce bed of bright orange weathering dolostone*

LOWER PALEOZOIC NORTHEAST OF HESS RIVER (105 - O/9,10,15,16)

Noncable Unconformity - Lower Devonian (Flatstone) breccia rests directly on Lower Silurian (Duo Lake) strata

SILURIAN
- SS — *STEEL FORMATION. argillite, rusty to green buff, minor basic shale and chert and pronounce bed of bright orange weathering dolostone*

ORDOVICIAN AND SILURIAN
LOWER ORDOVICIAN TO SILURIAN

- OSD — *DUO LAKES FORMATION. shale, black, graptolitic; minor thin bedded limestone*

CAMBRIAN AND ORDOVICIAN
UPPER CAMBRIAN TO LOWER ORDOVICIAN

- CDR — *RABBITKETTLE FORMATION. limestone, pale yellow weathering, thin-bedded; minor basic shale*

CAMBRIAN
MIDDLE CAMBRIAN

- CH — *HESS RIVER FORMATION. shale, basic, calcareous, stained medium to brownish; minor limestone, locally all chert*

CAMBRIAN
LOWER TO MIDDLE CAMBRIAN

- CS — *SEKWI FORMATION. limestone, and slope breccia; (l) limestone, poly bedded*

CAMBRIAN
- CS — *SEKWI FORMATION. (s) limestone, and slope breccia; (l) limestone, poly bedded*

CAMBRIAN AND ORDOVICIAN
UPPER CAMBRIAN TO LOWER ORDOVICIAN

- CDR — *RABBITKETTLE FORMATION. limestone, pale yellow weathering, thin-bedded; minor basic shale*

CAMBRIAN
MIDDLE CAMBRIAN

- CH — *HESS RIVER FORMATION. shale, basic, calcareous, stained medium to brownish; minor limestone, locally all chert*

CAMBRIAN
LOWER TO MIDDLE CAMBRIAN

- CS — *SEKWI FORMATION. limestone, and slope breccia; (l) limestone, poly bedded*
- CS — *SEKWI FORMATION. (s) limestone, and slope breccia; (l) limestone, poly bedded*
- CS — *SEKWI FORMATION. (s) limestone, and slope breccia; (l) limestone, poly bedded*

CAMBRIAN