


This airborne geophysical survey and the production of this map were funded by the British Columbia & Yukon Chamber of Mines - Rodda to Riches Program.



GEOPHYSICAL SERIES - NTS 93N/8, 93O/5 - SYLVESTER CREEK  
BRITISH COLUMBIA

URANIUM / THORIUM

Scale 1:50 000 - Échelle 1/50 000  
Kilometres 0 1 2 3 4 Kilomètres

United Transverse Mercator Projection  
NAD 83 (UTM Zone 18Q)  
Datum: North American Datum 1983  
Other: NAD 83 is based on the International Geodetic Reference System 1975 (IGRS) datum.  
Digital Topographic Data provided by Geobase Canada, Natural Resources Canada



OPEN FILE  
DOSSIER PUBLIC  
**5285**  
GEOLOGICAL SURVEY OF CANADA  
GÉOLOGIQUE DU CANADA  
2006  
SHEET 5 OF 10  
FEUILLET 5 DE 10

Open files are available for public use. For more information, please contact the nearest office of the Geological Survey of Canada.  
Les documents publics sont disponibles pour utilisation publique. Pour plus d'informations, veuillez vous adresser au bureau de la Géologie du Canada le plus proche de vous.



**High Sensitivity Airborne Gamma-Ray Spectrometric and Aeromagnetic Surveys**  
**Central British Columbia, 2004 - 2005**  
In 2004 and 2005, four Airborne Surveys completed area multi-sensor, airborne geophysical surveys in the central region of British Columbia. For the Geological Survey of Canada, the British Columbia and Yukon Chamber of Mines, Rodda to Riches Program and the mining sector, including Barrick Resources Inc., Valeant Hill Minerals Ltd., Portwest Ventures Corp., GMR Resources Inc., and Arco Resources Ltd. The Geological Survey of Canada provided survey supervision and quality control. The purpose of the surveys was to obtain quantitative gamma-ray spectrometric and aeromagnetic data. The surveys were flown over two seasons, from September 16 to November 17, 2004 and June 15 to August 8, 2005 using Airbus AS350 B2 and AS350 B3 helicopters. G-DETECT and G-FSC.

**Gamma-ray Spectrometric Data**  
The airborne gamma-ray spectrometric surveys were made with an Epsilon-2000 gamma-ray spectrometer using nine 100 x 100 x 400 mm NaI (Tl) crystals. The main detector array consisted of eight crystals that rotated 90° (two) and 180° (two) around the detector. The main detector array was used to detect variations in background radiation caused by atmospheric radon. The system constantly monitored the natural potassium peak for each crystal and using a Gaussian least square algorithm, adjusted the gain for each crystal.  
Potassium is measured directly from the 1460 keV gamma-ray photons emitted by <sup>40</sup>K, whereas uranium and thorium are measured indirectly from gamma-ray photons emitted by daughter products of <sup>238</sup>U and <sup>232</sup>Th. For uranium, daughter products are measured and for thorium, daughter products are measured. The daughter products of <sup>238</sup>U and <sup>232</sup>Th are assumed to be in equilibrium with their parents. Thus, gamma-ray spectrometric measurements of uranium and thorium are related to an equivalent uranium and equivalent thorium, i.e. eU and eTh. The energy windows used to measure potassium, uranium and thorium are:

Potassium (K) 1360 - 1560 keV  
Uranium (U) 1600 - 1800 keV  
Thorium (Th) 2410 - 2610 keV

Gamma-ray spectra were recorded at one-second intervals at a planned terrain clearance of 120m or 40m depending on the survey area and an air speed of 150km/h. The total potassium, uranium and thorium window counts were divided from the recorded 360° channel spectra. During processing, the spectra were energy calibrated and counts were accumulated into the windows described above. Counts from the radon detector were recorded in a 1400 - 1600 keV window and radon of energy greater than 3000 keV was recorded in the cosmic window. The window counts were corrected for dead time and for background activity from cosmic radiation. The selectivity of the aircraft and atmospheric radon decay products. The window data were then corrected for spectral scattering in the ground, air and detector. Corrections for deviations of altitude from the planned terrain clearance and for variation of temperature and pressure were made prior to conversion to ground concentrations of potassium, uranium and thorium, using factors determined from flights over a calibration range near Ottawa.

Potassium 0.7 gpa% (2004) 0.8 gpa% (2005)  
Uranium 0.7 gpa% (2004) 0.8 gpa% (2005)  
Thorium 0.6 gpa% (2004) 0.7 gpa% (2005)

Corrected data were filtered and interpolated to a 100m grid for the 1:50 000 scale maps and to a 500m grid for the 1:250 000 and 1:50 000 scale maps. The results of an airborne gamma-ray spectrometric survey represent the average natural concentrations of the elements in the surface amounts of outcrop, overburden, vegetation cover, soil moisture and surface water. As a result, the measured concentrations are usually lower than the actual subsurface concentrations. The total air absorbed dose rate in mR/hr was produced from measured counts between 470 and 2610 keV.

**Magnetic Data**  
The helicopter was equipped with a Scintrex CS2 cesium vapour magnetic sensor mounted in a 1941 high-resolution angle sensor stage recording system. The system recorded readings every 0.1 seconds and data were stored in a 1941 high-resolution magnetic sensor. Diurnal variations and GPS fluctuations were recorded using a Fugro GFI base station.


After editing the survey data, the intersections of traverse and control lines were determined and the differences in the magnetic values were computed, analysed and manually verified to obtain the leveling network. The International Geomagnetic Reference Field was calculated and removed using a base date of October 3, 2004 and an offset of the differentially corrected GPS height for each data point. The corrected magnetic data was interpolated to a 50m grid using a minimum variance algorithm. The final vertical intensity grid was calculated from the corrected data magnetic intensity grid using a FFT based frequency domain filtering algorithm.

**Positional Data**  
Line spacing and direction for survey and control lines were selected for each block to ensure the best intersection of local geological features. Terrain clearance was monitored by radar altimeter. Positional data were recorded using a dual frequency Novatel Altimeter system. GPS groundstation data were combined with airborne GPS data to produce differentially corrected positional data with an accuracy of 2 to 5m.

**Data Presentation**  
Colour maps and contours were calculated for each grid and combined with map surround information to create postscript plot files, which were plotted using HP DesignJet colour plotters.



**Placement Symbols**  
Topographic Contour .....  
Change .....  
Peak .....  
Culm .....  
Ridge .....  
Flight line, total .....  
Scale 1:50 000



NATIONAL TOPONOMICAL SYSTEM REFERENCE AND GEOGRAPHICAL MAP INDEX  
SYSTÈME NATIONAL DE RÉFÉRENCE CARTOGRAPHIQUE ET INDEX DES CARTES GÉOGRAPHIQUES

Recommended citation:  
Geological Survey of Canada, 1:50 000, 5285, Sylvester Creek, British Columbia, 2006.  
Géologique du Canada, 1:50 000, 5285, Sylvester Creek, Colombie-Britannique, 2006.  
Scale 1:50 000

URANIUM / THORIUM

SYLVESTER CREEK  
BRITISH COLUMBIA  
93N/8, 93O/5