



Clay/Silt Ratio
GSC OF 5464/SIR OF 2007-13




Clay/Silt Ratio
This release



20 km

Clay/silt ratio

<0.063 mm of till



Clay (%)
GSC OF 5464/SIR OF 2007-13

- 0 to 10 (270)
- 10 to 20 (56)
- 20 to 30 (20)
- 30 to 40 (11)
- 40 to 50 (9)
- 50 to 57 (2)


Clay (%)
This release

- 0 to 10 (249)
- 10 to 20 (25)
- 20 to 30 (10)
- 30 to 40 (1)
- 40 to 50 (2)
- 50 to 53 (1)

20 km

Clay content

<2 mm of till



Sand (%)
GSC OF 5464/SIR OF 2007-13

- 5 to 20 (15)
- 20 to 40 (43)
- 40 to 60 (102)
- 60 to 80 (161)
- 80 to 97 (47)


Sand (%)
This release

- 7 to 20 (7)
- 20 to 40 (24)
- 40 to 60 (65)
- 60 to 80 (144)
- 80 to 96 (48)

20 km

Sand content

<2 mm of till



Silt (%)
GSC OF 5464/SIR OF 2007-13

- 1 to 15 (40)
- 15 to 30 (141)
- 30 to 45 (131)
- 45 to 60 (46)
- 60 to 75 (10)

Silt (%)
This release

- 3 to 15 (30)
- 15 to 30 (129)
- 30 to 45 (80)
- 60 to 69 (36)
- 60 to 69 (13)

20 km

Silt content

<2 mm of till