




# Chance J-19



Chance J-19



Chance J-19



## Chance J-19

Depth (ft)	TOC(%)	PI	S1+S2	Tmax	S1	S2	HI
20	0.11	0.91	0.11	427	0.10	0.01	9
100	0.66	0.33	0.18	474	0.06	0.12	18
200	0.83	0.23	0.22	465	0.05	0.17	20
300	1.34	0.23	0.48	450	0.11	0.37	28
400	0.84	0.22	0.27	449	0.06	0.21	25
500	0.83	0.27	0.30	452	0.08	0.22	27
600	3.83	0.11	2.57	436	0.28	2.29	60
700	1.82	0.13	1.13	441	0.15	0.98	54
800	0.87	0.21	0.42	450	0.09	0.33	38
900	3.94	0.22	4.31	430	0.93	3.38	86
1000	0.98	0.18	0.50	448	0.09	0.41	42
1100	2.02	0.08	0.71	458	0.06	0.65	32
1200	0.80	0.13	0.52	440	0.07	0.45	56
1300	0.56	0.30	0.33	435	0.10	0.23	41
1400	1.59	0.19	1.31	434	0.25	1.06	67
1500	1.56	0.19	1.13	442	0.22	0.91	58
1600	1.40	0.18	1.20	434	0.21	0.99	71
1700	1.84	0.19	1.88	436	0.36	1.52	83
1800	1.17	0.17	1.03	438	0.18	0.85	73
1900	0.88	0.17	0.86	437	0.15	0.71	81
2000	1.67	0.10	1.87	435	0.18	1.69	101
2100	1.41	0.10	1.27	441	0.13	1.14	81
2200	1.86	0.11	3.08	438	0.34	2.74	147
2300	1.24	0.16	1.40	439	0.22	1.18	95
2400	0.22	0.27	2.40	436	0.65	1.75	795
2500	1.78	0.12	2.35	437	0.28	2.07	116
2600	1.31	0.14	1.83	435	0.26	1.57	120
2700	1.90	0.13	2.81	435	0.36	2.45	129
2800	1.64	0.16	2.34	440	0.38	1.96	120
2910	1.53	0.13	1.80	443	0.24	1.56	102
3000	1.39	0.14	1.71	440	0.24	1.47	106
3100	1.25	0.14	2.25	439	0.32	1.93	154
3200	0.25	0.19	1.10	438	0.21	0.89	356
3300	0.74	0.18	1.16	438	0.21	0.95	128
3400	1.19	0.13	1.91	435	0.24	1.67	140
3500	0.95	0.14	1.43	437	0.20	1.23	129
3600	0.98	0.13	1.35	437	0.18	1.17	119
3700	0.88	0.16	0.96	440	0.15	0.81	92
3800	0.88	0.10	1.28	440	0.13	1.15	131
3900	0.69	0.18	0.80	438	0.14	0.66	96
4000	1.23	0.19	2.55	435	0.48	2.07	168
4080	0.59	0.27	1.17	435	0.32	0.85	144
4280	0.51	0.21	6.16	442	1.27	4.89	959
4380	0.54	0.27	0.78	438	0.21	0.57	106
4510	0.16	0.22	1.95	435	0.42	1.53	956
4740	0.62	0.33	1.42	437	0.47	0.95	153