




East Chance C-18



East Chance C-18



East Chance C-18



East Chance C-18

Depth (ft)	TOC(%)	PI	S1+S2	Tmax	S1	S2	HI
50	0.70	0.32	0.87	433	0.28	0.59	84
110	0.53	0.34	0.64	435	0.22	0.42	79
200	1.26	0.38	1.48	436	0.56	0.92	73
320	1.54	0.24	1.25	434	0.30	0.95	62
400	0.88	0.23	0.65	438	0.15	0.50	57
500	0.99	0.18	0.67	434	0.12	0.55	56
600	0.85	0.22	0.67	434	0.15	0.52	61
700	0.50	0.33	0.46	431	0.15	0.31	62
800	0.61	0.27	0.56	432	0.15	0.41	67
900	1.26	0.18	1.16	429	0.21	0.95	75
1000	1.48	0.25	1.68	433	0.42	1.26	85
1100	1.30	0.22	1.31	434	0.29	1.02	78
1200	1.40	0.18	1.30	432	0.24	1.06	76
1300	1.35	0.16	1.23	435	0.20	1.03	76
1400	1.32	0.16	1.48	438	0.23	1.25	95
1500	1.43	0.15	1.79	433	0.26	1.53	107
1600	1.25	0.14	1.59	432	0.22	1.37	110
1700	0.80	0.20	1.00	433	0.20	0.80	100
1800	1.32	0.24	1.81	433	0.43	1.38	105
1900	1.26	0.19	1.78	433	0.34	1.44	114
2000	1.64	0.18	2.55	433	0.46	2.09	127
2100	2.18	0.17	2.80	436	0.47	2.33	107
2200	1.79	0.15	2.47	438	0.38	2.09	117
2300	1.38	0.14	1.68	438	0.23	1.45	105
2400	1.03	0.20	2.02	431	0.41	1.61	156
2500	1.59	0.13	2.07	433	0.26	1.81	114
2600	1.11	0.14	1.51	435	0.23	1.28	115
2700	1.10	0.13	1.38	434	0.18	1.20	109
2800	1.04	0.11	1.42	435	0.16	1.26	121
2900	1.17	0.15	1.41	435	0.21	1.20	103
3000	1.10	0.20	1.66	434	0.34	1.32	120
3100	0.84	0.19	2.18	434	0.42	1.76	210
3200	0.63	0.25	1.61	437	0.40	1.21	192
3300	0.74	0.23	2.11	433	0.49	1.62	219
3400	0.45	0.00	0.43	440	0.00	0.43	96
3500	0.58	0.28	1.59	433	0.45	1.14	197
3600	0.56	0.28	1.48	434	0.42	1.06	189
3700	0.77	0.24	2.20	435	0.53	1.67	217
3800	0.68	0.28	1.89	435	0.52	1.37	201
3900	1.28	0.22	4.85	435	1.06	3.79	296
4000	0.75	0.26	2.32	435	0.61	1.71	228
4100	0.67	0.26	1.86	436	0.48	1.38	206
4200	0.57	0.30	1.56	438	0.47	1.09	191
4300	0.41	0.35	0.96	439	0.34	0.62	151
4400	0.52	0.36	1.47	436	0.53	0.94	181
4500	0.40	0.41	1.28	434	0.52	0.76	190
4600	0.52	0.36	1.06	436	0.38	0.68	131
4700	0.07	0.39	0.88	433	0.34	0.54	771
4810	0.46	0.38	1.26	440	0.48	0.78	170
4900	0.37	0.41	0.93	444	0.38	0.55	149
5000	0.32	0.39	0.90	439	0.35	0.55	172
5055	0.19	0.51	0.78	427	0.40	0.38	200