

#### GEOLOGICAL SURVEY OF CANADA **OPEN FILE 7410**

#### **Operation GEM South Rae:** Reconnaissance geology of the most poorly known part of the Churchill Province, **Northwest Territories and Nunavut**

S.J. Pehrsson, J.A. Percival, W.J. Davis, M.W. McCurdy, R.G. Berman, E.M. Hilary, F. Kiss, A. MacKinnon, C.W. Jefferson

2014







### GEOLOGICAL SURVEY OF CANADA OPEN FILE 7410

Operation GEM South Rae: Reconnaissance geology of the most poorly known part of the Churchill Province, Northwest Territories and Nunavut

S.J. Pehrsson, J.A. Percival, W.J. Davis, M.W. McCurdy, R.G. Berman, E.M. Hilary, F. Kiss, A. MacKinnon, C.W. Jefferson

#### 2014

©Her Majesty the Queen in Right of Canada 2014

doi:10.4095/293762

This publication is available for free download through GEOSCAN (http://geoscan.ess.nrcan.gc.ca/).

#### Recommended citation

Pehrsson, S.J., Percival, J.A., Davis, W.J., McCurdy, M.W., Berman, R.G., Hilary, E.M., Kiss, F., MacKinnon, A., and Jefferson, C.W., 2014. Operation GEM South Rae: Reconnaissance geology of the most poorly known part of the Churchill Province, Northwest Territories and Nunavut; Geological Survey of Canada, Open File 7410, 25 p. doi:10.4095/293762

Publications in this series have not been edited; they are released as submitted by the author.


Operation GEM South Rae:
Reconnaissance geology of the most poorly known part of the Churchill Province,
Northwest Territories and Nunavut


Sally Pehrsson, John Percival, Bill Davis, Martin McCurdy, Rob Berman, Beth Hilary, Frank Kiss, Alex MacKinnon, Charlie Jefferson Geological Survey of Canada







# Outline and Background






New high resolution aeromagnetic








### Porter domain and Howard Lake shear zone





### Porter domain and Howard Lake shear zone




























## Orpheus layered intrusions





# Firedrake exploration target? : Superior Province "Appinites" and Sanukitoids


17

 Syn- to post-tectonic, wehrlite-clinopyroxenitehornblendite-gabbro-diorite-monzonitegranodiorite suites with "Appinite" affinity (ca. 2680 to 2688 Ma


•Syn- to post-tectonic, diorite-monzodiorite-monzodiorite-monzonite suites with "Sanukitoid" affinity

 Host Ni-Cu-PGE mineralization similar to Alaskan layered alkaline bodies

urelles





### 2.0 Ga mafic intrusions and Ni-Cu-PGEs?



New lake sediment geochemical data: 75C, F Open File 7232 Potassium (K) Re-analysis to modern standards of 3000 archived samples over 80 elements including Gold, PGEs, RE's


## Porter Lake anomaly






# GEM.

### **Doran Lake anomaly**





Cluster of anomalies in samples around Doran lake:

Cr: 622 ppm

Pd: 31, 33 ppb

Pt: 2 ppb


V:

Ni: 350 ppb

Co:

Anomaly is down-ice and along strike of the Penylan domain gabbro-anorthosites and the major Howard

Lake shear zone



### other Lake sediment anomalies....

Cluster of anomalies near of Hill Island and Salkeld Lakes: Multi-element anomalies: Au, Ag, Fe, Ce +/- As, U, Co, Hg, Y, La, Re, Cu, Na

w La, Na, Cu


w La, Ce,

Au, Y, Co

Pb, Re

Fe, K, U

Ag, Y, Co





## Summary



- South Rae comprises distinct lithostructural domains of differing metamorphic grade and age, bounded by major shear zones with evidence for reactivation and hydrothermal alteration
- ➤ Abundance of mafic-intermediate rocks compared many other parts of Churchill
- Late layered mafic intrusive suites appear to be unmapped
- Anomalous element abundances in lake sediments and grab samples
- Warrants systematic remapping



