

# GEOGRAPHICAL BULLETIN

NUMBERS 17-20

1962-1963

## GENERAL INDEX

GEOGRAPHICAL BRANCH

Department of Energy, Mines and Resources  
OTTAWA, CANADA

G  
4  
G46  
Index  
1962/63  
omgre

95619-1

This document was produced  
by scanning the original publication.

Ce document est le produit d'une  
numérisation par balayage  
de la publication originale.

ROGER DUHAMEL, F.R.S.C.  
QUEEN'S PRINTER AND CONTROLLER OF STATIONERY  
OTTAWA, 1967

ROGER DUHAMEL, F.R.S.C.  
QUEEN'S PRINTER AND CONTROLLER OF STATIONERY  
OTTAWA, 1967

**Table of Contents****Number 17, 1962**

Isobases on the Wisconsin marine limit in Canada .....	<i>W. R. Farrand and R. T. Gajda</i>	5
The late-glacial and postglacial emergence and the deglaciation of northernmost Labrador .....	<i>Olav Løken</i>	23
Some regional heat budget values for northern Canada .....	<i>R. A. Bryson and P. M. Kuhn</i>	57
Iron mining in permafrost, central Labrador-Ungava: a geographical review .....	<i>J. D. Ives</i>	66
Competitive and marketing aspects of the Labrador Floater codfishery .....	<i>W. A. Black</i>	78
Notes sur les matériaux terminaux du glacier Thompson, Canada Arctique .....	<i>Benoît Robitaille et Claude Greffard</i>	85
A note on permafrost in Western Siberia, U.S.S.R. ....	<i>Robert M. Bone</i>	95
Book Notes .....		99
Map Notes .....		104

**Number 18, 1962**

Mapping population density in Canada, with particular reference to Plate 48, Atlas of Canada, 1957 .....	<i>R. T. Gajda</i>	5
Pingos of the Pleistocene Mackenzie River Delta area .....	<i>J. Ross Mackay</i>	21
Freeze-thaw cycles at Resolute, N.W.T. ..	<i>Frank A. Cook and V. G. Raiche</i>	64
Simple transverse nivation hollows at Resolute, N.W.T. .....	<i>Frank A. Cook and V. G. Raiche</i>	79
The geomorphology of the Medicine Hat area .....	<i>R. Common</i>	86
Étude statistique sur les stries glaciaires de la région de Fort-Churchill .....	<i>Michel Brochu</i>	108
Map Notes—Fiches Cartographiques .....		112
Book Notes—Fiches Bibliographiques .....		113

**Number 19, 1963**

Studies in the Physical geography of north-central Baffin Island, N.W.T. ....	<i>J. D. Ives and J. T. Andrews</i>	5
Cross-valley moraines of the Rimrock and Isortoq river valleys, Baffin Island, N.W.T. a descriptive analysis .....	<i>J. T. Andrews</i>	49

**Table des matières**

Land abandonment in Prince Edward Island .....	78
..... <i>C. W. Raymond and J. A. Rayburn</i>	
Land utilization in the Whitemouth River Valley, Manitoba .....	87
..... <i>J. H. Lovering</i>	
Area measurement of Prince Edward Island land-use maps <i>J. B. McClellan</i>	98
Process of break-up and freeze-up along the Mackenzie River .....	103
..... <i>J. Ross Mackay</i>	
Determination of the marine limit in eastern arctic Canada ..... <i>J. D. Ives</i>	117
Map Notes—Fiches Cartographiques .....	123
Book Notes—Fiches Bibliographiques .....	125

### **Number 20, 1963**

The physical basis of the orchard industry of British Columbia .....	5
..... <i>Ralph R. Krueger</i>	
Agricultural land use in the Fort Vermilion-La-Crête area of Alberta .....	39
..... <i>J. H. Lovering</i>	
Snowcreep studies, Mount Seymour, B.C.: preliminary field investigations .....	58
..... <i>W. H. Mathews and J. R. Mackay</i>	
A preliminary map of continentality for Canada .....	76
..... <i>D. K. MacKay and Frank A. Cook</i>	
The cross-valley moraines of north-central Baffin Island: a quantitative analysis .....	82
..... <i>J. T. Andrews</i>	
Colour and design in the British Columbia and Manitoba atlases and the Atlas of Canada .....	130
..... <i>Gerald Fremlin</i>	
Map Notes—Fiches Cartographiques .....	143
Book Notes—Fiches Bibliographiques .....	145

## GENERAL INDEX

Bulletin number indicated in bold face type

- Ablation, **17**, 87
- Agassiz Lake (glacial), **17**, 9; **19**, 88
- Agriculture; *see* Fort Vermilion-La Crête area, Okanagan Valley, Orchard Industry, Prince Edward Island, Whitemouth River Valley
- Algonquin Lake (glacial), **17**, 9
- Area measurement of land-use units, **19**, 99-101  
Method of, **19**, 99-100
- Atlas of Canada, **18**, 5-20 *passim*; **20**, 130-142  
Colour and design  
Evaluation of, **20**, 140-141  
Plate 52, **20**, 133-134  
Colour characteristics, **20**, 134  
Colour values, **20**, 133, 134, 135
- Mapping population density, **18**, 5-20 *passim*  
Characteristics of population distribution, **18**, 6, 7  
Method of compilation, **18**, 6, 7, 8  
Plate 48, **18**, 6-12 *passim*  
Problem of area unit, **18**, 7, 8
- Axel Heiberg Island, **17**, 85
- Baffin Island  
North-central Baffin Island, **19**, 5-48  
49-77; **20**, 82-129
- Cockburn Land terrain analysis, **19**, 5-48
- Cross-valley moraines, **19**, 49-76; **20**, 82-127
- Deglaciation, **19**, 34-42  
Chronology of, **19**, 35-41 *passim*  
Clyde Phase, **19**, 35, 36  
Cockburn I phase, **19**, 36, 37  
Cockburn II phase, **19**, 37  
Maps, **19**, 43, 44, 45, 46  
Nunatak hypothesis, **19**, 35, 36
- Eskers and sandar, **19**, 29-30
- Glacial features, **19**, 17-34
- Glacial drainage channels, **19**, 30-32  
Pattern, **19**, 30  
Drainage divides, **19**, 30, 31  
Ice-divides, **19**, 31, 32  
Migration of, **19**, 38-40
- Glacial Flow features, **19**, 23, 24  
Rimrock Lake field area, **19**, 23, 24
- Separation Lake—Stensby Inlet area, **19**, 24, 25
- Freshney River, photo, **19**, 23
- Glacial lichen-trim zone, **20**, 21
- Kame terraces and associated features, **19**, 25-29
- Marine beaches, **19**, 33-34  
Location, **19**, 33  
Photo, **19**, 33
- Meltwater trim lines, **19**, 32-33
- Moraines  
Cross valley morainic ridges, **19**, 22; **19**, 49-77; **20**, 82-129  
Dead ice moraine, **19**, 22  
End-moraine systems, **19**, 17, 18, 19, 20  
Cockburn end-moraine system, **19**, 14, 15, 16, 17, 20, 21, 22, 36, 37  
Map, **19**, 17  
Photos, **19**, 15, 16  
Significance, **19**, 17
- Isortoq—Separation lakes moraine system, **19**, 20
- Separation Lake moraine, **19**, 20  
Photo, **19**, 18, 19
- Lateral moraine systems, **19**, 20, 21  
Baffin Bay fiords, **19**, 20, 21
- Isortoq—Separation lakes, **19**, 20
- Physical Setting, **19**, 8-13  
Geomorphological provinces, **19**, 8, 11, 12, 13  
Eastern arctic mountain rim, **19**, 8, 11  
Eastern continental foreland, **19**, 8  
Foxe Basin lowlands, **19**, 8, 11, 12  
Interior uplands, **19**, 12  
Photos, **19**, 9, 10
- Barnes Ice Cap, **19**, 6, 11, 13, 17, 20, 22, 24, 26, 27, 29, 30, 31, 37, 39, 42, 49, 50, 51, 52, 54, 58; **20**, 84, 117, 120  
Map, **20**, 85  
Photos, **19**, 10, 57
- Beaufort formation, **17**, 15
- Bieler Lake, **19**, 17, 24, 37, 51, 52, 54, 56, 74, 75; **20**, 85, 126, 127  
Photo **19**, 10
- Boulder barricades, **17**, 26, 27, 28, 29
- Boulder flats, **17**, 26, 28, 29  
Photo, **17**, 28
- Boulders, **19**, 63, 64, 65, 68
- Bowen ratio, **17**, 57-65 *passim*
- British Columbia Atlas of Resources, **20**, 138-140  
Plate I,  
Evaluation of, **20**, 138, 139, 140  
Problem of land-water separation, **20**, 138, 139
- Problem of bathymetric contours, **20**, 138, 139

- Plate 3
  - Colour characteristics, **20**, 133
  - Colour values, **20**, 133, 134, 135
- British Columbia tree fruits, **20**, 37
- Buried Channels
  - Medicine Hat area, Alberta, **18**, 100, 101
- Burnt Creek mine, **17**, 67
- Cambridge Fiord, Baffin Island, **19**, 11, 36, 119
  - Photos, **19**, 7, 9
- Canada
  - Mapping population density, **18**, 5-20 *passim*
  - Map, **18**, in pocket
  - Problems of, **18**, 5-20 *passim*
- Central kames
  - Isortoq River Valley, **19**, 71, 72
  - Photos, **19**, 54, 61, 67; **20**, 100
- Rimrock River Valley
  - Characteristics, **20**, 99, 100
  - Cross-section of, **20**, 101
  - Cross-valley moraines
    - Contact with, **19**, 61, 65
    - Problem of, **20**, 99
    - Stratigraphic relation to, **19**, 66, 67
  - Rimrock I, **20**, 100, 101
- Channel technique, **20**, 84, 85
- Chi-square test, **20**, 102, 103
- Chittick apparatus, **20**, 94
- Choropleth mapping techniques, **18**, 16-19
  - Appraisal of choropleth method
    - Advantages, **18**, 18, 19
    - Disadvantages, **18**, 19
  - Choice of statistical area unit, **18**, 16
  - Maps, **18**, 17, 18, 19
- Clark Fiord, Baffin Island, **19**, 11, 21, 34, 36, 37
- Clyde Fiord, Baffin Island, **19**, 34, 37
- Cockburn end-moraine system, **19**, 14, 17, 20, 21, 22, 36, 37
  - Maps, **19**, 18 and in pocket
  - Photos, **19**, 15, 16
- Cockburn Land 1:500,000 map sheet
  - Map compilation, **19**, 13-14
    - Air photos
      - Interpretation, **19**, 13, 14
      - Quality of coverage, **19**, 12, 13
    - Features, plotting of, **19**, 14
    - Maps, **19**, in pocket
- Cockburn Land terrain analysis, **19**, 13-34; *see also* Baffin Island
  - Maps, **19**, in pocket.
- Codfishery; *see* Labrador
- Conn Lake, **19**, 37, 51, 52, 54, 69; **20**, 85, 115, 120, 122, 126, 127
  - Photos, **19**, 10, 57
- Continentiality
  - Criterion of degree of, **20**, 76
  - Data, **20**, 78
    - Determining isopleths of, **20**, 78
  - Definition, **20**, 76
  - Factors affecting, **20**, 78, 79
  - Formulae for determining degree of, **20**, 77, 78
    - Indices, **20**, 77, 78
    - Johansson index, **20**, 77, 78
  - Mapping, **20**, 76-81
    - Values of, **20**, 78-81 *passim*
      - Low continentality, **20**, 79, 80
      - High continentality, **20**, 80, 81
  - Crag and tail features, **19**, 23, 24
  - Creston
    - Orchard industry, **20**, 12-13
      - Historical development, **20**, 12
      - Decline, reasons for, **20**, 12, 13
  - Critical temperatures, orchard industry, **20**, 19-20
  - Cross-valley moraines, **19**, 49-76; **20**, 82-127
    - Correlation with abandoned shore features, **19**, 53, 54, 55, 56
    - Former glacial lakes, **19**, 54
    - Glacial lake Lewis, **19**, 72
    - Isortoq River Valley, **19**, 73
    - Rimrock drainage basin, **19**, 72
    - Submarine De Geer moraines, **19**, 55
  - Distribution
    - Baffin Island, **19**, 22, 51-56
    - Boothia Peninsula, **19**, 50
    - Great Whale River, **19**, 50
  - Description of, **19**, 59-72
    - Middle Isortoq River Valley, **19**, 69-72
    - Rimrock River, **19**, 59-60
  - Formation
    - Hypotheses, **19**, 74-76; **20**, 115-125
    - Basal-squeeze hypothesis, **20**, 117-124
      - Cause of asymmetry, **20**, 121, 122
      - Critical hydraulic gradient, **20**, 121
    - Formation of basal crevasses, **20**, 118, 119, 120
    - Number of moraines per effective stress at base of glacier, **20**, 124
    - Relationship of moraines to lake depth, **20**, 123
  - Other theories, **20**, 125-126
    - Elson's theory, **20**, 126
    - Mawdsley's theory, **20**, 126
    - Washboard or De Geer moraines, **20**, 125, 126

- Pattern of, **19**, 73, 74  
 Photos, **19**, 54, 55, 60, 61, 62, 63, 66, 71  
 Significance of, **19**, 50  
 Till  
   Composition, **20**, 88-95 *passim*  
   Fabric analysis, **20**, 101-112  
   Samples, **20**, 95-99  
 Tributary ridges, **19**, 66  
 Crustal uplift, **17**, 5-22 *passim*, 23-54 *passim*  
 Dating, radiocarbon, **17**, 11, 15-19, 52, 53; **18**, 48, 58  
 De Geer moraines, **19**, 22; **20**, 125  
 Deglaciation, **17**, 47-54, **18**, 86-106 *passim*; **19**, 34-46 *passim*, 49-76 *passim*; **20**, 82-127 *passim*; *see also* Baffin Island  
 Labrador  
   Chronology, **17**, 47-54  
     Kangalaksiorvik Phase, **17**, 49, 50, 51  
     Noodleook Phase, **17**, 49, 50, 51  
     Two Loon Phase, **17**, 49, 50, 51  
     Correlation with other areas, **17**, 52-54  
 Marine shells  
   Radiocarbon dating, **17**, 52  
 Significance, **17**, 51, 52  
 Moraines, **17**, 47-53 *passim*  
   Base camp moraines, **17**, 48  
   Noodleook moraines, **17**, 47, 48  
   Readvance moraines, **17**, 48, 49  
   Ryans Bay—Upper Kangalaksiorvik Lake, **17**, 48, 49  
   Sheppard moraines, **17**, 48  
   Telliaosilk moraines, **17**, 47, 48  
 Deltas  
   Baffin Island  
     Kame delta terrace, **19**, 26  
     Perched delta, **19**, 26, 28  
     Photos, **19**, 25, 28  
   Labrador  
     Raised delta flats, **17**, 26, 27  
   Mackenzie Delta, **18**, 21-61 *passim*  
   Medicine Hat, **18**, 93  
     Corroms, **18**, 97  
 Dexterity Fiord, **19**, 7, 9, 21, 36  
 Domelike uplift  
   Ellesmere Island, **17**, 13  
   Hudson Bay, **17**, 12  
 Dot mapping, **18**, 12-13  
   Advantages, **18**, 12, 13  
   Disadvantages, **18**, 12, 13  
   Maps, **18**, 12 (facing), 13 (facing)  
 Drainage channels, glacial, **19**, 30-32  
 Dry valleys  
   Medicine Hat area  
     Description of, **18**, 90  
     Formation of, **18**, 95-99 *passim*  
 Economic Atlas of Manitoba, **20**, 135-138  
   Evaluation of colour and design, **20**, 135-138  
     *passim*  
 Ekortiarsuk Fiord, **17**, 25, 47, 49  
 End moraines, **17**, 47-51 *passim*; **19**, 18, 20, 26  
 Baffin Island  
   Clyde moraines, **19**, 36  
   Isortoq-Separation lakes moraines, **19**, 18, 20  
   Stensby Inlet area, **19**, 20  
 Labrador  
   Base camp moraines, **17**, 48  
   Noodleook moraines, **17**, 47, 48  
   Ryans Bay—Upper Kangalaksiorvik, **17**, 48, 49  
   Sheppard moraines, **17**, 48  
   Telliaosilk moraines, **17**, 47, 48  
 End-moraine systems; *see* Baffin Island, north-central  
 Erratics  
   Medicine Hat area, **18**, 88  
   Middle Isortoq River Valley, **19**, 24  
   Rowley River—Foxe Basin area, **19**, 24  
   Separation Lake—Stensby Inlet, **19**, 24  
 Eskers, **19**, 29, 30  
 Farm income  
   Whitemouth River Valley, **19**, 94, 95, 96  
   Fort Vermilion—La Crête area, **20**, 54  
 Farm practices  
   Fort Vermilion—La crête area, **20**, 54  
 Fiords  
   Baffin Island  
     Cambridge Fiord, **19**, 7, 9, 11, 36, 119  
     Clark Fiord, **19**, 11, 21, 34, 36, 37  
     Clyde Fiord, **19**, 34, 37  
     Dexterity Fiord, **19**, 7, 9, 21, 36  
     Gibbs Fiord, **19**, 11, 34, 36, 37  
     Tromso Fiord, **19**, 36  
   Labrador  
     Ekortiarsuk Fiord, **17**, 25, 47, 49  
     Noodleook Fiord, **17**, 25, 47  
     Tellialuk Fiord, **17**, 25, 47  
     Telliaosilk Fiord, **17**, 25  
 Fishing Industry; *see* Labrador  
 Fort Churchill,  
   Striations, **18**, 108-111  
   Interpretation and significance, **18**, 111  
   Measurement of, **18**, 108-111 *passim*  
     Concentration of striae, **18**, 109  
     Depth of striae, **18**, 110  
     Length of striae, **18**, 110  
     Width of striae, **18**, 110, 111  
 Fort Vermilion, **20**, 41, 45, 46, 55

- Fort Vermilion Development Company, **20**, 50  
 Fort Vermilion Experimental Farm, **20**, 52, 53  
 Fort Vermilion—La Crête area, Alberta  
   Climate  
     Frost free periods, **20**, 41, 43  
       Buffalo Head Prairie, **20**, 41  
       Fort Vermilion, **20**, 41, 43  
     Maximum precipitation, **20**, 41  
     Precipitation and temperature, 1921-1950  
       Buffalo Head Prairie, **20**, 42  
       Fort Vermilion, **20**, 42  
 Land Utilization, **20**, 44-56  
   Agricultural settlement, map, **20**, 47  
   Crop distribution, **20**, 50, 51, 52  
     Flax and rapeseed, **20**, 51, 52  
       Acreage, **20**, 51  
     Oats and barley, **20**, 50, 51  
     Seeded grass and pasture, **20**, 52  
       Acreage, **20**, 52  
     Summer fallow, **20**, 52, 53  
     Wheat, **20**, 50  
   Cultivated area, **20**, 49-50  
     Maps, **20**, 49  
   Farm income, **20**, 50, 54-55  
     Non-farm work, **20**, 55  
     Standard of living, **20**, 54  
   Farm practices, **20**, 54  
   Length of tenure and farm size, **20**, 47-48  
 Livestock  
   Cattle, **20**, 53  
   Hogs, **20**, 53-54  
 Problems and trends, **20**, 55-56  
 Transportation, **20**, 45-46  
 Map, **20**, 40  
 Physiography, **20**, 41  
 Soils, **20**, 42-44  
   Map, soil survey and rating, **20**, 43  
   Problems of drainage, **20**, 42  
 Fossil marine shells, **17**, 14, 15, 47, 51, 52; **19**, 121; *see also* Pleistocene marine molluscs  
 Freeze-thaw cycles, **18**, 64-78  
   Definition, problem of, **18**, 65  
   Duration of, **18**, 73-76  
   Effect on mechanical weathering, **18**, 72  
   Frequency of, **18**, 67-71  
   Frost change days **18**, 66  
   Frost days, **18**, 65  
   Frost-free days, **18**, 65, 66  
   Ice days, **18**, 65  
   Resolute, **18**, 67-71  
     Annual cycles, **18**, 70  
     Crossing of freezing line, **18**, 69  
     Days of maximum temperature, **18**, 71  
     Number of, **18**, 68, 69  
 French mine, **17**, 67  
 Freshney River, **19**, 23, 29, 33  
 Frozen ground phenomena  
   Patterned ground, **18**, 67, 72, 82  
   Solifluction, **18**, 79, 80, 82  
 Gagnon mine, **17**, 67  
 Generator Lake, **19**, 22, 37, 52, 54, 66, 75; **20**, 120, 122  
 Geographical Branch; *see* research programs  
 Geoid contours,  
   Maps of, **17**, 18, 19 (facing)  
 Gibbs Fiord, **19**, 11, 34, 36, 37  
 Glacial erosion features; *see also* striations  
   Roches moutonnées, **19**, 23  
 Glacial features; *see* Baffin Island  
 Glacial lakes  
   Agassiz, **17**, 9; **19**, 88  
   Algonquin, **17**, 9  
 Glaciers; *see* Thompson glacier  
 Glacio-lacustrine deposits  
   Medicine Hat area, **18**, 90, 92  
 Grand Forks,  
   Orchard industry, **20**, 11-12  
   Decline, reasons for, **20**, 11, 12  
   Historical development, **20**, 11, 12  
 Gravel train  
   Robinson Valley, Medicine Hat area, **18**, 93  
 Great Slave Lake, **19**, 104, 110  
   Effect upon water temperature, break-up, freeze-up, flooding, **19**, 104  
   Volume, inflow and outflow, **19**, 110  
 Ground moraines, **17**, 8; **18**, 90  
 Gubik formation, **17**, 15  
 Heat budget values, **17**, 57-65  
 Northern Canada,  
   Bowen ratio  
     Evaluation of, **17**, 63  
     Mean regional values, **17**, 60-63  
       Aklavik to Norman Wells, **17**, 62  
       Arctic Bay to Coral Harbour, **17**, 63  
   Daily regional values, **17**, 63  
   Regional heat budget values  
     Data, **17**, 59  
     Effect of Hudson Bay, **17**, 60  
     Churchill—Port Harrison trajectory, **17**, 60  
     Whitehorse—Fort Nelson trajectory, **17**, 60  
     Theoretical approach, **17**, 58-59  
       Formulae, **17**, 58  
 Ice break-up  
   Mackenzie River, **19**, 103-115  
     Data, **19**, 104-109 *passim*  
     Definition, **19**, 104, 105  
     Flooding 1961, **19**, 111, 112

- Ice jams, **19**, 111, 112
- Map, **19**, 105
- Mean dates, 1946-1955, **19**, 105, 107
- Pattern 1961, **19**, 108, 109
- Pattern 1962, **19**, 110
- Role of Great Slave Lake, **19**, 110
- Role of tributaries, **19**, 110, 111
- Trends, **19**, 108
- Ice contact features; *see* eskers, kames, central kames, kame terraces, kame and kettle topography, kettles
- Ice-divides
  - Keewatin, **17**, 10, 11, 13, 14
  - North-central Baffin, **19**, 30, 31, 38-42
  - Schefferville, **17**, 10, 11
- Ice freeze-up
  - Definition, **19**, 112
  - Mackenzie River, **19**, 104-115
    - Freeze-up 1961, **19**, 112, 113
    - Mean freeze-up values, 1946-55, **19**, 107
    - Tributaries, role of, **19**, 113
- Iceland Freezing Plants Corporation, **17**, 82
- Icelandic Fishery, **17**, 82-84
  - Cod exports, **17**, 83, 84
  - Government control of, **17**, 84
  - Growth of, **17**, 82-84
    - Historical development, **17**, 83, 84
  - Markets, **17**, 78-84 *passim*
- Ice sheets
  - Baffin Island, **17**, 13
  - Greenland, **17**, 14
  - Laurentide-Baffin-Ellesmere, **17**, 6, 14
- Ice thrust features, **17**, 90-93 *passim*
  - Deformed stratified deposits, **17**, 91, 92
  - Polar push moraines, **17**, 92, 93
  - Sediment, tilted, **17**, 90
- Iron mining
  - Labrador-Ungava, **17**, 66-77
    - Knob Lake iron ore, exploitation of, **17**, 66
    - Mines
      - Burnt Creek, **17**, 67
      - Ferriman mine, **17**, 67, 68
        - Photos, **17**, 74, 75
      - French mine, **17**, 67
      - Gagnon mine, **17**, 67
      - Ruth Lake mine, **17**, 67
        - Photo, **17**, 73
    - Problems
      - Economic, **17**, 68
      - Permafrost, **17**, 67-76 *passim*
      - Reserves, extent of, **17**, 66, 67
  - Iron Ore Company of Canada, **17**, 66, 67-76
    - Permafrost research of, **17**, 72-76 *passim*
  - Isobases, **17**, 5-20, 38-41 *passim*; **19**, 117-121 *passim*
    - Concept, **17**, 9
    - Curvature, **17**, 39
    - Definition, **17**, 24
    - Direction, determination of, **17**, 38
    - Interpretation of, **17**, 10-14
    - Map, construction of, **17**, 8-10
      - Pattern, **17**, 12, 13, 14
      - Plotting, **17**, 39
    - Problem of 500-foot isobase, **19**, 117-121 *passim*
    - Wisconsin isobase, **17**, 18, 19
      - Correlation with geoid contours, **17**, 18, 19
    - Zero isobase, **17**, 9
  - Isopleths
    - Construction of, **18**, 14, 15, 16
    - Definition of, **18**, 13
    - Intervals, selection of, **18**, 13, 14
    - Mapping of, **18**, 13, 14
      - Appraisal of method, **18**, 15-16
    - Map, **18**, 13 (facing)
  - Isortoq Lake, **19**, 20, 23, 24, 29
  - Isortoq River, **19**, 11, 14, 22, 24, 27, 29, 33, 58, 69-73 *passim*; **20**, 97, 112, 122
    - Photo, **19**, 71
  - Isortoq River Valley, **19**, 49-77 *passim*; **20**, 82-129 *passim*
    - Cross-valley moraines, **19**, 69-72
      - Description, **19**, 69, 71, 72
      - Central kames, **19**, 71, 72
      - Map, **19**, 70
      - Till fabric analysis, **20**, 109, 110
      - Diagram, **20**, 105 (facing)
  - Isostatic equilibrium, **17**, 10
  - Johansson indices of continentality, **20**, 77, 78
  - Kames, **18**, 93; **19**, 17, 58, 67; *see also* central kames
    - Kame and kettle topography, **19**, 22
    - Kame terraces, **19**, 17, 25-29
      - Formation, **19**, 26-29
      - Location
        - Pilik River drainage system, **19**, 26, 27
        - Rimrock River Valley, **19**, 29
        - Upper Isortoq Valley, **19**, 28
        - Upper Rowley River drainage system, **19**, 27
      - Significance in deglaciation, **19**, 26, 27, 28
        - 29
    - Kendall's coefficient of concordance, **19**, 106
    - Kettles
      - Nina Bang-Inuktarfik lakes area, **19**, 22
      - Separation Lake, **19**, 27
        - Photos, **19**, 19, 28
    - Kootenay-Arrow Lakes
      - Orchard industry, **20**, 12
    - Koroksoak glaciation, **19**, 35

- Labrador; *see also* deglaciation, end moraines, fiords, iron mining
- Floater codfishery, **17**, 78-84
- Decline in markets, **17**, 79-82 *passim*
- Greek, **17**, 81
  - Italian, **17**, 80
  - Portuguese, **17**, 80, 81
  - Puerto Rican, **17**, 81, 82
  - Spanish, **17**, 80
- Factors in decline
- Historical background, **17**, 79-84 *passim*
  - National European fisheries policies, **17**, 79
  - Role of Iceland, **17**, 82, 83, 84
  - Traditional markets, **17**, 79-82 *passim*
- Lachenbruch, A. H.
- Three-dimensional heat conduction
- Theoretical approach, **18**, 35-39 *passim*
  - Application to pingo studies, **18**, 35-48 *passim*
- Land abandonment, **19**, 78-86
- Prince Edward Island
- Abandoned land
    - Distribution of, **19**, 84, 85
    - Economic use of, **19**, 85, 86  - Maps, **19**, 83
  - Settlement pattern, **19**, 79-80
  - Vegetation, **19**, 80, 81, 82
    - Open grassland, **19**, 80, 81
    - Scrub grassland, **19**, 80, 81
    - Reforested grassland, **19**, 80, 81-82
- Land-use mapping, **19**, 98-102 *passim*
- Technique of area measurement, **19**, 98-102 *passim*
- Land utilization; *see* Fort Vermilion—La Crête area, Okanagan Valley, British Columbia, Prince Edward Island, Whitemouth River Valley
- Land-water separation, problem of, **20**, 138, 139, 141
- Lateral moraine
- Baffin Bay fiords, **19**, 20, 21
  - Isortoq—Separation lakes moraines, **19**, 20
- Law of crushing paper, **20**, 87, 91
- Lewis River, **19**, 56; **20**, 112, 114
- Mackenzie Delta
- Flooding, 1961, **19**, 111-112
  - Pingos, **18**, 21-61
- Mackenzie River, **19**, 104-116
- Break-up and freeze-up
    - Characteristics of, **19**, 104
    - Progress of, **19**, 104-116 *passim*  - Channels, **19**, 112
  - Drainage basin, **19**, 104
  - Flow travel time, **19**, 113-115
  - Importance of, **19**, 104
- Manitoba; *see* Economic Atlas of Manitoba, Whitemouth River Valley
- Manitoba Department of Agriculture, **19**, 96
- Manitoba Forest Service, **19**, 95
- Manitoba Soil Survey, **18**, 89
- Map design, purpose of, **20**, 131-132
- Mapping; *see also* continentality, land-use mapping, Munsell colour system, modified dasymetric-choropleth mapping, population density and statistical mapping techniques
- Colour, **20**, 130-142
- Marine beaches
- North-central Baffin Island, **19**, 33-34
  - Photo, **19**, 33
- Marine limit
- Determination of, **17**, 5-20 *passim*; 23-54 *passim*; **19**, 117-121 *passim*
  - Foxe Basin area, **19**, 34
- Marine submergence, **17**, 6, 7; **19**, 20, 117, 119
- Data, reliability of, **17**, 7
  - Evidence of, **17**, 7, 8; **19**, 121
  - Fossil marine shells, significance of, **17**, 8; **19**, 121
  - Minimum extent of, **17**, 8; **19**, 121
  - Observations, number of, **17**, 7; **19**, 117
  - Wave action, limit of, **17**, 8
- Marine terraces, **17**, 27; **19**, 119
- Mechanical weathering
- Concepts of, **18**, 76
  - Freeze-thaw cycles, effect of, **18**, 72
- Medicine Hat area,
- Geomorphology of, **18**, 86-107
  - Aeolian deposits, **18**, 93
  - Buried channels, **18**, 100, 101
  - Dry valleys, **18**, 90, 95-99 *passim*
  - Erratics, distribution of, **18**, 88
  - Glacio-fluvial deposits, **18**, 93
  - Ice disintegration features, **18**, 88, 90, 92, 95, 102
  - Ice-margin lakes, **18**, 97-101
  - Ice-margin melt-water channels, **18**, 97, 100
  - Ice-margin spillways, **18**, 92
  - Ice-walled melt-water channels, **18**, 95, 96, 99, 101
  - Maps, **18**, 89, 91, 94
  - Meltwater overflow spillways, **18**, 93, 97
  - Photos, **18**, 96, 98, 101, 102
  - Regional chronology, **18**, 99-103 *passim*
  - Slope development, **18**, 104, 105
  - Terraces, **18**, 100
  - Till characteristics, **18**, 88, 90, 100-103 *passim*
- Meltwater trim lines, **19**, 32-33
- Mennonites, **20**, 47, 48
- Mining; *see* open-pit mining
- Modified dasymetric-choropleth mapping, **18**, 8-12
- Appraisal of, **18**, 11-12

- Choropleth, definition of, **18**, 8  
 Compilation, stages of, **18**, 10, 11  
 Dasymetric, definition of, **18**, 8  
 Maps, **18**, 12 (facing)  
 Mapping, population density, problems of, **18**, 8, 9, 10  
 Density classification, **18**, 11  
 Data, plotting, **18**, 10, 11  
 Locational accuracy, problems of, **18**, 8  
 Moraines; *see also* push moraines, washboard moraines  
 Cross-valley moraines, **19**, 22, 49-76; **20**, 82-127  
 "Dead-ice" moraine, **18**, 90; **19**, 22  
 End moraine  
   Baffin Island, north-central, **19**, 18, 20, 36  
   Labrador, northernmost, **17**, 47, 48, 49  
 End-moraine systems, **19**, 17, 20  
   Cockburn end-moraine system, **19**, 14, 15, 16, 17, 20, 21, 22, 36, 37  
 Ground moraine, **17**, 8; **18**, 90  
 Kame moraine, **18**, 93  
 Lateral moraine, **19**, 20, 21  
 Readvance moraine, **17**, 48, 49, 50, 51  
 Munsell colour system, **20**, 132, 133, 134, 141-142  
 Colour analysis, **20**, 132-135  
   Plate 3: British Columbia Atlas of Resources, **20**, 133  
   Plate 4: Economic Atlas of Manitoba, **20**, 132  
   Plate 52: Atlas of Canada, **20**, 134  
 Colour hues, **20**, 134, 141  
 Colour saturations, **20**, 134, 141  
 Colour values, **20**, 133, 134, 135, 141  
 National Research Council, Division of Building Research, **18**, 75  
 New Brunswick  
   Techniques of mapping population density, **18**, 12-20  
   Maps  
    Choropleth method, **18**, 17, 18, 19  
    Dasymetric-choropleth method, **18**, 12 (facing)  
    Dot method, **18**, 12 (facing), 13 (facing)  
    Isopleth method, **18**, 13 (facing)  
 Nina Bang Lake, **19**, 12, 22, 30  
 Nivation, **18**, 79  
 Nivation hollows, **18**, 79-84  
   Formation of, **18**, 79  
   Kinds  
    Circular, **18**, 79  
    Longitudinal, **18**, 79  
    Transverse, **18**, 79  
   Slopes, **18**, 80, 81  
 Noodlook Fiord, Labrador, **17**, 25, 47  
 Northern Canada  
   Heat budget values, **17**, 57-65 *passim*  
 Nunataks  
   Significance in deglaciation, **19**, 35, 36  
 Okanagan Valley, British Columbia, **20**, 13-37  
 Orchard industry, **20**, 13-37  
   Apple production record, **20**, 13  
 Climate, **20**, 16-20  
   Critical temperatures, **20**, 19-20  
   Precipitation, **20**, 17-18  
    Hail, **20**, 18  
    Irrigation, **20**, 17, 18  
    Precipitation range, **20**, 17  
   Statistics, **20**, 17  
   Sunshine and humidity, **20**, 16-17  
   Temperature, **20**, 18-19  
    Climatic liability, **20**, 19  
    Frost-free periods, **20**, 18  
    Mean annual temperatures, **20**, 18  
    Minimum temperatures, **20**, 18, 19  
 Districts  
   Armstrong, **20**, 32  
   Kelowna, **20**, 25, 32  
   Keremeos-Cawston, **20**, 32  
   Oliver-Osoyoos, **20**, 21, 25, 30, 31  
   Penticton-Summerland, **20**, 20, 29, 30, 31  
   Salmon Arm, **20**, 20, 21, 30  
   Similkameen Valley, **20**, 35  
 Economic problems, **20**, 15, 16  
 Land values, **20**, 15  
 Map, orchard distribution, **20**, 14  
 Okanagan orchard district analysis, **20**, 30-32, 34, 36  
 Production records, **20**, 30, 31, 32  
 Royal Commission Report, **20**, 32, 34  
 Suitability study, **20**, 34, 36  
 Photos, **20**, 33, 35  
 Soils, **20**, 24-30  
   Classification, **20**, 25-30  
   Map, **20**, 28 (facing)  
   Origin of, **20**, 24, 25  
   Pattern of suitability, **20**, 26  
 Tree and crop loss, **20**, 20-24  
   Crop damage, **20**, 24  
   Spring frost damage, **20**, 23  
   Survival rates of trees, **20**, 22  
   Tree kill and crop loss 1949-1950, **20**, 21  
   Tree losses by area, **20**, 20  
 Open-pit mining, **17**, 69-71  
   Problems  
    Blasting, **17**, 69, 71  
    Drilling, **17**, 69  
    Mucking, **17**, 69  
    Permafrost, **17**, 69, 71  
    Removing ore, **17**, 70, 71  
    Transporting frozen ore, **17**, 71  
 Orchard industry  
   British Columbia; *see* Creston, Grand Forks, Kootenay-Arrow Lakes, Okanagan Valley, Upper Fraser-Thompson, Vancouver Island-Lower Fraser Valley

- Outwash, **18**, 93; **19**, 20, 26, 27, 28, 29, 30  
 Outwash plains, **19**, 28  
 Pitted outwash, **19**, 27, 29, 30  
 Sandar, **19**, 27, 30  
 Patlok Lake, **19**, 12, 22  
 Patterned ground, **18**, 67, 72, 82  
 Pearson's product-moment coefficient of correlation, **20**, 112  
 Penny Ice Cap, **19**, 21  
 Permafrost, **17**, 67-76, 95-97; **18**, 21-60 *passim*  
 Active layer, **18**, 64, 80; **20**, 88  
 Data, **17**, 95  
 Distribution  
   Maps, **17**, 72 (facing), 96  
 Kinds of  
   Contemporary, **17**, 72, 73  
   Continuous, **17**, 96  
   Discontinuous, **17**, 72, 97  
   Fossil or relic, **17**, 72, 97  
 Labrador-Ungava  
   Mining in permafrost, **17**, 67-76  
   Extent of permafrost, **17**, 67, 68, 72-76  
   Problems, **17**, 69-71 *passim*  
 Mackenzie Delta area, **18**, 21-60 *passim*  
   Permafrost aggradation in unconsolidated lake bottom sediments, **18**, 48-51  
   Relation to pingo growth, **18**, 21-60 *passim*  
 Profiles, **17**, 96, 97  
 Research, **17**, 72, 95-97 *passim*  
 Table, **18**, 80  
 Pilik River, **19**, 25, 26, 27, 54  
 Pingos, **18**, 21-61  
   Age of, **18**, 58-60  
   Characteristics of, **18**, 23-31 *passim*  
   Ice cores, **18**, 29-30  
   Occurrence in depressions, **18**, 23-25, 26  
   Overburden thickness, **18**, 27-29  
   Shape, **18**, 26-27  
   Type of sediments, **18**, 29  
 Definition of, **18**, 21  
 Deglaciation of pingo area, **18**, 47-48  
 Distribution of, **18**, 21, 22-23  
   Map, **18**, 21 (facing)  
 Origin, **18**, 32-60  
   Formation, **18**, 33-58 *passim*  
     Theoretical approach, **18**, 33-51  
       Development of a closed system, **18**, 52, 53  
     Hydrostatic pressure, **18**, 52  
     Permafrost aggradation beneath lakes, **18**, 48-51  
     Determining rate of freezing, **18**, 49-51 *passim*  
     Field conditions, **18**, 51  
     Theoretical approach, **18**, 49, 50, 51  
     Formulae, **18**, 49, 50  
 Three-dimensional heat conduction beneath lakes, **18**, 35-48  
 Lachenbruch formulae, **18**, 35-39 *passim*  
   Application to pingo studies, **18**, 35-48  
 Nomograms, **18**, 40, 42, 44, 45-56, 47  
 Working hypothesis of, **18**, 53-58  
   Configuration of lake basins, **18**, 54  
   Formation of multiple pingos, **18**, 54  
 Graphs, **18**, 56, 57  
   Growth of pingo cores, **18**, 55, 56  
   Permafrost initiation along lake bottoms, **18**, 53, 54  
   Rate of permafrost formation, **18**, 54, 55  
   Rate of pingo growth, **18**, 56, 58  
 Photos, **18**, 24, 28, 31, 59  
 Pleistocene marine molluscs  
   *Chlamys islandicus*, Muller, **17**, 46  
   Entomostracan sp., *Balanus* or *Coronula*, **17**, 46  
   *Hiatella arctica* L., **17**, 46  
   *Mya truncata* L., **17**, 46  
   *Trichotropis borealis* Brod. and Sby., **17**, 46  
 Polar push moraines,  
   Characteristic features, **17**, 92  
   Discussion and significance, **17**, 92, 93  
   Distribution, **17**, 92  
 Population density  
   Mapping of, **18**, 5-20  
 Postglacial transgressions, **17**, 52, 54  
 Prince Edward Island  
   Land abandonment, **19**, 78-86  
   Land settlement pattern, **19**, 79-80  
   Changes in acreages, **19**, 80  
   Changes in rural population, **19**, 79, 80  
 Land use maps  
   Area measurement of, **19**, 98-101  
   Method of, **19**, 99-100  
   Map, **19**, in pocket  
   Construction of grid, **19**, 99, 100  
 Pro-glacial plains  
   Thompson Glacier, Axel Heiberg Island, **17**, 86, 87-92 *passim*  
 Push moraines; *see* polar push moraines  
 Quebec North Shore and Labrador Railway, **17**, 67  
 Radiocarbon dating, **17**, 11, 15-17, 52, 53; **18**, 48, 58  
 Raised delta flats; *see* deltas  
 Reclamation Committee of the British Columbia Department of Agriculture, **20**, 26  
 Report of Royal Commission on Tree-Fruit Industry of B.C., **20**, 32, 34, 36  
 Research Programs, Geographical Branch  
   Field studies  
   Land use mapping program, **19**, 98-102 *passim*  
   North-central Baffin Island, N.W.T., **19**, 6-47, 49-76, 117-121; **20**, 84-127

- Resolute, N.W.T.  
 Problems of periglacial geomorphology, **18**, 64-77, 79-84
- Resolute; *see* freeze-thaw cycles
- Rimrock River, **19**, 29, 58, 59, 69, 72  
 Map, **19**, 61
- Rimrock River Valley  
 Cross-valley moraines, **19**, 56-69  
 Description of, **19**, 59-69  
 Contact with central kames, **19**, 61, 65  
 Cross-profile symmetry, **19**, 62, 63  
   Distal slope, **19**, 62  
   Origin of asymmetry, **19**, 63  
   Proximal slope, **19**, 62, 63  
 Distinctive traits, **19**, 65, 66, 67  
 Height, **19**, 59  
 Interval between moraines, **19**, 62; **20**, 112, 113, 114  
 Location, **19**, 58  
 Morphometry of bounders, **19**, 64, 65  
 Orientation, **19**, 59  
 Photos, **19**, 60, 61, 62, 63, 66, 67  
 Rimrock II moraine  
   Plan and profile, **19**, 68  
   Shape, **19**, 59  
   Stratigraphic relation to central kames, **19**, 66, 67  
 Surficial cover, **19**, 63, 64, 65  
 Till  
   Composition, **20**, 87-96 *passim*  
   Fabric, **20**, 104-109  
   Tributary ridges, **19**, 66
- Robinson-Dunmore Valley, **18**, 90, 92, 97, 100
- Roches moutonnées, **19**, 23
- Rowley River, **19**, 25, 26, 27, 52
- Ruth Lake mine, **17**, 67  
 Photo, 73
- Saglek glaciation, **19**, 35
- Sandar; *see* outwash
- Sea level fluctuation, **17**, 26-29 *passim*, 44, 45, 46
- Sediments  
 Sampling and statistical measures, **20**, 84-87 *passim*  
   Channel technique, **20**, 84, 85  
   Law of crushing paper, **20**, 87, 91  
   Sedimental unit sampling, **20**, 84  
   Standard sieve analysis, **20**, 85  
   "Student's" t test, **20**, 87  
   Trask's coefficient of sorting and skewness, **20**, 86
- Separation Lake, **19**, 20, 24, 25, 27, 33  
 Photo, **19**, 19
- Slope development  
 Medicine Hat area, **18**, 104, 105  
   Mixed slopes, **18**, 104
- Resolute, **18**, 80, 81
- Snowcreep, **20**, 58-75  
 Definition of, **20**, 58  
 Effects of, **20**, 59  
 Field studies  
   Garibaldi Lake, B.C., **20**, 59  
   Mount Seymour, B.C., **20**, 58-75  
     Winter 1958-1959, **20**, 66-68  
     Winter 1959-1960, **20**, 68  
     Winter 1960-1961, **20**, 69, 70  
     Winter 1961-1962, **20**, 69, 71, 72, 73
- Map, **18**, 60 (facing)  
 Measurement, **20**, 60-65 *passim*  
 Creeping snow, pressure of, **20**, 63, 64  
 Movement  
   Basal layer, **20**, 62, 63  
   Basal rate, **20**, 59, 60  
   Direction of, **20**, 60, 61  
   Lowermost layers, rate of, **20**, 61, 62  
 Snow properties, **20**, 65  
 Techniques of, **20**, 60-65 *passim*
- Snow, Ice and Permafrost Establishment of the U.S. Corps of Engineers, **18**, 75
- Solifluction, **18**, 79, 80, 82
- South Saskatchewan River, **18**, 88, 99, 100, 101, 103, 104  
 Map, **18**, 87, 89, 91  
 Photo, **18**, 102  
 Terraces, **18**, 104, 105
- Statistical mapping techniques, **18**, 5-20 *passim*  
 Mapping population density  
   Choropleth method, **18**, 16-19  
   Dot method, **18**, 12-13  
   Isopleth method, **18**, 13-16  
   Modified dasymetric choropleth method, **18**, 8-12
- Strandlines, **17**, 30-38, 42-54 *passim*  
 Characteristics of, **17**, 33-38 *passim*  
 Concept of, **17**, 30, 32  
 Correlation with morainic deposits, **17**, 49  
 Definition of, **17**, 30  
 Detailed study of, **17**, 34-38 *passim*  
 Extended diagram, explanation of, **17**, 36, 42-44  
 Field problems **17**, 30  
 Hinge lines, **17**, 45  
 Tilting, **17**, 32, 33, 34, 47
- Striations  
 Fort Churchill, **18**, 108-111  
 Isortoq Lake-lower Cockburn River area, **19**, 25  
 Rimrock Lake area, **19**, 23  
 Rimrock and Striding valleys, **19**, 24
- Tapes transgression, **17**, 52, 54
- Tellialuk Fiord, Labrador, **17**, 25, 47
- Telliaosilk Fiord, Labrador, **17**, 25

- Terminal materials  
 Thompson Glacier, **17**, 85-92  
   Morphology of zone of terminal materials, **17**, 87-92  
   Composition of, **17**, 88-90 *passim*  
 Dead ice pockets, **17**, 89  
   Deformation of beds, **17**, 91, 92  
   Fluvio-glacial sediments, **17**, 89, 90  
   Morphometry of deposits, **17**, 89  
   Stratification of, **17**, 89  
   Description of, **17**, 87, 88
- Tests  
   Chi-square test, **20**, 102, 103  
   "Student's" t test, **20**, 103, 104
- Till, **18**, 88, 90, 100-103 *passim*; **20**, 84-112  
   Characteristics of, **20**, 87-95 *passim*  
   Composition, **18**, 88; **20**, 88-89  
   Dissected till plain, **18**, 100  
   Furrowed till deposits, **18**, 101-103  
   Medicine Hat area, **18**, 88, 89, 90, 100-103  
     *passim*  
   Pebble shape, **20**, 95
- Till fabric analysis, **20**, 101-112  
   Cross-valley moraines, Baffin Island  
 Chi-square test, **20**, 102, 103  
 Field procedures, **20**, 102-103  
 Quantitative measurement, **20**, 103-104  
   Isotropicity of till fabrics, **20**, 103  
   "Student's" t test, **20**, 103, 104  
   Results of, **20**, 104-112  
   Interpretation of, **20**, 110-112  
   Ridge I, **20**, 104-105  
   Ridge II, **20**, 105-109  
   Ridge III, **20**, 109  
   Ridge IV, **20**, 109-110
- Till-fabric diagrams, **20**, 104 (following)
- Thompson Glacier, **17**, 85-94  
   Description, **17**, 85, 86, 87  
   Location, **17**, 85  
   Terminal deposits, **17**, 87-92 *passim*
- Transducer and Bourdon gauge, **20**, 63, 64
- Transverse nivation hollows, **18**, 81-84  
   Factors in development of, **18**, 81, 82  
   Initiation of, **18**, 81  
   Measurement of, **18**, 82, 83, 84  
   Origin of, **18**, 81, 82  
   Site of, **18**, 81  
   Texture of materials in, **18**, 82
- Trimlines  
   Meltwater, **19**, 32-33  
   Photo, **19**, 32
- Tromso Fiord, Baffin Island, **19**, 36
- Union of Icelandic Cooperatives Societies, **17**, 82
- Union of Icelandic Fishing Vessel Owners, **17**, 82
- United Nations Combined Food Board, **17**, 81
- Uplift curves, radiocarbon dated, **17**, 10, 11, 17
- Upper Fraser—Thompson, B.C.  
   Orchard industry, **20**, 9
- Valleys; *see* dry valleys
- Vancouver Island—Lower Fraser Valley, B.C.  
   Orchard industry, **20**, 7-9
- Washboard moraines, **18**, 88; **20**, 125, 126; *see also* De Geer moraines.
- Wave cut benches, **17**, 26, 27  
   Photo, **17**, 26
- Whitemouth River Valley  
   Farm income, **19**, 94, 95, 96  
   Non-farm work, **19**, 95-96
- Land use  
   Crop yields, **19**, 91  
   Mixed farming, **19**, 91  
   Per farm land use, **19**, 93
- Land use problems and trends, **19**, 96-97  
   Costs, **19**, 96  
   Grain marketing, **19**, 96  
   Physical limitations of land, **19**, 96  
   Trends, **19**, 96
- Livestock, **19**, 91, 93-95  
   Beef cattle, **19**, 93  
   Commercial pig production, **19**, 95  
   Dairying, **19**, 93, 94  
   Poultry, **19**, 91, 93
- Map, **19**, 87 (facing)  
   Physical characteristics, **19**, 88-97  
   Climate, **19**, 90  
   Drainage, **19**, 88-89  
   Drainage density values, **19**, 88, 89  
   Map, **18**, 89  
   Stream frequency, **18**, 89
- Soils, **19**, 89-90  
   Manitoba, Soil Survey, **18**, 89  
   Soil fertility, problems, **19**, 89, 90  
   Types, **19**, 89
- Surface deposits, **19**, 88  
   Map, **19**, 92
- Regions, **19**, 88
- Wisconsin marine limit, **17**, 5-20 *passim*

## AUTHOR INDEX

- Andrews, J. T.; *see also* Ives, J. D.  
     Cross-valley moraines of the Rimrock and  
     Isortoq river valleys, Baffin Island, N.W.T.  
     —a descriptive analysis, **19**, 49-77
- The cross-valley moraines of north-central  
     Baffin Island—a quantitative analysis, **20**,  
     82-129
- Black, W. A.  
     Competitive and marketing aspects of the La-  
     rador Floater codfishery, **17**, 78-84
- Bone, Robert M.  
     A note on permafrost in Western Siberia,  
     U.S.S.R., **17**, 95-98
- Brochu, Michel  
     Étude statistique sur les stries glaciaires de la  
     région de Fort-Churchill, **18**, 108-111
- Bryson, R. A. and Kuhn, P. M.  
     Some regional heat budget values for northern  
     Canada, **17**, 57-65
- Common, R.  
     The geomorphology of the Medicine Hat area,  
     **18**, 86-107
- Cook, Frank A. and Raiche, V. G., *see also*  
     MacKay, D. K.  
     Freeze-thaw cycles at Resolute, N.W.T., **18**,  
     64-78  
     Simple transverse nivation hollows at Resolute,  
     N.W.T., **18**, 79-85
- Farrand, W. R. and Gajda, R. T.  
     Isobases on the Wisconsin marine limit in  
     Canada, **17**, 5-22
- Fremlin, Gerald  
     Colour and design in the British Columbia and  
     Manitoba atlases and the Atlas of Canada,  
     **20**, 130-142
- Gajda, R. T.; *see also* Farrand, W. R.  
     Mapping population density in Canada, with  
     particular reference to Plate 48, *Atlas of  
     Canada, 1957*, **18**, 5-20
- Greffard, Claude; *see* Robitaille, Benoît
- Ives, J. D.  
     Determination of the marine limit in eastern  
     arctic Canada, **19**, 117-122
- Ives, J. D. and Andrews, J. T.  
     Studies in the physical geography of north-  
     central Baffin Island, N.W.T., **19**, 5-48.
- Krueger, Ralph R.  
     The physical basis of the orchard industry of  
     British Columbia, **20**, 5-38.
- Kuhn, P. M.; *see* Bryson, R. A.
- Løken, O. H.  
     The late-glacial and postglacial emergence and  
     the deglaciation of northernmost Labrador,  
     **17**, 23-56.
- Lovering, J. H.  
     Agricultural land use in the Fort Vermilion—  
     La Crête area of Alberta, **20**, 39-57.
- Land utilization in the Whitemouth River  
     Valley, Manitoba, **19**, 87-97.
- MacKay, D. K. and Cook, Frank A.  
     A preliminary map of continentality for Can-  
     ada, **20**, 76-81.
- Mackay, J. Ross; *see also* Mathews, W. H.  
     Pingos of the Pleistocene Mackenzie Delta  
     area, **18**, 21-63.  
     Process of break-up and freeze-up along the  
     Mackenzie River, **19**, 103-116.
- Mathews, W. H. and Mackay, J. Ross  
     Snowcreep studies, Mount Seymour, B.C.; pre-  
     liminary field investigations, **20**, 58-75.
- McClellan, J. B.  
     Area measurement of Prince Edward Island  
     land-use maps, **19**, 98-102.
- Raiche, V. G.; *see* Cook, Frank A.
- Robitaille, Benoît and Greffard, Claude  
     Notes sur les matériaux terminaux du glacier  
     Thompson, Canada Arctique, **17**, 85-94.

GSC/CGC OTTAWA



OOG 02891059