This document was produced by scanning the original publication.

Ce document est le produit d'une numérisation par balayage de la publication originale.

Refer to this map as: 78 B EDITION 1 ASE SERIES A 502

COMPILATION DIAGRAM – SOURCES UTILISÉES



A– Compiled photogrammetrically from 1958 aerial photography.

A– Établie par procédés photogrammétriques à partir de photographies aériennes, de 1958.

Produced by the **ARMY SURVEY ESTABLISHMENT, R.C.E.**
Information depicted current as of 1963. Printed 1966.

The daily change of the North Magnetic Pole renders the magnetic compass useless in this area.
1965 Magnetic declination for this map varies from 53°30′ easterly at the centre of the west edge to 47°00′ easterly at the centre of the east edge.

Roads: Routes:
loose surface ..... de gravier ..... dry weather / période sèche
cart track, trail ..... de terre, sentier .....
Spot elevation; precise, approximate ..... Point coté; précis, approximatif ..... .950 .950±
Boundary monument ..... Borne-frontière .....
Raised Beaches ..... Plages élevées .....
Depression contours ..... Courbes de cuvette .....
Cliff or low relief ..... Falaise ou relief peu accentué .....
Esker ..... Esker .....

WYNNIATT BAY

DISTRICT OF FRANKLIN

NORTHWEST TERRITORIES

Scale 1:250,000 Échelle

Miles 5 0 5 10 15 20 Miles
Kilometres 5 0 5 10 15 20 25 30 Kilomètres

Transverse Mercator Projection
North American Datum 1927
Contour Interval 100 feet
Elevations in feet above Mean Sea Level

Copies may be obtained from the Map Distribution Office, Department of Mines and Technical Surveys, Ottawa.

Projection transverse de Mercator
Réseau géodésique nord-américain unifié 1927
Équidistance des courbes 100 pieds
Élévations en pieds au-dessus du niveau moyen de la mer

Ces cartes sont en vente au Bureau de distribution des cartes, ministère des Mines et des Relevés techniques, Ottawa.

Publiée par le **SERVICE TOPOGRAPHIQUE DE L'ARMÉE, (G.R.C.)** Renseignements à jour en 1963. Imprimée en 1966.

La variation diurne du pôle Nord magnétique rend le compas magnétique inutile dans cette région.
La déclinaison magnétique (1965) varie de 53°30′ vers l'est au centre de la bordure ouest de la feuille à 47°00′ vers l'est au centre de la bordure est.

Building ..... Bâtiment ..... Intermittent stream ..... Cours d'eau intermittent .....
Post office ..... Bureau de poste ..... P Intermittent lake ..... Lac intermittent .....
Church ..... Église ..... Rapids; falls ..... Rapides; chute ..... R F
School ..... École ..... Marsh or Swamp ..... Marais ou marécage .....
Astronomical monument ..... Repère astronomique ..... String bogs ..... Marais en chapelet .....
R.C.M.P. Detachment ..... Poste de la G.R.C. ..... Icefield or Glacier ..... Champ de glace ou glacier .....
Horizontal control point ..... Point géodésique ..... Tundra polygons ..... Sols polygonaux .....
Lighthouse ..... Phare ..... Tundra ponds ..... Étangs de toundra .....

GRID ZONE DESIGNATION	100,000 M. SQUARE IDENTIFICATION		
12X	81	VS	WS
	80	VR / VQ	WR / WQ / XR / XQ
		5	6

TO GIVE A REFERENCE TO NEAREST 1000 METRES
EXAMPLE: STREAM JUNCTION

SQUARE: Read letters of 100,000 m square		WR
EASTING: Read number on grid line immediately to left of point	1	
Estimate tenths of a square from this line eastward to point.		5
		15
NORTHING: Read number on grid line immediately below point	3	
Estimate tenths of a square from this line northward to point.		7
		37
MILITARY GRID REFERENCE (to nearest 1,000 metres)		WR1537

If reporting beyond 18° in any direction, prefix Grid Zone Designation as: 12XWR1537

TEN THOUSAND METRE
UNIVERSAL TRANSVERSE MERCATOR GRID
ZONE 12

TOPOGRAPHICAL SURVEY DIRECTORATE
SERVICE TOPOGRAPHIQUE
DATE 30-11-89
Q.C. APPROVES RELEASE
C.Q. APPROUVE



Index to adjoining maps of the National Topographic System
Tableau d'assemblage du Système National de Référence Cartographique

WYNNIATT BAY
78B
EDITION 1

REPRINT

78-B