

This document was produced
by scanning the original publication.

Military users,
refer to this map as:
Référence de cette carte
pour usage militaire:

SERIES A 502
MAP 105 K
EDITION 3

SÉRIE
CARTE
ÉDITION



AM TO BLACK AS SHOWN

ROADS-ROUTES:
hard surface - pavée
loose surface - de gravier
cart track - de terre
trail - sentier

Surveyed, compiled, drawn and printed by the ARMY SURVEY ESTABLISHMENT R.C.E., 1949-51
Aerial photography by the R.C.A.F. 1949.
Published 1951.



REFERENCE		
Road, Hard Surface, All Weather	More than 2 Lines	Partially Completed
Hard Surface, All Weather	2 Lines, Route No.	Less than 2 Lines
Loose Surface, All Weather	More than 2 Lines	2 Lines
Loose Surface, Less than 2 Lines	All Weather	On Weather
Railway, Multiple Track	Single Track	
Boundary, International	Province or State	County or District
Reservations, Indian, Military, Park, etc.		

Scale 1:250,000
Approximately 1 inch to 4 Miles

Miles 0 5 10 15 20 25 30
Kilometres 0 5 10 15 20 25 30

Interim Corrections 1979
Magnetic declination 1979 varies from 32°56' easterly at centre of west edge to 32°25' easterly at centre of east edge.
Mean annual change decreasing 3.5'
Copies may be obtained from the Canada Map Office,
Department of Energy, Mines and Resources, Ottawa,
or your nearest map dealer.
© 1979 Her Majesty the Queen in Right of Canada.
Department of Energy, Mines and Resources.

Corrections Provisaires 1979
La déclinaison magnétique pour 1979 varie de 32°56' Est au centre de la limite Ouest à 32°25' Est au centre de la limite Est. Variation moyenne annuelle décroissant 3,5'.
Ces cartes sont en vente au Bureau des Cartes du Canada,
ministère de l'Énergie, des Mines et des Ressources, Ottawa,
ou chez le revendeur le plus près.
© 1979 Sa Majesté La Reine du Chef du Canada.
Ministère de l'Énergie, des Mines et des Ressources.



GRID ZONE DESIGNATION		TO GIVE A STANDARD REFERENCE ON THIS SHEET TO HAREST 1000 METRES	
100,000 M. SQUARE IDENTIFICATION	SAMPLE POINT: TRIANGULATION STATION	1. Read letters identifying 100,000 metre square in which the point lies.	2. Locate first VERTICAL grid line to LEFT of point and read LARGE figures labeling the line either on the top or bottom margin, or on the line itself.
690	NE PE ND PD 60	Estimate tenths from grid line to point.	Estimate tenths from grid line to point.
KNOW THE SMALLER figures of any grid number; these are for finding the full coordinate. Use ONLY the LARGE figures of the grid number.		Estimate tenths from grid line to point.	Estimate tenths from grid line to point.
example: 630000		Estimate tenths from grid line to point.	Estimate tenths from grid line to point.
SAMPLE REFERENCE		PE 2514	1 4
If reporting beyond 18' in any direction, prefix Grid Zone Designation as:		8VPE2514	

TEN THOUSAND METRE
UNIVERSAL TRANSVERSE MERCATOR GRID
ZONE 8

TOPOGRAPHICAL SURVEY DIRECTORATE

SERVICE TOPOGRAPHIQUE

DATE 27-6-84

Q.C. APPROVES RELEASE

C.Q. APPROUVE

TAY RIVER
YUKON TERRITORY