



Natural Resources  
Canada

Ressources naturelles  
Canada

# CanVec

## Product Specifications

**2016-03-14**

**Natural Resources Canada  
Earth Sciences Sector  
Canada Centre for Mapping and Earth Observation**

**GeoGratis Client Services**

Telephone: +01-819-564-4857

1-800-661-2638 (Canada and USA)

Fax: +01-819-564-5698

E-mail: [geoginfo@NRCan.gc.ca](mailto:geoginfo@NRCan.gc.ca)

URL: [www.geogratings.gc.ca](http://www.geogratings.gc.ca)

**Canada**

## Copyright notice

© Her Majesty the Queen in Right of Canada, Department of Natural Resources.  
All rights reserved.

**RELEASES HISTORY**

<b>Date</b>	<b>Version</b>	<b>Description</b>
2016-03-14		Original version



## TABLE OF CONTENTS

<b>1</b>	<b>OVERVIEW .....</b>	<b>1</b>
1.1	TITLE.....	1
1.2	REFERENCE DATE .....	1
1.3	RESPONSIBLE PARTY.....	1
1.4	LANGUAGE .....	1
1.5	TERMS AND DEFINITIONS .....	1
1.6	PRODUCT DESCRIPTION.....	2
<b>2</b>	<b>SPECIFICATION SCOPE .....</b>	<b>4</b>
2.1	SCOPE IDENTIFICATION .....	4
2.2	LEVEL.....	4
2.3	LEVEL NAME .....	4
2.4	EXTENT .....	4
2.4.1	Description.....	4
2.4.2	Vertical extent.....	4
2.4.3	Horizontal extent.....	4
2.4.4	Temporal extent.....	5
<b>3</b>	<b>DATA PRODUCT IDENTIFICATION .....</b>	<b>5</b>
3.1	TITLE.....	5
3.2	ABSTRACT .....	5
3.3	OBJECTIVE .....	5
3.4	TOPIC CATEGORY.....	5
3.5	SPATIAL REPRESENTATION TYPE.....	6
3.6	SPATIAL RESOLUTION.....	6
3.7	GEOGRAPHIC DESCRIPTION .....	6
3.7.1	Authority .....	6
3.7.2	Code .....	6
3.7.3	Code Type .....	6
3.8	REFERENCE TO SPECIFICATION SCOPE.....	6
<b>4</b>	<b>DATA CONTENT AND STRUCTURE .....</b>	<b>6</b>
4.1	DESCRIPTION.....	6
4.2	DATA MODELLING SCHEMA.....	7
4.2.1	Application schema .....	7
4.2.2	Feature catalogue .....	7
4.3	REFERENCE TO SPECIFICATION SCOPE.....	7
<b>5</b>	<b>REFERENCE SYSTEMS .....</b>	<b>7</b>
5.1	SPATIAL REFERENCE SYSTEM .....	7
5.1.1	Authority .....	7
5.1.2	Code .....	8
5.1.3	Code space .....	8
5.1.4	Version .....	8
5.2	REFERENCE TO SPECIFICATION SCOPE.....	8
<b>6</b>	<b>DATA QUALITY .....</b>	<b>8</b>
6.1	COMPLETENESS.....	8
6.1.1	Commission.....	8
6.1.2	Omission.....	8
6.2	LOGICAL CONSISTENCY.....	9
6.2.1	Conceptual Consistency.....	9
6.2.2	Domain Consistency .....	9
6.2.3	Format Consistency .....	9

6.2.4	Topological Consistency .....	9
6.3	POSITIONAL ACCURACY.....	9
6.3.1	Absolute or external accuracy.....	9
6.3.2	Relative or internal accuracy .....	10
6.4	TEMPORAL ACCURACY .....	10
6.4.1	Accuracy of a Time Measurement.....	10
6.4.2	Temporal Consistency.....	10
6.4.3	Temporal Validity.....	10
6.5	THEMATIC ACCURACY .....	10
6.5.1	Classification Correctness.....	10
6.5.2	Non Quantitative Attribute Correctness.....	10
6.5.3	Quantitative Attribute Accuracy .....	10
6.6	REFERENCE TO SPECIFICATION SCOPE.....	10
<b>7</b>	<b>DATA CAPTURE .....</b>	<b>10</b>
7.1	DESCRIPTION.....	10
7.2	TO THE SPECIFICATION SCOPE .....	11
<b>8</b>	<b>DATA MAINTENANCE .....</b>	<b>11</b>
8.1	DESCRIPTION.....	11
8.2	REFERENCE TO SPECIFICATION SCOPE.....	11
<b>9</b>	<b>DATA PRODUCT DELIVERY .....</b>	<b>11</b>
9.1	DELIVERY FORMAT INFORMATION: GML.....	11
9.1.1	Format Name.....	11
9.1.2	Version .....	11
9.1.3	Specification .....	12
9.1.4	Language.....	12
9.1.5	Character Set .....	12
9.2	DELIVERY FORMAT INFORMATION: SHAPE .....	12
9.2.1	Format Name.....	12
9.2.2	Version .....	12
9.2.3	Specification .....	12
9.2.4	Language.....	12
9.3	DELIVERY FORMAT INFORMATION: FGDB .....	12
9.3.1	Format Name.....	12
9.3.2	Version .....	12
9.3.3	Specification .....	12
9.3.4	Language.....	13
9.4	DELIVERY MEDIUM INFORMATION FOR STATIC FILES.....	13
9.4.1	Units of delivery .....	13
9.4.2	Transfer Size .....	13
9.4.3	Medium Name .....	14
9.4.4	Other Delivery Information .....	14
9.5	DELIVERY MEDIUM INFORMATION ACCORDING TO A CUSTOMIZED AREA FROM THE GEOSPATIAL DATA EXTRACTION TOOL.....	14
9.5.1	Units of delivery .....	14
9.5.2	Transfer size.....	14
9.5.3	Medium Name .....	14
9.5.4	Other Delivery Information .....	15
9.6	REFERENCE TO SPECIFICATION SCOPE.....	15
<b>10</b>	<b>METADATA.....</b>	<b>15</b>

# 1 OVERVIEW

## 1.1 TITLE

CanVec Data Product Specifications.

## 1.2 REFERENCE DATE

2016-03-14

## 1.3 RESPONSIBLE PARTY

Natural Resources Canada  
Earth Sciences Sector  
Canada Centre for Mapping and Earth Observation  
GeoGratis Client Services

Telephone: +01-819-564-4857 - Toll free:1-800-661-2638 (Canada and USA)  
Fax: +01-819-564-5698  
E-mail: [geoinfo@NRCan.gc.ca](mailto:geoinfo@NRCan.gc.ca)  
URL: [www.geogratis.gc.ca](http://www.geogratis.gc.ca)

## 1.4 LANGUAGE

eng – English

fra - French

## 1.5 TERMS AND DEFINITIONS

CCMEO	Canada Centre for Mapping and Earth Observation
CGNDB	Canadian Geographical Name Data Base
CSRS	Canadian Spatial Reference System
CVGD28	Canadian Vertical Geodetic Datum of 1928
ESS	Earth Sciences Sector
FGDB	ESRI File GeoDataBase
GIS	Geographic Information System
GML	Geographic Markup Language
NAD83	North American Datum of 1983
NHN	National Hydro Network
NRCan	Natural Resources Canada
NRN	National Road Network
NRWN	National Railway Network
NTDB	National Topographic Data Base
NTS	National Topographic System

## 1.6 PRODUCT DESCRIPTION

CanVec is a digital cartographical reference product produced by Natural Resources Canada. It originates from the best available data sources covering Canadian territory, offers quality topographical information in vector format and complies with international geomatics standards.

CanVec is a multi-source product coming mainly from the National Topographic Data Base (NTDB), the Mapping the North process conducted by the Canada Center for Mapping and Earth Observation (CCMEO), the Atlas of Canada data, the GeoBase initiative, and the data update using satellite imagery coverage (e.g. Landsat 7, Spot, Radarsat, etc).

CanVec contains more than 60 topographical features organized into 8 themes: Transport Features, Administrative Features, Hydro Features, Land Features, Man-Made Features, Elevation Features, Resource Management Features and Toponymic Features.

CanVec aims to update and standardize the representation of topographic features for the entire Canadian territory. The long term objective is to maintain data with the highest possible resolution and then automatically generate other scales.

Topographic features coming from the NTDB are not up to date. These features are included in the CanVec product for cartographic reference purpose only.

CanVec can be used in Web Mapping Services (WMS), Geographical Information Systems (GIS) applications, and used to produce thematic maps. Because of its many attributes, CanVec allows for extensive spatial analysis.

This product is the result of improved data model with the goal of providing seamless data layer coverage across Canada. Currently, only Transportation theme data sourced from the National Road Network (NRN) and the National Railway Network (NRWN) and Atlas data are available seamlessly. Future releases will include additional seamless layers of data.

CanVec is maintained in partnership with the data providing organizations.

CanVec data is available at no cost on the GeoGratis website ([www.GeoGratis.gc.ca](http://www.GeoGratis.gc.ca))

The table below presents the tiling available for the several combinations of theme and scale. It also shows the data sources used for each scale.



<b>Sources</b>	Best available data -GeoBase - NHN - NRN - NRWN - Administrative boundaries - Toponymy - NTDB at scale 1:50 000	NTDB at scale 1:250 000  GeoBase -NRN (generalized) -NRWN (generalized)	Atlas of Canada Data		
<b>Themes</b>	<b>1:50 000</b>	<b>1:250 000</b>	<b>1:1 000 000</b>	<b>1:5 000 000</b>	<b>1:15 000 000</b>
Transport Features	Province/Territory	Province/Territory	Canada	Canada	Canada
Administrative Features	Province/Territory and Canada	Province/Territory and Canada	Canada	Canada	Canada
Hydro features	Province/Territory	Province/Territory	Canada	Canada	Canada
Land Features	Province/Territory	Province/Territory	Canada	Canada	Canada
Man-Made Features	Province/Territory and Canada	Province/Territory and Canada	Canada	N/A	N/A
Elevation Features	Province/Territory*	Province/Territory*	Canada**	Canada**	Canada**
Resource Management Features	Province/Territory and Canada	Province/Territory and Canada	N/A	N/A	N/A
Toponymic Features	Province/Territory and Canada	N/A	Canada	N/A	N/A

\* only terrestrial elevations are offered

\*\* only bathymetric elevation are offered

There are 2 methods to access CanVec data:

- Prepackaged files (Static files): A selection of prepackaged files is offered according to themes and scales shown in the above table. These prepackaged files are published at least once a year or when significant changes occur. They are available in Shapefile (ESRI™) and File Geodatabase (ESRI™) formats.
- Customized area (Dynamic files): The Geospatial Data Extraction tool allows user to define a customized area no longer limited to the National Topographic System (NTS) nor the area of a Province or Territory. Data updates are offered according to a 2 month cycle. They are available in GML (Geography Markup Language), Shapefile (ESRI™) and File Geodatabase (ESRI™) formats. Only 1:50 000 and 1:250 000 scales are offered with the Geospatial Data Extraction tool.

**Note:** The feature occurrences contained in a Customized area come from datasets covering a wider territory. An option allows to segment or not the feature occurrences at the limit of the required area. However, the segmentation does not change the attribute values. Thus, the values of the attribute address range of a road segment instance that was segmented by the Customized area neatline will remain unchanged and will most likely be inaccurate.

## **2 SPECIFICATION SCOPE**

### **2.1 SCOPE IDENTIFICATION**

Main

### **2.2 LEVEL**

006 - Series

### **2.3 LEVEL NAME**

Main scope of CanVec

### **2.4 EXTENT**

#### **2.4.1 Description**

Canadian territory

#### **2.4.2 Vertical extent**

##### **2.4.2.1 Minimum value**

0

##### **2.4.2.2 Maximum value**

5959

##### **2.4.2.3 Unit of measure**

Meter

##### **2.4.2.4 Vertical datum**

Elevations are orthometric and expressed in reference to Mean Sea Level (Canadian Vertical Geodetic Datum of 1928 (CVGD28)).

#### **2.4.3 Horizontal extent**

##### **2.4.3.1 West bounding longitude**

-141.0

##### **2.4.3.2 East bounding longitude**

-52.0

##### **2.4.3.3 South bounding latitude**

+41.0

#### **2.4.3.4 North bounding latitude**

+84.0

#### **2.4.4 Temporal extent**

##### **2.4.4.1 Beginning date**

1945

##### **2.4.4.2 Ending date**

Today

### **3 DATA PRODUCT IDENTIFICATION**

#### **3.1 TITLE**

CanVec

#### **3.2 ABSTRACT**

CanVec is a digital cartographic reference product produced by Natural Resources Canada (NRCan). It originates from the best available data sources covering the Canadian territory, offers quality topographic information in vector format and complies with international geomatics standards.

CanVec is a multi-source product coming mainly from the National Topographic Data Base (NTDB), the Mapping the North process conducted by the Canada Center for Mapping and Earth Observation (CCMEO), the Atlas of Canada data, the GeoBase initiative and the data update using satellite imagery coverage. CanVec contains more than 60 topographic features thematically organized into 8 themes: Transport Features, Administrative Features, Hydro Features, Land Features, Man-Made Features, Elevation Features, Resource Management Features and Toponymic Features.

#### **3.3 OBJECTIVE**

CanVec aims to update and standardize the representation of topographic features for the entire Canadian territory.

#### **3.4 TOPIC CATEGORY**

006 - elevation

010 - imageryBaseMapsEarthCover

012 - inlandWater

013 - location

017 - structure (man-made construction)

018 - transportation

019 - utilitiesCommunication

### **3.5 SPATIAL REPRESENTATION TYPE**

001 - vector

### **3.6 SPATIAL RESOLUTION**

Spatial resolution varies according to the scale selected. For instance, 1:50 000 data have a resolution between 1:10 000 and 1:50 000.

### **3.7 GEOGRAPHIC DESCRIPTION**

#### **3.7.1 Authority**

##### **3.7.1.1 Title**

ISO 3166-1:1997 Codes for the representation of names of countries and their subdivisions – Part 1  
Country codes

##### **3.7.1.2 Date**

1997-10-01

##### **3.7.1.3 Date type**

002 - Publication

#### **3.7.2 Code**

CA - Canada

#### **3.7.3 Code Type**

1 - Inclusion (polygon delineation is inclusive)

### **3.8 REFERENCE TO SPECIFICATION SCOPE**

Main

## **4 DATA CONTENT AND STRUCTURE**

### **4.1 DESCRIPTION**

CanVec contains more than 60 topographic features thematically organized into 8 themes: Transport Features, Administrative Features, Hydro Features, Land Features, Man-Made Features, Elevation Features, Resource Management Features and Toponymic Features.

Each topographic feature is described with a name, a definition, a list of topologic relationships, a list of attributes, and a geometric representation.

## 4.2 DATA MODELLING SCHEMA

### 4.2.1 Application schema

The application schema for the CanVec product has not been modeled because of the high quantity of features and the complexity of the numerous relationships and associations that exist between those features. However, for some of the CanVec product features that are issued from the GeoBase initiative, an application sub-schema might exist (ex.: Segmented Conceptual Data Model of National Road Network).

The CanVec Feature Catalogue contains the pertinent information about the data structure and the content of the product.

The geometric representation of the CanVec spatial components is in conformance with the ISO 19107 standard document “ Geographic Information – Spatial schema “ which defines the geometric primitives.

### 4.2.2 Feature catalogue

The complete description of the CanVec Feature Catalogue can be found on the GeoGratis website ([www.GeoGratis.gc.ca](http://www.GeoGratis.gc.ca)).

## 4.3 REFERENCE TO SPECIFICATION SCOPE

Main

# 5 REFERENCE SYSTEMS

## 5.1 SPATIAL REFERENCE SYSTEM

Spatial data are expressed in geographic coordinates of latitude ( $\varphi$ ) and longitude ( $\lambda$ ) according to the NAD83CSRS (North American Datum of 1983 in Canadian Spatial Reference System). The longitude is expressed with a negative number to represent a position to the west of the central meridian ( $0^\circ$ ).

Note: Spatial data is also available according to the Lambert Conformal Conic (LCC) projection while issued from the Geospatial Data Extraction tool.

### 5.1.1 Authority

#### 5.1.1.1 Title

EPSG Geodetic Parameter Registry

URL: <http://www.epsg-registry.org>

#### 5.1.1.2 Date

2011-08-17

#### 5.1.1.3 Date type code

002 - Publication

#### **5.1.1.4 Responsible party**

OGP - International Association of Oil and Gas Producers

URL: <http://www.epsg.org> (en anglais seulement)

#### **5.1.2 Code**

4617

Note: The EPSG code is 42304 when the Lambert Conformal Conic (LCC) projection is selected from the Geospatial Data Extraction tool.

#### **5.1.3 Code space**

EPSG - European Petroleum Survey Group

#### **5.1.4 Version**

6.18

### **5.2 REFERENCE TO SPECIFICATION SCOPE**

Main

## **6 DATA QUALITY**

### **6.1 COMPLETENESS**

#### **6.1.1 Commission**

The data quality assessment (including completeness and thematic accuracy) is directly performed during data production process. The validation method applied depends on the data source used. CanVec data comes from 3 different sources: GeoBase initiative (ex.: National Road Network (NRN) data), digital topographic data production of the Canadian Centre for Mapping and Earth Observation (CCMEO) and the Atlas of Canada Series.

For data coming from the GeoBase initiative, data quality is ensured by the producer (and partner). The validation mechanism used may vary from one partner to another.

For topographic data produced by CCMEO, data quality is ensured by a systematic inspection process. Each dataset content is validated against the originated source or against an independent source. All detected errors are corrected.

For data coming from the Atlas of Canada Series, the data quality depends on data source availability, the map scale, the map feature selection by the cartographer and the quality control of the content.

#### **6.1.2 Omission**

Methodology described to evaluate the "Commissions" is also applied to verify the omissions in the CanVec product.

Note: Some of CanVec datasets located in the North of the country that have been acquired by stereo-digitizing and updated with satellite imagery contains only topographic features that can be extracted from that type of imagery. The majority of features that are hardly or completely undetectable on the image (Building, Cross, Tank, etc.) are excluded from the dataset. Furthermore, the project of data production in the North (Mapping the North of CCMEQ) doesn't generate systematically the contours and Toponymic delineation. These features are added by other processes.

For data coming from a partnership agreement, the partner may have not picked one or more features specified in the data catalog therefore causing an omission. The partner is aware about this possibility and encouraged to take appropriate precautions.

## **6.2 LOGICAL CONSISTENCY**

### **6.2.1 Conceptual Consistency**

The rules of the CanVec conceptual schema are validated in the source database containing the CanVec product. This approach ensures the conceptual consistency between the conceptual schema and the CanVec product.

### **6.2.2 Domain Consistency**

The domain of values included in the Feature catalogue is validated in the source database containing the CanVec product. This approach ensures the domain consistency between the Feature catalogue and the CanVec product.

### **6.2.3 Format Consistency**

The use of well-established commercial software to generate distribution formats ensures format consistency for CanVec product distribution.

### **6.2.4 Topological Consistency**

Topological relationships between (and within) features are all recorded and validated in the source database for each CanVec dataset. This approach ensures topological consistency between the Feature catalogue and the CanVec product.

## **6.3 POSITIONAL ACCURACY**

### **6.3.1 Absolute or external accuracy**

Each CanVec dataset feature occurrence has a positional accuracy attribute that indicates the accuracy of the occurrence expressed as the Circular Map Accuracy Standard (CMAS).

For a dataset coming from the Geospatial Data Extraction tool, the overall dataset planimetric accuracy is shown in its associated metadata file. This accuracy is expressed by an interval made of the minimum and maximum planimetric accuracy values. This interval is determined from the accuracy of each source file used to produce the dataset and not from each feature occurrence accuracy value contained in the dataset. Since data sources generally cover a larger area than the resulting CanVec dataset, it is highly possible that the overall planimetric accuracy of a dataset does not correspond to the smallest and/or the greatest accuracy value attached to each instance of the dataset.

The same also applies for validity dates written in the metadata file.

For prepackaged datasets, there is no information on overall planimetric accuracy and validity dates in the metadata files.

### **6.3.2 Relative or internal accuracy**

Unknown

## **6.4 TEMPORAL ACCURACY**

### **6.4.1 Accuracy of a Time Measurement**

Not applicable

### **6.4.2 Temporal Consistency**

Not applicable

### **6.4.3 Temporal Validity**

Not applicable

Note: See section 6.3.1 (Absolute and or external accuracy) for information on validity dates.

## **6.5 THEMATIC ACCURACY**

### **6.5.1 Classification Correctness**

The methodology described to evaluate the “Commissions” is also applied to verify the classification correctness in the CanVec product.

### **6.5.2 Non Quantitative Attribute Correctness**

The methodology described to evaluate the “Commissions” is also applied to verify the non-quantitative attribute correctness in the CanVec product.

### **6.5.3 Quantitative Attribute Accuracy**

The methodology described to evaluate the “Commissions” is also applied to verify the quantitative attribute correctness in the CanVec product.

## **6.6 REFERENCE TO SPECIFICATION SCOPE**

Main

# **7 DATA CAPTURE**

## **7.1 DESCRIPTION**

The 1:50 000 CanVec product was created by integrating mainly data managed and maintained by CCMEQ. This data includes the National Road Network (NRN), the National Railway Network (NRWN), the National Hydrographic Network (NHN), Aboriginal Lands and Administrative Boundaries coming from GeoBase initiative. It also includes the Wooded area layer of GeoBase Land Cover, the 1:50 000



National Topographic Data Base (NTDB) features that have not been updated and CGNDB toponymy as well as toponymy integrated in the NHN.

The 1:250 000 CanVec product was created by integrating 1:250 000 NTDB data and the generalized data from NRN and NRWN.

For 1:1 000 000, 1:5 000 000 and 1:15 000 000 datasets, data comes from the Atlas of Canada Series and includes data on boundaries, shores, place names, railways, rivers, roads, ferries, and waterbodies that have been compiled to be used for each of these scales.

## **7.2 TO THE SPECIFICATION SCOPE**

Main

# **8 DATA MAINTENANCE**

## **8.1 DESCRIPTION**

The maintenance of the features composing the CanVec product comes mainly from 2 sources: the GeoBase agreements and the production activities of the CCMEQ.

GeoBase agreements affecting features mainly grouped in Transport Features, Hydro Features and Administrative Features themes include a data update component.

The data production activities within the ESS of NRCan are determined based on current government priorities such as the development of the North and sustainable development of natural resources. These priorities resulted mainly by acquisition and update activities in the North and the creation of the National Hydro Network (NHN).

The static CanVec product is published at least once a year or when data significant changes occur. Each new publication includes updates gathered since the previous release.

For CanVec data coming out of the Geospatial Data Extraction tool, it is expected to make updates available every two months. However, the update frequency for CanVec features or group of features varies a lot and depends directly on the data producer agency (source). For NRN data, the update frequency varies between 1 and 3 years.

## **8.2 REFERENCE TO SPECIFICATION SCOPE**

Main

# **9 DATA PRODUCT DELIVERY**

## **9.1 DELIVERY FORMAT INFORMATION: GML**

### **9.1.1 Format Name**

GML - Geography Markup Language

### **9.1.2 Version**

3.1.1

### 9.1.3 Specification

Geography Markup Language – GML –3.1.1, OpenGIS® Implementation Specifications, OGC Recommendation Paper, 2004-02-07, OGC Document Number 03-105r1 ([http://portal.opengeospatial.org/files/?artifact\\_id=4700](http://portal.opengeospatial.org/files/?artifact_id=4700)).

Note: GML format is only available from the Geospatial Data Extraction tool (see Section 1.6)

### 9.1.4 Language

eng – English

fra - French

### 9.1.5 Character Set

004 - UTF8

## 9.2 DELIVERY FORMAT INFORMATION: SHAPE

### 9.2.1 Format Name

Shapefile - ESRI™

### 9.2.2 Version

01 (July 1998)

### 9.2.3 Specification

ESRI Shapefile Technical Description, an ESRI White Paper, July 1998 (<http://www.esri.com/library/whitepapers/pdfs/shapefile.pdf>)

### 9.2.4 Language

eng - English

fra – French

## 9.3 DELIVERY FORMAT INFORMATION: FGDB

### 9.3.1 Format Name

File Geodatabase - ESRI™

### 9.3.2 Version

Unknown (Outside the public domain)

### 9.3.3 Specification

Not available. This format was launched with the ArcGIS (ESRI™) software, version 9.2.

### 9.3.4 Language

eng - English

fra – French

## 9.4 DELIVERY MEDIUM INFORMATION FOR STATIC FILES

### 9.4.1 Units of delivery

Canada or Province/Territory as shown in the table of section 1.6

### 9.4.2 Transfer Size

Size of files changes depending on the themes and scale selected.

The following tables give an estimation of the uncompressed file sizes by province or territory for FGDB and Shapefile formats as they were produced on March 14, 2016:

Province/ Territory	FGDB format at the scale 1:50 000 (Mega-bytes - Mb)								
	Transport	Administrative	Elevation	Hydro	Land	Man-Made	Resource Management	Toponymic	All themes
BC	191	50.8	1,400	2,990	3,590	46.9	5.08	7.43	8,281
AB	276	5.77	489	623	2,000	49.1	12.2	3.19	3,458
SK	178	11.8	519	666	2,380	53.2	7.56	4.37	3,820
MB	91	14.1	323	983	2,500	33.9	4.3	5.7	3,955
ON	513	17	668	2,090	5,250	172	6.67	33.4	8,750
QC	358	39.2	1,925	5,900	8,790	129	6.32	7.99	17,156
NB	72	7	87.3	81.7	393	31.2	3.96	3.07	679
PE	32.7	4.76	15.65	10.8	25	12.6	3.15	2.13	107
NS	103	9.26	36.9	68	309	35.6	3.73	4.07	570
NL	50.1	25.4	575	1,180	2,750	20.4	3.74	4.51	4,610
YT	27.4	14.1	722	447	2,050	7.84	3.34	2.59	3,274
NT	28	19.9	1,310	2,360	5,310	7.83	3.35	4.32	9,043
NU	24.5	105	2,200	5,170	3,030	7.8	3.49	5.08	10,546
CA	1,945	243	10,271	22,569	38,377	492	25.8	61	<b>74,000 Mb</b>

Province/ Territory	Shapefile format at the scale 1:50 000 (Mega-bytes - Mb)								
	Transport	Administrative	Elevation	Hydro	Land	Man-Made	Resource Management	Toponymic	All themes
BC	1,510	138	4,070	20,100	9,620	175	6.22	25.2	35,644
AB	2,230	8.82	1,420	4,850	5,410	188	23	7.02	14,137
SK	1,700	30.7	1,650	5,730	6,520	206	12.1	10	15,859
MB	700	35.3	1,030	8,770	6,980	120	4.46	12.5	17,652
ON	3,830	44.9	2,130	14,000	14,400	703	10.7	98.9	35,218
QC	2,820	110	6,170	49,600	24,900	528	9.92	26.2	84,164
NB	435	11.7	260	551	1,000	111	3.92	6.65	2,380
PE	115	4.95	10.4	44.4	59	30	2.08	2.06	268
NS	675	17.7	106	473	814	131	3.28	11.6	2,232
NL	270	64	1,770	11,500	7 830	63	3.3	13.1	21,513
YT	60.2	35.2	2,020	3,540	5,400	8.74	2.34	3.77	11,070
NT	63.6	48.7	4,040	22,200	14,700	7.91	2.22	8.25	41,071
NU	49.9	286	6,650	49,900	9,860	7.7	2.03	15.3	66,770
CA	14,459	707	31,326	191,258	107,493	2,040	58	240	<b>348 000 Mb</b>

### 9.4.3 Medium Name

GeoGratis website ([www.GeoGratis.gc.ca](http://www.GeoGratis.gc.ca))

### 9.4.4 Other Delivery Information

The document *CanVec\_Distribution\_Shapefile.xls* contains a lookup table that shows the links between the attribute names in the catalogue and the attribute names in the Shapefile format since this format limits the names to a maximum of 10 characters.

## 9.5 DELIVERY MEDIUM INFORMATION ACCORDING TO A CUSTOMIZED AREA FROM THE GEOSPATIAL DATA EXTRACTION TOOL

### 9.5.1 Units of delivery

Depend on the user preference.

### 9.5.2 Transfer size

Variable

### 9.5.3 Medium Name

GeoGratis website ([www.GeoGratis.gc.ca](http://www.GeoGratis.gc.ca))

#### 9.5.4 Other Delivery Information

The document *CanVec\_Distribution\_Shapefile.xls* contains a lookup table that shows the links between the attribute names in the catalogue and the attribute names in the Shapefile format since this format limits the names to a maximum of 10 characters.

The *CanVec\_en\_Transition* document ensures the correlation between former and new CanVec coding.

The *CanVec\_Code* document contains the list of entities and the scales at which they are available.

The file *CanVec\_en\_symbol* contains all map symbols but can only be used with FGDB file format.

#### 9.6 REFERENCE TO SPECIFICATION SCOPE

Main

## 10 METADATA

Not applicable