

Well: **Gulf Mobil Atigi G-04** UWI: 300G046900133450

RockEval/TOC report, Organic Geochemistry Laboratory, Geological Survey of Canada - Calgary

Database Reference: Rock-Eval Data for Canadian Borehole Cuttings, Core and Outcrop Samples

Geoscience Data Repository, Earth Sciences Sector, Natural Resources Canada

For data reference, general terms and conditions see - http://gdr.nrcan.gc.ca/terms_e.php

Geoscience Data Repository are copyright of Her Majesty the Queen in Right of Canada, 2010

| Depth (ft) | TOC | PI | S1+S2 | TMAX | S1 | S2 | S3 | HI | OI |
|------------|-------|------|-------|------|------|-------|------|-----|-----|
| 4600 | 4.81 | 0.32 | 6.20 | 425 | 1.97 | 4.23 | 4.92 | 87 | 102 |
| 4610 | 8.15 | 0.16 | 8.50 | 427 | 1.33 | 7.17 | 7.84 | 87 | 96 |
| 4620 | 4.51 | 0.22 | 5.81 | 426 | 1.27 | 4.54 | 4.36 | 100 | 96 |
| 4630 | 10.02 | 0.17 | 11.15 | 426 | 1.84 | 9.31 | 9.76 | 92 | 97 |
| 4640 | 5.83 | 0.29 | 6.39 | 427 | 1.87 | 4.52 | 6.01 | 77 | 103 |
| 4650 | 5.06 | 0.31 | 6.08 | 428 | 1.87 | 4.21 | 5.31 | 83 | 104 |
| 4660 | 8.47 | 0.20 | 6.27 | 425 | 1.27 | 5.00 | 8.29 | 59 | 97 |
| 4670 | 9.27 | 0.36 | 12.34 | 421 | 4.47 | 7.87 | 8.26 | 84 | 89 |
| 4680 | 3.50 | 0.41 | 4.30 | 420 | 1.76 | 2.54 | 4.84 | 72 | 138 |
| 4690 | 3.37 | 0.39 | 5.48 | 424 | 2.15 | 3.33 | 3.94 | 98 | 116 |
| 4700 | 4.03 | 0.26 | 4.89 | 426 | 1.27 | 3.62 | 4.66 | 89 | 115 |
| 4710 | 3.58 | 0.16 | 2.74 | 428 | 0.43 | 2.31 | 4.28 | 64 | 119 |
| 4720 | 2.32 | 0.30 | 2.87 | 424 | 0.87 | 2.00 | 3.41 | 86 | 146 |
| 4730 | 1.61 | 0.40 | 3.65 | 421 | 1.47 | 2.18 | 2.89 | 135 | 179 |
| 4740 | 2.56 | 0.28 | 3.25 | 432 | 0.91 | 2.34 | 3.09 | 91 | 120 |
| 4750 | 2.51 | 0.24 | 2.87 | 431 | 0.70 | 2.17 | 3.11 | 86 | 123 |
| 4760 | 2.84 | 0.20 | 3.22 | 429 | 0.65 | 2.57 | 3.24 | 90 | 114 |
| 4770 | 1.82 | 0.29 | 2.08 | 426 | 0.61 | 1.47 | 2.44 | 80 | 134 |
| 4780 | 2.46 | 0.31 | 3.63 | 428 | 1.11 | 2.52 | 2.80 | 102 | 113 |
| 4800 | 1.62 | 0.23 | 1.42 | 424 | 0.33 | 1.09 | 2.31 | 67 | 142 |
| 4810 | 3.30 | 0.20 | 3.16 | 425 | 0.63 | 2.53 | 3.39 | 76 | 102 |
| 4830 | 3.01 | 0.28 | 4.50 | 420 | 1.28 | 3.22 | 3.02 | 106 | 100 |
| 4840 | 1.46 | 0.41 | 2.43 | 427 | 0.99 | 1.44 | 2.50 | 98 | 171 |
| 4850 | 1.03 | 0.52 | 2.64 | 415 | 1.37 | 1.27 | 2.03 | 123 | 197 |
| 4860 | 2.49 | 0.38 | 4.15 | 429 | 1.59 | 2.56 | 3.16 | 102 | 126 |
| 4870 | 1.57 | 0.40 | 2.78 | 425 | 1.12 | 1.66 | 2.78 | 105 | 177 |
| 4880 | 1.56 | 0.34 | 1.89 | 422 | 0.64 | 1.25 | 2.55 | 80 | 163 |
| 4890 | 1.96 | 0.32 | 2.91 | 425 | 0.93 | 1.98 | 2.88 | 101 | 146 |
| 4900 | 2.11 | 0.29 | 3.67 | 422 | 1.05 | 2.62 | 2.52 | 124 | 119 |
| 4910 | 2.52 | 0.35 | 5.07 | 419 | 1.77 | 3.30 | 3.03 | 130 | 120 |
| 4920 | 3.81 | 0.14 | 4.92 | 425 | 0.68 | 4.24 | 3.42 | 111 | 89 |
| 4930 | 2.74 | 0.27 | 4.60 | 422 | 1.22 | 3.38 | 2.88 | 123 | 105 |
| 4940 | 2.81 | 0.23 | 4.12 | 423 | 0.93 | 3.19 | 3.09 | 113 | 109 |
| 4950 | 2.15 | 0.34 | 4.85 | 421 | 1.63 | 3.22 | 2.80 | 149 | 130 |
| 4960 | 2.89 | 0.29 | 6.95 | 415 | 2.00 | 4.95 | 2.82 | 171 | 97 |
| 4970 | 3.11 | 0.32 | 5.87 | 418 | 1.85 | 4.02 | 3.27 | 129 | 105 |
| 4980 | 3.15 | 0.36 | 6.98 | 413 | 2.50 | 4.48 | 2.98 | 142 | 94 |
| 4990 | 4.60 | 0.45 | 15.70 | 406 | 7.02 | 8.68 | 3.34 | 188 | 72 |
| 5000 | 4.27 | 0.36 | 9.37 | 408 | 3.41 | 5.96 | 3.62 | 139 | 84 |
| 5010 | 4.82 | 0.38 | 17.22 | 405 | 6.54 | 10.68 | 2.96 | 221 | 61 |
| 5020 | 5.20 | 0.33 | 14.97 | 406 | 4.97 | 10.00 | 3.08 | 192 | 59 |

| Depth (ft) | TOC | PI | S1+S2 | TMAX | S1 | S2 | S3 | HI | OI |
|------------|------|------|-------|------|------|-------|------|-----|-----|
| 5030 | 4.77 | 0.18 | 12.62 | 407 | 2.24 | 10.38 | 3.01 | 217 | 63 |
| 5040 | 4.38 | 0.07 | 8.72 | 407 | 0.64 | 8.08 | 2.84 | 184 | 64 |
| 5050 | 4.00 | 0.07 | 6.30 | 409 | 0.46 | 5.84 | 2.58 | 146 | 64 |
| 5060 | 4.01 | 0.09 | 5.87 | 408 | 0.51 | 5.36 | 2.58 | 133 | 64 |
| 5070 | 4.09 | 0.12 | 5.85 | 409 | 0.71 | 5.14 | 2.93 | 125 | 71 |
| 5080 | 4.33 | 0.10 | 6.71 | 408 | 0.69 | 6.02 | 3.03 | 139 | 69 |
| 5090 | 4.64 | 0.10 | 5.55 | 411 | 0.57 | 4.98 | 3.45 | 107 | 74 |
| 5100 | 4.06 | 0.09 | 4.60 | 410 | 0.42 | 4.18 | 3.08 | 102 | 75 |
| 5110 | 4.11 | 0.08 | 3.83 | 413 | 0.32 | 3.51 | 3.45 | 85 | 83 |
| 5120 | 5.14 | 0.13 | 7.79 | 413 | 1.02 | 6.77 | 4.08 | 131 | 79 |
| 5130 | 3.76 | 0.12 | 5.93 | 418 | 0.71 | 5.22 | 3.03 | 138 | 80 |
| 5140 | 3.92 | 0.19 | 6.33 | 418 | 1.18 | 5.15 | 3.07 | 131 | 78 |
| 5150 | 6.34 | 0.08 | 5.66 | 416 | 0.45 | 5.21 | 5.37 | 82 | 84 |
| 5160 | 3.00 | 0.18 | 4.01 | 415 | 0.71 | 3.30 | 2.55 | 110 | 85 |
| 5170 | 0.01 | 0.00 | 0.03 | 422 | 0.00 | 0.03 | 0.01 | 300 | 100 |
| 5180 | 3.28 | 0.16 | 4.17 | 415 | 0.68 | 3.49 | 2.79 | 106 | 85 |
| 5190 | 5.22 | 0.08 | 6.32 | 413 | 0.49 | 5.83 | 3.97 | 111 | 76 |
| 5200 | 2.66 | 0.16 | 3.91 | 415 | 0.62 | 3.29 | 2.16 | 123 | 81 |
| 5210 | 3.67 | 0.20 | 5.48 | 415 | 1.07 | 4.41 | 2.97 | 120 | 80 |
| 5220 | 3.72 | 0.26 | 6.49 | 413 | 1.68 | 4.81 | 2.98 | 129 | 80 |
| 5230 | 3.17 | 0.12 | 3.35 | 413 | 0.39 | 2.96 | 2.68 | 93 | 84 |
| 5240 | 6.77 | 0.10 | 8.03 | 413 | 0.81 | 7.22 | 5.04 | 106 | 74 |
| 5250 | 4.56 | 0.14 | 6.82 | 409 | 0.95 | 5.87 | 3.53 | 128 | 77 |
| 5260 | 7.49 | 0.16 | 12.58 | 408 | 2.02 | 10.56 | 5.68 | 140 | 75 |
| 5270 | 5.08 | 0.18 | 6.15 | 411 | 1.08 | 5.07 | 4.16 | 99 | 81 |
| 5280 | 5.26 | 0.14 | 5.87 | 412 | 0.83 | 5.04 | 4.14 | 95 | 78 |
| 5300 | 3.69 | 0.17 | 5.86 | 411 | 1.02 | 4.84 | 3.00 | 131 | 81 |
| 5310 | 3.40 | 0.18 | 4.66 | 410 | 0.85 | 3.81 | 2.84 | 112 | 83 |
| 6300 | 3.47 | 0.17 | 3.88 | 420 | 0.67 | 3.21 | 2.30 | 92 | 66 |
| 6400 | 2.25 | 0.10 | 2.70 | 418 | 0.26 | 2.44 | 1.08 | 108 | 48 |
| 6500 | 2.20 | 0.12 | 2.36 | 419 | 0.28 | 2.08 | 1.19 | 94 | 54 |
| 6600 | 2.22 | 0.10 | 1.96 | 420 | 0.20 | 1.76 | 1.81 | 79 | 81 |
| 6700 | 2.56 | 0.10 | 2.18 | 418 | 0.21 | 1.97 | 1.81 | 76 | 70 |
| 6800 | 1.69 | 0.17 | 1.61 | 421 | 0.28 | 1.33 | 1.59 | 78 | 94 |
| 6900 | 1.75 | 0.17 | 1.57 | 427 | 0.27 | 1.30 | 1.97 | 74 | 112 |
| 7000 | 1.85 | 0.15 | 1.57 | 427 | 0.23 | 1.34 | 1.42 | 72 | 76 |
| 7100 | 1.85 | 0.24 | 2.15 | 430 | 0.51 | 1.64 | 1.33 | 88 | 71 |
| 7200 | 1.80 | 0.23 | 1.82 | 427 | 0.41 | 1.41 | 1.71 | 78 | 95 |
| 7300 | 1.88 | 0.20 | 1.97 | 423 | 0.40 | 1.57 | 1.55 | 83 | 82 |
| 7400 | 1.81 | 0.21 | 2.27 | 430 | 0.47 | 1.80 | 1.06 | 99 | 58 |
| 7500 | 1.81 | 0.26 | 2.14 | 433 | 0.55 | 1.59 | 1.24 | 87 | 68 |
| 7660 | 1.90 | 0.25 | 2.17 | 430 | 0.55 | 1.62 | 1.37 | 85 | 72 |
| 7700 | 1.80 | 0.27 | 2.02 | 435 | 0.55 | 1.47 | 1.31 | 81 | 72 |
| 7800 | 1.29 | 0.31 | 1.67 | 432 | 0.51 | 1.16 | 1.00 | 89 | 77 |
| 7900 | 1.30 | 0.34 | 2.79 | 433 | 0.96 | 1.83 | 1.11 | 140 | 85 |
| 8000 | 1.27 | 0.43 | 3.15 | 434 | 1.34 | 1.81 | 0.85 | 142 | 66 |
| 8100 | 1.26 | 0.32 | 1.72 | 433 | 0.55 | 1.17 | 1.58 | 92 | 125 |
| 8200 | 1.42 | 0.28 | 2.06 | 431 | 0.58 | 1.48 | 1.02 | 104 | 71 |


| Depth (ft) | TOC | PI | S1+S2 | TMAX | S1 | S2 | S3 | HI | OI |
|------------|------|------|-------|------|------|-------|------|-----|-----|
| 8300 | 1.34 | 0.36 | 2.46 | 433 | 0.89 | 1.57 | 0.88 | 117 | 65 |
| 8400 | 1.38 | 0.30 | 2.27 | 433 | 0.69 | 1.58 | 0.96 | 114 | 69 |
| 8500 | 1.18 | 0.24 | 1.95 | 433 | 0.47 | 1.48 | 0.74 | 125 | 62 |
| 8600 | 1.06 | 0.31 | 1.74 | 434 | 0.54 | 1.20 | 0.60 | 113 | 56 |
| 8700 | 1.21 | 0.34 | 2.26 | 432 | 0.77 | 1.49 | 0.93 | 123 | 76 |
| 8800 | 1.20 | 0.24 | 1.65 | 434 | 0.39 | 1.26 | 0.86 | 105 | 71 |
| 8900 | 1.20 | 0.26 | 1.82 | 433 | 0.48 | 1.34 | 0.67 | 111 | 55 |
| 9000 | 1.24 | 0.25 | 1.50 | 436 | 0.37 | 1.13 | 0.91 | 91 | 73 |
| 9100 | 1.40 | 0.28 | 1.34 | 435 | 0.37 | 0.97 | 1.25 | 69 | 89 |
| 9200 | 1.28 | 0.24 | 1.47 | 433 | 0.35 | 1.12 | 0.87 | 87 | 67 |
| 9300 | 1.62 | 0.21 | 2.18 | 437 | 0.46 | 1.72 | 0.84 | 106 | 51 |
| 9400 | 1.09 | 0.24 | 1.23 | 429 | 0.29 | 0.94 | 0.71 | 86 | 65 |
| 9500 | 1.38 | 0.20 | 1.61 | 435 | 0.33 | 1.28 | 1.27 | 92 | 92 |
| 9600 | 1.38 | 0.28 | 1.90 | 440 | 0.54 | 1.36 | 0.89 | 98 | 64 |
| 9700 | 1.32 | 0.28 | 1.71 | 433 | 0.48 | 1.23 | 1.01 | 93 | 76 |
| 9800 | 1.21 | 0.28 | 1.62 | 438 | 0.46 | 1.16 | 0.69 | 95 | 57 |
| 9900 | 0.91 | 0.35 | 1.44 | 441 | 0.51 | 0.93 | 0.76 | 102 | 83 |
| 10000 | 1.15 | 0.24 | 1.72 | 437 | 0.42 | 1.30 | 1.35 | 113 | 117 |
| 10100 | 1.90 | 0.20 | 3.01 | 437 | 0.59 | 2.42 | 1.16 | 127 | 61 |
| 10200 | 2.01 | 0.15 | 3.60 | 436 | 0.53 | 3.07 | 0.89 | 152 | 44 |
| 10300 | 3.23 | 0.10 | 8.01 | 433 | 0.80 | 7.21 | 0.83 | 223 | 25 |
| 10400 | 1.74 | 0.16 | 2.85 | 438 | 0.46 | 2.39 | 0.58 | 137 | 33 |
| 10500 | 1.51 | 0.19 | 1.97 | 438 | 0.38 | 1.59 | 0.92 | 105 | 60 |
| 10510 | 0.75 | 0.21 | 1.33 | 441 | 0.28 | 1.05 | 0.51 | 140 | 68 |
| 10520 | 2.37 | 0.09 | 4.55 | 435 | 0.43 | 4.12 | 0.79 | 173 | 33 |
| 10530 | 1.67 | 0.18 | 3.17 | 439 | 0.56 | 2.61 | 0.86 | 156 | 51 |
| 10540 | 5.08 | 0.22 | 21.66 | 433 | 4.80 | 16.86 | 7.31 | 331 | 143 |
| 10550 | 4.12 | 0.16 | 15.08 | 435 | 2.45 | 12.63 | 5.16 | 306 | 125 |
| 10560 | 7.96 | 0.09 | 28.05 | 433 | 2.49 | 25.56 | 1.96 | 321 | 24 |
| 10570 | 4.25 | 0.08 | 14.18 | 435 | 1.16 | 13.02 | 1.57 | 306 | 36 |
| 10580 | 1.93 | 0.11 | 5.49 | 439 | 0.59 | 4.90 | 0.99 | 253 | 51 |
| 10590 | 2.79 | 0.20 | 9.83 | 436 | 1.93 | 7.90 | 4.57 | 283 | 163 |
| 10600 | 2.76 | 0.10 | 8.69 | 437 | 0.87 | 7.82 | 2.44 | 283 | 88 |
| 10610 | 1.06 | 0.21 | 1.51 | 438 | 0.31 | 1.20 | 1.53 | 113 | 144 |
| 10620 | 0.88 | 0.22 | 1.57 | 435 | 0.34 | 1.23 | 2.40 | 139 | 272 |
| 10630 | 2.05 | 0.14 | 2.90 | 437 | 0.41 | 2.49 | 1.34 | 121 | 65 |
| 10640 | 1.58 | 0.28 | 2.77 | 437 | 0.78 | 1.99 | 0.94 | 125 | 59 |
| 10650 | 1.70 | 0.15 | 2.75 | 437 | 0.41 | 2.34 | 1.04 | 137 | 61 |
| 10660 | 1.74 | 0.12 | 3.30 | 439 | 0.41 | 2.89 | 0.80 | 166 | 45 |
| 10670 | 0.87 | 0.32 | 1.42 | 440 | 0.46 | 0.96 | 0.58 | 110 | 66 |
| 10680 | 1.65 | 0.27 | 4.15 | 433 | 1.12 | 3.03 | 3.82 | 183 | 231 |
| 10690 | 0.94 | 0.31 | 1.55 | 438 | 0.48 | 1.07 | 1.29 | 113 | 137 |
| 10700 | 0.70 | 0.38 | 0.97 | 439 | 0.37 | 0.60 | 0.75 | 85 | 107 |
| 10710 | 0.73 | 0.48 | 1.72 | 439 | 0.82 | 0.90 | 0.60 | 123 | 82 |
| 10720 | 0.75 | 0.42 | 1.52 | 439 | 0.64 | 0.88 | 0.59 | 117 | 78 |
| 10730 | 1.16 | 0.42 | 2.77 | 437 | 1.17 | 1.60 | 1.12 | 137 | 96 |
| 10740 | 0.63 | 0.37 | 1.12 | 437 | 0.41 | 0.71 | 0.58 | 112 | 92 |
| 10750 | 1.31 | 0.22 | 2.55 | 437 | 0.56 | 1.99 | 3.29 | 151 | 251 |

| Depth (ft) | TOC | PI | S1+S2 | TMAX | S1 | S2 | S3 | HI | OI |
|------------|------|------|-------|------|------|------|------|-----|-----|
| 10760 | 0.78 | 0.30 | 1.30 | 439 | 0.39 | 0.91 | 1.68 | 116 | 215 |
| 10770 | 0.57 | 0.46 | 1.05 | 438 | 0.48 | 0.57 | 0.59 | 100 | 103 |
| 10780 | 0.61 | 0.39 | 0.96 | 436 | 0.37 | 0.59 | 0.61 | 96 | 100 |
| 10790 | 0.41 | 0.41 | 0.51 | 439 | 0.21 | 0.30 | 0.27 | 73 | 65 |
| 10800 | 0.35 | 0.64 | 1.12 | 438 | 0.72 | 0.40 | 0.46 | 114 | 131 |
| 10810 | 0.30 | 0.69 | 1.13 | 439 | 0.78 | 0.35 | 0.36 | 116 | 120 |
| 10820 | 0.26 | 0.74 | 1.04 | 426 | 0.77 | 0.27 | 0.27 | 103 | 103 |
| 10830 | 0.19 | 0.75 | 0.75 | 404 | 0.56 | 0.19 | 0.22 | 100 | 115 |
| 10840 | 0.17 | 0.65 | 0.40 | 428 | 0.26 | 0.14 | 0.18 | 82 | 105 |
| 10850 | 0.24 | 0.70 | 0.80 | 426 | 0.56 | 0.24 | 0.23 | 100 | 95 |
| 10860 | 0.15 | 0.64 | 0.45 | 408 | 0.29 | 0.16 | 0.19 | 106 | 126 |
| 10870 | 0.17 | 0.84 | 0.55 | 394 | 0.46 | 0.09 | 0.29 | 52 | 170 |
| 10880 | 0.26 | 0.74 | 0.65 | 413 | 0.48 | 0.17 | 0.74 | 65 | 284 |
| 10900 | 0.42 | 0.71 | 1.56 | 328 | 1.11 | 0.45 | 1.67 | 107 | 397 |
| 10910 | 0.34 | 0.72 | 1.39 | 337 | 1.00 | 0.39 | 0.93 | 114 | 273 |
| 10920 | 0.24 | 0.74 | 1.27 | 340 | 0.94 | 0.33 | 0.56 | 137 | 233 |
| 10930 | 0.28 | 0.74 | 1.29 | 337 | 0.96 | 0.33 | 0.82 | 117 | 292 |
| 10940 | 0.26 | 0.73 | 0.62 | 436 | 0.45 | 0.17 | 0.32 | 65 | 123 |
| 10950 | 0.20 | 0.73 | 0.81 | 395 | 0.59 | 0.22 | 0.38 | 110 | 190 |
| 10960 | 0.30 | 0.66 | 0.65 | 431 | 0.43 | 0.22 | 0.69 | 73 | 230 |
| 10970 | 0.30 | 0.73 | 1.01 | 440 | 0.74 | 0.27 | 0.37 | 90 | 123 |
| 10980 | 0.31 | 0.57 | 0.53 | 438 | 0.30 | 0.23 | 1.14 | 74 | 367 |
| 10990 | 1.19 | 0.28 | 1.60 | 435 | 0.45 | 1.15 | 1.24 | 96 | 104 |
| 11000 | 2.92 | 0.32 | 9.07 | 335 | 2.94 | 6.13 | 8.01 | 209 | 274 |
| 11010 | 0.86 | 0.55 | 2.03 | 439 | 1.11 | 0.92 | 1.10 | 106 | 127 |
| 11020 | 0.71 | 0.54 | 1.48 | 440 | 0.80 | 0.68 | 0.85 | 95 | 119 |
| 11030 | 0.69 | 0.44 | 1.00 | 445 | 0.44 | 0.56 | 1.04 | 81 | 150 |
| 11040 | 0.62 | 0.45 | 1.13 | 442 | 0.51 | 0.62 | 0.52 | 100 | 83 |
| 11050 | 0.77 | 0.55 | 2.14 | 440 | 1.18 | 0.96 | 0.78 | 124 | 101 |
| 11060 | 0.61 | 0.59 | 1.99 | 438 | 1.17 | 0.82 | 0.64 | 134 | 104 |
| 11070 | 0.72 | 0.62 | 2.33 | 445 | 1.45 | 0.88 | 0.62 | 122 | 86 |
| 11080 | 0.79 | 0.39 | 1.18 | 440 | 0.46 | 0.72 | 0.55 | 91 | 69 |
| 11090 | 0.74 | 0.32 | 1.07 | 437 | 0.34 | 0.73 | 1.44 | 98 | 194 |
| 11100 | 0.84 | 0.48 | 1.67 | 440 | 0.80 | 0.87 | 0.96 | 103 | 114 |
| 11110 | 3.01 | 0.31 | 10.32 | 332 | 3.23 | 7.09 | 8.49 | 235 | 282 |
| 11120 | 1.31 | 0.40 | 2.03 | 434 | 0.81 | 1.22 | 1.58 | 93 | 120 |
| 11130 | 1.48 | 0.35 | 2.38 | 439 | 0.84 | 1.54 | 1.51 | 104 | 102 |
| 11140 | 2.03 | 0.35 | 3.42 | 438 | 1.19 | 2.23 | 1.43 | 109 | 70 |
| 11150 | 1.43 | 0.37 | 2.34 | 440 | 0.86 | 1.48 | 0.86 | 103 | 60 |
| 11160 | 1.51 | 0.30 | 2.64 | 438 | 0.80 | 1.84 | 1.28 | 121 | 84 |
| 11170 | 1.26 | 0.27 | 2.17 | 440 | 0.58 | 1.59 | 0.78 | 126 | 61 |
| 11180 | 1.21 | 0.36 | 2.13 | 443 | 0.76 | 1.37 | 0.71 | 113 | 58 |
| 11190 | 1.70 | 0.38 | 3.43 | 443 | 1.32 | 2.11 | 0.80 | 124 | 47 |
| 11200 | 1.04 | 0.43 | 2.68 | 440 | 1.15 | 1.53 | 0.60 | 147 | 57 |
| 11210 | 0.94 | 0.43 | 2.36 | 431 | 1.02 | 1.34 | 0.53 | 142 | 56 |
| 11220 | 1.35 | 0.27 | 2.15 | 443 | 0.59 | 1.56 | 0.58 | 115 | 42 |
| 11230 | 1.23 | 0.29 | 2.12 | 443 | 0.61 | 1.51 | 0.51 | 122 | 41 |
| 11240 | 1.29 | 0.32 | 2.12 | 443 | 0.68 | 1.44 | 0.66 | 111 | 51 |


| Depth (ft) | TOC | PI | S1+S2 | TMAX | S1 | S2 | S3 | HI | OI |
|------------|------|------|-------|------|------|------|------|-----|-----|
| 11250 | 1.42 | 0.22 | 2.01 | 434 | 0.45 | 1.56 | 1.42 | 109 | 100 |
| 11260 | 2.86 | 0.23 | 6.24 | 339 | 1.44 | 4.80 | 6.42 | 167 | 224 |
| 11270 | 2.63 | 0.25 | 4.88 | 436 | 1.22 | 3.66 | 1.31 | 139 | 49 |
| 11280 | 1.47 | 0.37 | 2.47 | 439 | 0.91 | 1.56 | 0.97 | 106 | 65 |
| 11290 | 1.85 | 0.28 | 2.83 | 442 | 0.79 | 2.04 | 1.98 | 110 | 107 |
| 11300 | 1.63 | 0.29 | 2.11 | 437 | 0.62 | 1.49 | 1.18 | 91 | 72 |
| 11310 | 1.77 | 0.38 | 3.65 | 434 | 1.39 | 2.26 | 1.21 | 127 | 68 |
| 11320 | 2.06 | 0.38 | 4.32 | 440 | 1.62 | 2.70 | 2.40 | 131 | 116 |
| 11330 | 2.01 | 0.47 | 5.13 | 442 | 2.39 | 2.74 | 1.49 | 136 | 74 |
| 11340 | 1.82 | 0.38 | 3.20 | 445 | 1.20 | 2.00 | 1.20 | 109 | 65 |
| 11350 | 1.73 | 0.43 | 3.59 | 447 | 1.53 | 2.06 | 1.15 | 119 | 66 |
| 11360 | 1.73 | 0.36 | 2.78 | 448 | 1.01 | 1.77 | 1.05 | 102 | 60 |
| 11370 | 1.43 | 0.25 | 1.64 | 438 | 0.41 | 1.23 | 1.01 | 86 | 70 |
| 11380 | 1.51 | 0.21 | 1.85 | 439 | 0.38 | 1.47 | 0.93 | 97 | 61 |
| 11390 | 1.61 | 0.43 | 5.03 | 439 | 2.14 | 2.89 | 0.94 | 179 | 58 |
| 11400 | 2.56 | 0.22 | 5.31 | 437 | 1.16 | 4.15 | 1.07 | 162 | 41 |
| 11410 | 1.37 | 0.33 | 2.12 | 439 | 0.69 | 1.43 | 1.09 | 104 | 79 |
| 11420 | 1.24 | 0.54 | 3.35 | 435 | 1.81 | 1.54 | 0.92 | 124 | 74 |
| 11430 | 1.31 | 0.31 | 2.32 | 440 | 0.71 | 1.61 | 0.67 | 122 | 51 |
| 11440 | 1.09 | 0.41 | 2.15 | 438 | 0.88 | 1.27 | 0.82 | 116 | 75 |
| 11450 | 1.28 | 0.26 | 1.84 | 442 | 0.48 | 1.36 | 0.82 | 106 | 64 |
| 11460 | 1.24 | 0.22 | 1.39 | 439 | 0.30 | 1.09 | 0.61 | 87 | 49 |
| 11470 | 1.30 | 0.21 | 1.27 | 435 | 0.27 | 1.00 | 0.79 | 76 | 60 |
| 11480 | 1.66 | 0.13 | 2.52 | 429 | 0.32 | 2.20 | 0.67 | 132 | 40 |
| 11490 | 1.07 | 0.20 | 1.29 | 436 | 0.26 | 1.03 | 0.65 | 96 | 60 |
| 11500 | 1.00 | 0.27 | 1.62 | 430 | 0.44 | 1.18 | 0.54 | 118 | 54 |
| 11510 | 0.98 | 0.28 | 1.19 | 439 | 0.33 | 0.86 | 0.58 | 87 | 59 |
| 11520 | 0.91 | 0.40 | 1.68 | 438 | 0.68 | 1.00 | 0.67 | 109 | 73 |
| 11530 | 0.87 | 0.31 | 1.07 | 439 | 0.33 | 0.74 | 0.56 | 85 | 64 |
| 11540 | 0.79 | 0.46 | 1.49 | 445 | 0.68 | 0.81 | 0.40 | 102 | 50 |
| 11550 | 0.95 | 0.44 | 1.79 | 444 | 0.79 | 1.00 | 0.48 | 105 | 50 |
| 11560 | 1.00 | 0.53 | 2.20 | 444 | 1.17 | 1.03 | 0.57 | 103 | 57 |
| 11570 | 1.17 | 0.40 | 2.18 | 436 | 0.88 | 1.30 | 0.75 | 111 | 64 |
| 11580 | 1.07 | 0.39 | 1.99 | 438 | 0.78 | 1.21 | 0.78 | 113 | 72 |
| 11590 | 0.95 | 0.36 | 1.46 | 440 | 0.52 | 0.94 | 0.72 | 98 | 75 |
| 11600 | 0.97 | 0.46 | 2.10 | 440 | 0.96 | 1.14 | 0.98 | 117 | 101 |
| 11610 | 1.92 | 0.32 | 4.59 | 349 | 1.49 | 3.10 | 3.94 | 161 | 205 |
| 11620 | 1.08 | 0.49 | 2.15 | 442 | 1.05 | 1.10 | 1.22 | 101 | 112 |
| 11630 | 1.01 | 0.53 | 2.58 | 442 | 1.37 | 1.21 | 0.73 | 119 | 72 |
| 11640 | 1.02 | 0.47 | 2.38 | 442 | 1.12 | 1.26 | 0.94 | 123 | 92 |
| 11650 | 1.16 | 0.40 | 1.68 | 440 | 0.68 | 1.00 | 0.78 | 86 | 67 |
| 11660 | 1.22 | 0.36 | 1.88 | 445 | 0.68 | 1.20 | 0.68 | 98 | 55 |
| 11670 | 1.03 | 0.36 | 1.54 | 446 | 0.56 | 0.98 | 0.67 | 95 | 65 |
| 11680 | 1.29 | 0.43 | 2.44 | 444 | 1.05 | 1.39 | 0.75 | 107 | 58 |
| 11690 | 1.37 | 0.35 | 2.64 | 448 | 0.93 | 1.71 | 0.81 | 124 | 59 |
| 11700 | 2.14 | 0.28 | 3.98 | 388 | 1.10 | 2.88 | 5.30 | 134 | 247 |
| 11710 | 1.70 | 0.30 | 1.95 | 444 | 0.58 | 1.37 | 1.19 | 80 | 70 |
| 11720 | 1.76 | 0.40 | 3.09 | 445 | 1.23 | 1.86 | 1.14 | 105 | 64 |

| Depth (ft) | TOC | PI | S1+S2 | TMAX | S1 | S2 | S3 | HI | OI |
|------------|------|------|-------|------|------|------|------|-----|-----|
| 11730 | 2.53 | 0.40 | 8.30 | 388 | 3.33 | 4.97 | 4.82 | 196 | 190 |
| 11740 | 2.03 | 0.37 | 5.01 | 440 | 1.85 | 3.16 | 4.14 | 155 | 203 |
| 11750 | 1.75 | 0.41 | 3.73 | 442 | 1.53 | 2.20 | 1.57 | 125 | 89 |
| 11760 | 1.86 | 0.30 | 3.05 | 443 | 0.91 | 2.14 | 2.09 | 115 | 112 |
| 11770 | 1.94 | 0.37 | 3.98 | 453 | 1.47 | 2.51 | 0.80 | 129 | 41 |
| 11780 | 1.69 | 0.25 | 2.69 | 453 | 0.68 | 2.01 | 0.52 | 118 | 30 |
| 11790 | 1.29 | 0.42 | 1.90 | 448 | 0.79 | 1.11 | 0.78 | 86 | 60 |
| 11800 | 1.66 | 0.46 | 2.78 | 445 | 1.27 | 1.51 | 0.66 | 90 | 39 |
| 11810 | 1.51 | 0.41 | 1.33 | 446 | 0.54 | 0.79 | 0.36 | 52 | 23 |
| 11820 | 1.16 | 0.42 | 1.45 | 449 | 0.61 | 0.84 | 0.34 | 72 | 29 |
| 11830 | 0.87 | 0.56 | 1.22 | 438 | 0.68 | 0.54 | 0.42 | 62 | 48 |
| 11840 | 0.53 | 0.56 | 0.52 | 433 | 0.29 | 0.23 | 0.27 | 43 | 50 |
| 11850 | 0.26 | 0.59 | 0.32 | 399 | 0.19 | 0.13 | 0.21 | 50 | 80 |
| 11860 | 0.26 | 0.69 | 0.32 | 432 | 0.22 | 0.10 | 0.29 | 38 | 111 |
| 11870 | 0.27 | 0.55 | 0.29 | 442 | 0.16 | 0.13 | 0.30 | 48 | 111 |
| 11880 | 0.24 | 0.69 | 0.42 | 443 | 0.29 | 0.13 | 0.42 | 54 | 175 |
| 11890 | 0.17 | 0.64 | 0.33 | 428 | 0.21 | 0.12 | 0.36 | 70 | 211 |
| 11900 | 0.79 | 0.56 | 1.40 | 441 | 0.79 | 0.61 | 0.61 | 77 | 77 |
| 11910 | 0.10 | 0.64 | 0.14 | 439 | 0.09 | 0.05 | 0.44 | 50 | 440 |

Gulf Mobil Atigi G-04



Gulf Mobil Atigi G-04



Gulf Mobil Atigi G-04

